



Commercial Vehicle Inspection Certificate
Traffic Safety Act


PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	26100 kg	Brake Type:	Air
Owner Name:	CAPITAL PRESSURE LTD		
Address:	BOX 1960		
City:	SUNDRE	Province:	AB
		Postal Code:	TOM1X0
Telephone Number:	(403) 638-2256		
Vehicle Identification Number:	5KKHALAV19PAB6866		
Make:	Western Star	Model:	Conventional
Year:	2009	Unit Number:	301
Odometer:	33045 ML	Licence Plate Number:	L39379
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
22 West Ltd.	13003
Inspection Technician Name:	Technician Number:
Jarrett McLean	B8163
Inspection Technician Signature:	
Inspection Date:	2020/08/11

11055528



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered																																																																																																																																																																																																																																																																																			
Truck										26100 kg																																																																																																																																																																																																																																																																																			
Vehicle Information																																																																																																																																																																																																																																																																																													
VIN		5	K	K	H	A	L	A	V	1	9	P	A	B	6	8	6	6																																																																																																																																																																																																																																																																											
Unit Number				Year				Make				Model				Odometer																																																																																																																																																																																																																																																																													
301				2009				Western Star				Conventional				33,045																																																																																																																																																																																																																																																																													
Registered Owner's Name																Plate Number																																																																																																																																																																																																																																																																													
CAPITAL PRESSURE LTD																L39379																																																																																																																																																																																																																																																																													
Address												Postal Code				Phone Number																																																																																																																																																																																																																																																																													
BOX 1960												TOM1XO				(403) 638-2256																																																																																																																																																																																																																																																																													
Drum Brakes:											Disc Brakes:																																																																																																																																																																																																																																																																																		
C-Limited Inspection																																																																																																																																																																																																																																																																																													
<table border="1"><thead><tr><th colspan="4">LEFT</th><th colspan="4">FRONT</th><th colspan="4">RIGHT</th></tr></thead><tbody><tr><td colspan="2">100 psi</td><td colspan="2">15/32 in</td><td>NA</td><td>in</td><td colspan="2">Drums/Rotors</td><td>NA</td><td>in</td><td colspan="2">100 psi</td><td colspan="2">15/32 in</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>9/16</td><td>in</td><td colspan="2">Linings/Pads</td><td>9/16</td><td>in</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>1</td><td>in</td><td colspan="2">Push Rod Travel</td><td>1</td><td>in</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">95 psi</td><td colspan="2">95 psi</td><td>NA</td><td>in</td><td colspan="2">Drums/Rotors</td><td>NA</td><td>in</td><td colspan="2">95 psi</td><td colspan="2">95 psi</td></tr><tr><td colspan="2">27/32 in</td><td colspan="2">27/32 in</td><td>9/16</td><td>in</td><td colspan="2">Linings/Pads</td><td>9/16</td><td>in</td><td colspan="2">27/32 in</td><td colspan="2">27/32 in</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>1.75</td><td>in</td><td colspan="2">Push Rod Travel</td><td>1.75</td><td>in</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">95 psi</td><td colspan="2">95 psi</td><td>NA</td><td>in</td><td colspan="2">Drums/Rotors</td><td>NA</td><td>in</td><td colspan="2">95 psi</td><td colspan="2">95 psi</td></tr><tr><td colspan="2">27/32 in</td><td colspan="2">27/32 in</td><td>9/16</td><td>in</td><td colspan="2">Linings/Pads</td><td>9/16</td><td>in</td><td colspan="2">27/32 in</td><td colspan="2">27/32 in</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>2</td><td>in</td><td colspan="2">Push Rod Travel</td><td>1.75</td><td>in</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">psi</td><td colspan="2">psi</td><td>in</td><td></td><td colspan="2">Drums/Rotors</td><td>in</td><td></td><td colspan="2">psi</td><td colspan="2">psi</td></tr><tr><td colspan="2">in</td><td colspan="2">in</td><td>in</td><td></td><td colspan="2">Linings/Pads</td><td>in</td><td></td><td colspan="2">in</td><td colspan="2">in</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>in</td><td></td><td colspan="2">Push Rod Travel</td><td>in</td><td></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">psi</td><td colspan="2">psi</td><td>in</td><td></td><td colspan="2">Drums/Rotors</td><td>in</td><td></td><td colspan="2">psi</td><td colspan="2">psi</td></tr><tr><td colspan="2">in</td><td colspan="2">in</td><td>in</td><td></td><td colspan="2">Linings/Pads</td><td>in</td><td></td><td colspan="2">in</td><td colspan="2">in</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>in</td><td></td><td colspan="2">Push Rod Travel</td><td>in</td><td></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">psi</td><td colspan="2">psi</td><td>in</td><td></td><td colspan="2">Drums/Rotors</td><td>in</td><td></td><td colspan="2">psi</td><td colspan="2">psi</td></tr><tr><td colspan="2">in</td><td colspan="2">in</td><td>in</td><td></td><td colspan="2">Linings/Pads</td><td>in</td><td></td><td colspan="2">in</td><td colspan="2">ir</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>in</td><td></td><td colspan="2">Push Rod Travel</td><td>in</td><td></td><td colspan="2"></td><td colspan="2"></td></tr></tbody></table>																						LEFT				FRONT				RIGHT				100 psi		15/32 in		NA	in	Drums/Rotors		NA	in	100 psi		15/32 in						9/16	in	Linings/Pads		9/16	in									1	in	Push Rod Travel		1	in					95 psi		95 psi		NA	in	Drums/Rotors		NA	in	95 psi		95 psi		27/32 in		27/32 in		9/16	in	Linings/Pads		9/16	in	27/32 in		27/32 in						1.75	in	Push Rod Travel		1.75	in					95 psi		95 psi		NA	in	Drums/Rotors		NA	in	95 psi		95 psi		27/32 in		27/32 in		9/16	in	Linings/Pads		9/16	in	27/32 in		27/32 in						2	in	Push Rod Travel		1.75	in					psi		psi		in		Drums/Rotors		in		psi		psi		in		in		in		Linings/Pads		in		in		in						in		Push Rod Travel		in						psi		psi		in		Drums/Rotors		in		psi		psi		in		in		in		Linings/Pads		in		in		in						in		Push Rod Travel		in						psi		psi		in		Drums/Rotors		in		psi		psi		in		in		in		Linings/Pads		in		in		ir						in		Push Rod Travel		in					
LEFT				FRONT				RIGHT																																																																																																																																																																																																																																																																																					
100 psi		15/32 in		NA	in	Drums/Rotors		NA	in	100 psi		15/32 in																																																																																																																																																																																																																																																																																	
				9/16	in	Linings/Pads		9/16	in																																																																																																																																																																																																																																																																																				
				1	in	Push Rod Travel		1	in																																																																																																																																																																																																																																																																																				
95 psi		95 psi		NA	in	Drums/Rotors		NA	in	95 psi		95 psi																																																																																																																																																																																																																																																																																	
27/32 in		27/32 in		9/16	in	Linings/Pads		9/16	in	27/32 in		27/32 in																																																																																																																																																																																																																																																																																	
				1.75	in	Push Rod Travel		1.75	in																																																																																																																																																																																																																																																																																				
95 psi		95 psi		NA	in	Drums/Rotors		NA	in	95 psi		95 psi																																																																																																																																																																																																																																																																																	
27/32 in		27/32 in		9/16	in	Linings/Pads		9/16	in	27/32 in		27/32 in																																																																																																																																																																																																																																																																																	
				2	in	Push Rod Travel		1.75	in																																																																																																																																																																																																																																																																																				
psi		psi		in		Drums/Rotors		in		psi		psi																																																																																																																																																																																																																																																																																	
in		in		in		Linings/Pads		in		in		in																																																																																																																																																																																																																																																																																	
				in		Push Rod Travel		in																																																																																																																																																																																																																																																																																					
psi		psi		in		Drums/Rotors		in		psi		psi																																																																																																																																																																																																																																																																																	
in		in		in		Linings/Pads		in		in		in																																																																																																																																																																																																																																																																																	
				in		Push Rod Travel		in																																																																																																																																																																																																																																																																																					
psi		psi		in		Drums/Rotors		in		psi		psi																																																																																																																																																																																																																																																																																	
in		in		in		Linings/Pads		in		in		ir																																																																																																																																																																																																																																																																																	
				in		Push Rod Travel		in																																																																																																																																																																																																																																																																																					
Park Brake Lining Left NA in Right NA in Trans NA in																																																																																																																																																																																																																																																																																													
Wheel Torque Checked ✓ Inner NA ft lbs Outer 500 ft lbs																																																																																																																																																																																																																																																																																													

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)			✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*			

NOTES:

MONITOR REGEN LAMP ON.

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes									
Component	P	F	NA	Component	P	F	NA		
3A.11. Parking Brake & Emergency Application	✓								

NOTES:

Section 4 - Steering									
Component	P	F	NA	Component	P	F	NA		
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓				
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle				✓	
4.3. Steering Operation (Active Steer Axle)	✓								

NOTES:

Section 5 - Instruments and Auxiliary Equipment									
Component	P	F	NA	Component	P	F	NA		
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓				
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓				
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓				
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓				
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓				
5.7. Windshield Wiper/Washer	✓								

NOTES:

PTO SEAL WEEPING MONITOR

Section 6 - Lamps									
Component	P	F	NA	Component	P	F	NA		
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓				
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓				
6.3. Retro-Reflective Marking	✓								

NOTES:

Section 7 - Electrical System									
Component	P	F	NA	Component	P	F	NA		
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓				
7.2. Battery	✓								

NOTES:

Section 8 - Body									
Component	P	F	NA	Component	P	F	NA		
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓				
8.2. Tilt Cab			✓	8.13. Windshield	✓				
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓				
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓				
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓				
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓				
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓				
8.8. Cab or Cargo Door	✓			8.19. Seat	✓				
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓				
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓	

NOTES:

MONITOR ROCK CHIPS IN WINDSHIELD

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					


NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler		✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #6981513) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2020/08/11	B8163	13003	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2020/08/11

Customer Signature

