



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Ty	oe:	Truck			Seating	g Capa	city	/ :					
GVW:		kg			Brake 7	Гуре:			Air				
Owner Name: mountain creek trans				port									
Address:	box												
City:	: didsbury			Province: AB						Posta	al Code:	TON	10N0
Telephone	Num	ber: (403) 99	4-16	52									
Vehicle Ide	ntific	ation Number:		1>	(PWD49)	X0DD1	1975	31					1
Make:	p	eterbilt					Мо	del:	conven	tional			
Year: 2013							Uni	it Nu	mber:				
Odometer: 1252268 KM Licence			ence	Plate Number:						Province	e:	AB	

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	- A.	Facility Number:
1990579 Alberta Ltd		18877
Inspection Technician Name:		Technician Number:
Barry Wiens		A5454
Inspection Technician Signature:		Barrelines
Inspection Date:	2020/09/29	0



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

	Гуре о Гruck	of V	ehic	le									Gro	ss Ve	hicle We	eight reg kg	gister	ed	
N	ehicle	e In	forn	nation					建铁器 (1)							Ng			34
Registered Owner's Name Plate Number	/IN	and the party of				W	D	4	9	X	0	D	D	1	9	7	5	3	
Address box ToMoNo Phone Numb	Unit	Nur	nber	•												<u> </u>			
Drum Brakes: B-Wheel-on Full Inspection Disc Brakes: Disc Br																	Plate	Numbe)r
LEFT FRONT RIGHT						,													
100 psi 100 psi 11/16 11/16 11/17 11/16 11/17 11/16 11/17 11/16 11/17 11/16 11/17 11/16 11/17	D	rum	Bral	kes:	B-W	neel-on F	ull Inspec	tion		V	Disc I	Brakes:							
100 psi 15/32 in 100 psi 100 psi 100 psi 15/32 in 15/3												. 4	RIGHT	•				5	
9/32 in 1/1/16 iii Linings/Pads 5/8 iii 9/32 in 1.7 in Push Rod Travel 1.7 in 9/32 in 1.7 in Push Rod Travel 1.7 in 9/32 in 100 psi 100 psi 10/32 in 1.7 in Push Rod Travel 1.7 in 10/32 in 10/32 in 10/32 in 1.7 in Push Rod Travel 1.7 in 10/32 in 1				100	psi	-										100	psi		
100 psi				9/32	in			-								_			
100 psi 15/32 in 15/																			
10/32 in 10/32 in 10/32 in 1.7	1	00	nei	100	nei			0.535	in	Drums	s/Rotors		0.5	o in		100			
1.7 in									in	Lining	gs/Pads								
100 psi 100 psi 11/2 in	-		^			L-		1.7	in	Push R	lod Trave	<u> </u>	1	.7 in		10/32		10/32	in)
15/32 in 15/32 in 11/2 in Linings/Pads 5/8 in 15/32 in		100		100	nai			0.545	in	Drum	s/Rotors		0.54	7 in				400	
psi psi in Drums/Rotors in psi psi in	-	777							in	Linin	gs/Pads			/8 in		_			
psi psi in Linings/Pads in in in in in in in psi psi psi in	13	132	in)	15/32	· III			1.7	in	Push R	od Trave	. 10.20	1	.7 in		15/32	III \	15/32	<u></u>
psi psi in Linings/Pads in in in in in in in psi psi psi in	-		_						in	Drum	s/Rotors			in					
in in Push Rod Travel in		******	.		-								- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			(n n	psi	p	isi
psi psi in Linings/Pads in psi in lin lin lin lin lin lin lin lin lin	_		in	_	in				in					in			in	iı	n
psi psi in Linings/Pads in psi in lin lin lin lin lin lin lin lin lin	_								· I	Drum	/Potore		<u> </u>	in					
in in Push Rod Travel in			psi		psi												psi	p	isc
psi psi in Linings/Pads in psi psi in lin in psi psi in in in lin in lin in lin in lin lin	_		in	_	in									in			in	i	n
psi psi in Linings/Pads in psi psi in lin in psi psi in in in lin in lin in lin in lin lin					V 117,														
in in Push Rod Travel in in in in			psi		psi							-					psi	р	si
					in				k L pro								in	i	n)
Park Brake Lining Left 0 in Right 0 in Trans 0 in																		-	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

	Section 1 - Power Train											
Component	P.	F NA	Component	P	F							
1.1. Accelerator Pedal/Throttle Actuator	1		1.8. Engine Start Safety Feature	1	1021.0101010							
1.2. Exhaust System	/		1.9. Gear Position Indicator									
1.3. Emission Control Systems and Devices	1		1.10. Engine or Accessory Drive Belt	1								
1.4. Drive Shaft	· /		1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System									
1.5. Clutch and Clutch Pedal	1		1.12. Gasoline or Diesel Fuel System	1								
1.6. Engine/Transmission Mount	1		1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*									
1.7. Engine/Shut Down	1											

NOTES:

	APPEND	IX "A"		
Component	P F NA	Component	PF	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System	1	A.3. Liquefied Natural Gas (LNG) Fuel System		1
A.2. Compressed Natural Gas (CNG) Fuel System	/			

NOTES:

	Section 2 - Suspension												
Component	PF	NA	Component	P	FNA								
2.1. Suspension & Frame Attachments	1		2.5. Air Suspension	/									
2.2. Axle Attaching & Tracking Components	1		2.6. Self-Steer and Controlled-Steer Axle	/									
2.3. Axle & Axle Assembly	1		2.7. Shock Absorber/Strut Assembly	/									
2.4. Spring & Spring Attachment	/												

NOTES:

	Section	зн .	- Hy	draulic Brakes			
Component	P	F	NA	Component	Р	F	NA
3H.1. Hydraulic System Components			1	3H.13. Disc Brake System Components			1
3H.2. Brake Pedal/Actuator				3H.14. Mechanical Parking Brake			1
3H.3. Vacuum Assist (Boost) System		300		3H.15. Spring-Applied Air-Released Parking Brake			1
3H.4. Hydraulic Assist (Boost) System			/	3H.16. Spring-Applied Hydraulic-Released Parking Brake			1
3H.5. Air Assist (Boost) System			1	3H.17. Anti-Lock Brake System (ABS)			1
3H.6. Air-Over-Hydraulic Brake System			1	3H.18. Stability Control System			1
3H.11. Brake System Indicator Lamps	the above		1	3H.19. Brake Performance			1
3H.12. Drum Brake System Components		-	1				1

NOTES:

	Sect	ion	3A -	Air Brakes		
Component	P	F	NA	Component	Р	F N/
3A.1. Air Compressor	1			3A.13. Air System Components	1	
3A.2. Air Supply System	1			3A.14. Brake Chamber	1	
3A.4. Air Tank	1			3A.15. Drum Brake System Components	1	
3A.5. Air Tank Check Valves	1			3A.16. S-Cam Drum Brake System	1	
3A.6. Brake Pedal/Actuator	/			3A.17. Brake Shoe Travel (Wedge Brakes)	- Vester	82
3A.7. Treadle Valve and Trailer Hand Valve	/			3A.18. Disc Brake System Components	7	1
3A.8. Brake Valves & Controls	1	1		3A.19. Anti-Lock Brake System (ABS)	/	V a.
3A.9. Proportioning, Inversion or Modulation Valve	/			3A.21. Stability Control System	- N. S.	
3A.10. Towing Vehicle (Tractor) Protection System	1			3A.23. Brake Performance	1	~

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

No. of the second	Section	3A - A	Air Brakes		
Component	PF	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	1				

NOTES:

replace brake pot #3 axle left

	4 - Steering		
Component	PF	NA Component	PFNA
4.1. Steering Control and Linkage	1	4.4. Kingpin	1
4.2. Power Steering System (Hydraulic and Electric)	1	4.5. Self-Steer and Controlled-Steer Axle	1
4.3. Steering Operation (Active Steer Axle)	/		

NOTES:

Section 5 - Instruments and Auxiliary Equipment												
Component	P	F	NA	Component	Р	F NA						
5.1. Fire Extinguisher	1		-	5.8. Heater & Windshield Defroster	1							
5.2. Hazard Warning Kit	/	- 50		5.9. Fuel-Burning Auxiliary Heater	1							
5.3. Horn	/			5.10. Chain/"Headache" Rack	1							
5.5. Speedometer	1			5.11. Auxiliary Controls and Devices	1							
5.6. Odometer	1			5.12. Auxiliary Drive Controls	/							
5.7. Windshield Wiper/Washer	1											

NOTES:

	Sec	Section 6 - Lamps										
Component	P	F NA	Component	P	F	NA						
6.1. Required Lamps	1		6.4. Instrument Panel Lamps	1	1000000	10000000						
6.2. Reflex Reflector	1		6.5. Headlamp Aim	1								
6.3. Retro-Reflective Marking	1											

NOTES:

Sec	tion	7 -	Elec	trical System
Component	P	F	NA	Component P F N
7.1. Wiring	1			7.3. Trailer Cord (output to towed vehicle)
7.2. Battery	1			

NOTES:

Section 8 - Body								
Component	P	F	NA	Component	P	FNA		
8.1. Hood or Engine Enclosure	1			8.12. Bumper	1			
8.2. Tilt Cab			1	8.13. Windshield	1			
8.3. Air-Suspended Cab	/			8.14. Side Windows	1			
8.4. Cab and Passenger-Vehicle Body	/			8.15. Rear Window		1		
8.5. Cargo Body			1	8.16. Interior Sun Visor	1			
8.6. Frame, Rails & Mounts	1			8.17. Exterior Windshield Sun Visor	1			
8.7. Unitized Body Elements			1	8.18. Rear-View Mirror		1		
8.8. Cab or Cargo Door	1			8.19. Seat	/			
8.9. Cargo Tank or Vessel		7	1	8.20. Seat Belt/Occupant Restraint	/			
8.10. Body, Device or Equipment Attached or Mounted to the	/			8.21. Fender/Mud Flap	1			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

	S	ecti	on 8	-Body			0
Component Vehicle	P	F	NA	Component	P	F	NA
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment			1

NOTES:

Section 9 - Tires and Wheels									
Component	America P	F NA	Component	Р	FN				
9.1. Tire Tread Depth	1		9.7. Wheel/Rim (Applies to all wheel types)	1					
9.2. Tire Tread Condition	1		9.8. Multi-Piece Wheel/Rim		1				
9.3. Tire Sidewall & Manufacturer Markings	1		9.9. Spoke Wheel/Demountable Rim System		2				
9.4. Tire Inflation Pressure	1		9.10. Disc Wheel System		3				
9.5. Wheel Hub	1		9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1					
9.6. Wheel Bearing	1								

NOTES:

Section 10 - Couplers and Hitches											
Component	P	F	NA	Component	P	FN	ĪĀ				
10.1. Hitch Assembly, Structure & Attaching Components	1		24742925-100	10.5. Roll-Coupling Hitch	200002400	36	1				
10.2. Secondary Attachment (Safety Chain or Cable)			1	10.6. Automated Coupling Device		1	1				
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			- American	10.7. Fifth Wheel Coupler	1						
10.4. Ball Type Hitch			1	10.8. Oscillating Fifth Wheel Coupler		- 1	1				

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #6976636) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection

Technician Number

Facility Number

2020/09/28

A5454

18877

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

Signature

2020/09/29

Customer Signature