



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	Truck			Seating	ј Сар	acity	' :					
GVW:		63500 kg		Brake Type:					Air				
Owner Nam	ort	1											
Address:	dids	sbury											
City: didsbury Pro					ince:	AB				Posta	l Code:	TON	10W0
Telephone	Num	ber: (403) 99	4-165	2				ding-					
Vehicle Ide	ntific	ation Number:		1)	(PWD49)	X3ED:	2296	64					
Make:	F	eterbilt					Мо	del:	Conven	tional			
Year: 2014							Uni	it Nu	mber:		1830		
Odometer:	8	323111 KM	Lice	ence	Plate Nu	:	E585	533		Province	e:	AB	

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
1990579 Alberta Ltd		18877
Inspection Technician Name:		Technician Number:
Barry Wiens		A5454
Inspection Technician Signature:		Bornellins
Inspection Date:	2020/09/18	



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type o Truck		in Ci									A STATE OF	Gro	ss Veh	STATE OF THE PERSON NAMED IN POST OF	eight reg 3500 k	STORY OF STREET STREET, STREET	ed	
ehicl	e Inf	orm	ation															
/IN	1		X	P	W	D	4	9	X	3	E	D	2	2	9	6	6	4
Unit	Num	ber			Year 2014			Ma Peter				Mode Conven					ometer	
	030											Conven	uonai			023	3,111	
									r's Name ransport								Number 3533	•
	• *************************************					\ddress lidsbur							Postal (one Nun 3) 994-1	
0	Orum	Brak	es:	B-Wh	eel-on F	ull Inspe	ction			Disc E	Brakes:							
							LEFT	,	FR	RONT		RIGHT						
		1	100	psi			0.540	in	Drum	s/Rotors	V t V	0.54	-		100	psi		
			10/32				3/4	in	Lining	gs/Pads	-	3	/4 in		_			
		/	-				1.6	in	Push F	Rod Travel		1	6 in		10/32	in		
1	00 р	si	100	psi			0.565	in	Drum	s/Rotors	oet A	0.56	5 in	_	100	psi	100 ps	
	/32 ir		7/32	1			9/16	in	Linin	gs/Pads		9/			7/32		7/32 in	
							1.75	in	Push F	Rod Travel		1.7	'5 in					
(1	100 p	ei V	100	psi			0.525	in	Drum	s/Rotors		0.52	25 in		100	nei	100 ps	si
	i/32 i		5/32	1	_		3/4	in		gs/Pads			/4 in		5/32		5/32 in	-
-	// I	^	5/52				1.6	in	Push R	Rod Travel		1	.6 in		0,02			_)
		si		psi				in	Drum	ıs/Rotors			in			psi	ps	si
-	 i		-	in				in		igs/Pads			in		-	in	in	
			-	/	-			in	Push F	Rod Travel			in			<u></u> 人	***************************************)
·				psi				in	Drum	s/Rotors			in				ps	ei
-		n i		in				in		gs/Pads		212	in 			psi in	in	
=			=					in	Push R	Rod Travel			in					
_		- Y		psi				· in		s/Rotors			in			psi	ps	si
-		nsi n		in				in		gs/Pads	_		in	A	_	in	in	
(-			_					in	Push F	Rod Trave			in)
						Brake Lin el Torqu	-		0 in	Right	0in		0 00 f	in t lbs				

在一段推出。	Secti	on 1	- P	ower Train		1714	
Component	P	F	NA	Component	Р	F	N
1.1. Accelerator Pedal/Throttle Actuator	1			1.8. Engine Start Safety Feature	1		
1.2. Exhaust System	1			1.9. Gear Position Indicator	A 4500		1
1.3. Emission Control Systems and Devices	1			1.10. Engine or Accessory Drive Belt	1		
1.4. Drive Shaft	~			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			1
1.5. Clutch and Clutch Pedal	1			1.12. Gasoline or Diesel Fuel System	1		
1.6. Engine/Transmission Mount	~			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*	N 2002		1
1.7. Engine/Shut Down	1						

NOTES:

replace a/c belt and tensioner

	APF	ENE	DIX "A"	Barrier.	
Component	PF	NA	Component	Р	FN
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System		1	A.3. Liquefied Natural Gas (LNG) Fuel System		3
A.2. Compressed Natural Gas (CNG) Fuel System		1	(Erro) Fabrication		

NOTES:

	Secti	on	2 - S	uspension	
Component	P	F	NA	Component	PFN
2.1. Suspension & Frame Attachments	1		10100000000	2.5. Air Suspension	/
2.2. Axle Attaching & Tracking Components	1			2.6. Self-Steer and Controlled-Steer Axle	/
2.3. Axle & Axle Assembly	1			2.7. Shock Absorber/Strut Assembly	1
2.4. Spring & Spring Attachment	1				

NOTES:

	Section 3H	- Hy	draulic Brakes			
Component	PF	NA	Component	P	F	NA
3H.1. Hydraulic System Components		1	3H.13. Disc Brake System Components	A CONTRACTOR OF THE PARTY OF TH	100,10000	1
3H.2. Brake Pedal/Actuator		1	3H.14. Mechanical Parking Brake			1
3H.3. Vacuum Assist (Boost) System		1	3H.15. Spring-Applied Air-Released Parking Brake			1
3H.4. Hydraulic Assist (Boost) System		1	3H.16. Spring-Applied Hydraulic-Released Parking Brake			1
3H.5. Air Assist (Boost) System		1	3H.17. Anti-Lock Brake System (ABS)			1
3H.6. Air-Over-Hydraulic Brake System	0 2 2	1	3H.18. Stability Control System			1
3H.11. Brake System Indicator Lamps		1	3H.19. Brake Performance			1
3H.12. Drum Brake System Components		1				

NOTES:

	Section 3	BA -	Air Brakes		
Component	PF	NA	Component	Р	FN
3A.1. Air Compressor	1		3A.13. Air System Components	1	27.32.00.52.00 - 54.00.2
3A.2. Air Supply System	1		3A.14. Brake Chamber	/	
3A.4. Air Tank	1		3A.15. Drum Brake System Components	/	
3A.5. Air Tank Check Valves	1		3A.16. S-Cam Drum Brake System	1	
3A.6. Brake Pedal/Actuator	1		3A.17. Brake Shoe Travel (Wedge Brakes)		
3A.7. Treadle Valve and Trailer Hand Valve	1		3A.18. Disc Brake System Components		
3A.8. Brake Valves & Controls	1		3A.19. Anti-Lock Brake System (ABS)	1	
3A.9. Proportioning, Inversion or Modulation Valve	1		3A.21. Stability Control System		
3A.10. Towing Vehicle (Tractor) Protection System	1		3A.23. Brake Performance	1	

	ecti	on	3A -	Air Brakes		
Component	P	F	NA	Component	F	NA
3A.11. Parking Brake & Emergency Application	1					MARKET

NOTES:

	Secti	Section 4 - Steering									
Component	PI	- NA	Component	PFN							
4.1. Steering Control and Linkage	1	40.000	4.4. Kingpin	/							
4.2. Power Steering System (Hydraulic and Electric)	1		4.5. Self-Steer and Controlled-Steer Axle	1							
4.3. Steering Operation (Active Steer Axle)	/										

NOTES:

Sec	tion 5 - Instrui	mer	nts a	nd Auxiliary Equipment		6.27
Component	P	F	NA	Component	PF	N/
5.1. Fire Extinguisher	1			5.8. Heater & Windshield Defroster	/	20102-00
5.2. Hazard Warning Kit	1			5.9. Fuel-Burning Auxiliary Heater	/	
5.3. Horn	1			5.10. Chain/"Headache" Rack	1	1
5.5. Speedometer	1			5.11. Auxiliary Controls and Devices	-	1
5.6. Odometer	1			5.12. Auxiliary Drive Controls		1
5.7. Windshield Wiper/Washer	1					

NOTES:

	Se	cti	on 6	- Lamps		
Component	P	F	NA	Component	Р	FN
6.1. Required Lamps	1			6.4. Instrument Panel Lamps	1	2000 Ed 2010
6.2. Reflex Reflector	1			6.5. Headlamp Aim	1	
6.3. Retro-Reflective Marking	1					

NOTES:

Sec	tion	7 -	Elec	trical System		
Component	P	F	NA	Component	PF	N/
7.1. Wiring	1			7.3. Trailer Cord (output to towed vehicle)	1	11000
7.2. Battery	1					

NOTES:

Section 8 - Body								
Component	P	F	NA	Component	Р	FNA		
8.1. Hood or Engine Enclosure	1			8.12. Bumper	1			
8.2. Tilt Cab			1	8.13. Windshield	/			
8.3. Air-Suspended Cab	1			8.14. Side Windows	1			
8.4. Cab and Passenger-Vehicle Body	1			8.15. Rear Window		1		
8.5. Cargo Body			1	8.16. Interior Sun Visor	1			
8.6. Frame, Rails & Mounts	1			8.17. Exterior Windshield Sun Visor	1			
8.7. Unitized Body Elements			1	8.18. Rear-View Mirror	2000	1		
8.8. Cab or Cargo Door	1			8.19. Seat	1	15,74%		
8.9. Cargo Tank or Vessel			1	8.20. Seat Belt/Occupant Restraint	1			
8.10. Body, Device or Equipment Attached or Mounted to the	1			8.21. Fender/Mud Flap	1			

	S	ecti	on 8	-Body			
Vehicle Component	P	F	NA	Component	P	F	N/
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment			1

NOTES:

Section 9 - Tires and Wheels									
Component	P	F	NA	Component	Р	F	N		
9.1. Tire Tread Depth	1		1000000000	9.7. Wheel/Rim (Applies to all wheel types)	1		24 (350)		
9.2. Tire Tread Condition	1			9.8. Multi-Piece Wheel/Rim	100		392		
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System		1			
9.4. Tire Inflation Pressure	1			9.10. Disc Wheel System			897		
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1				
9.6. Wheel Bearing	1			Colons (1.12.5, Dolla dila Olada)	- 4		+		

NOTES:

Se	ction 10) - C	oup	lers and Hitches			
Component	Р	F	NA	Component	Р	F	N
10.1. Hitch Assembly, Structure & Attaching Components	1			10.5. Roll-Coupling Hitch			
10.2. Secondary Attachment (Safety Chain or Cable)				10.6. Automated Coupling Device			18
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			1	10.7. Fifth Wheel Coupler	1	-	T
10.4. Ball Type Hitch			/	10.8. Oscillating Fifth Wheel Coupler	- N - S		1

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #6976629) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection Technician Number Facility Number Signature
2020/09/18 A5454 18877

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2020/09/18

Customer Signature