

PETERBILT  
VMXXR036-1  
UNIT TYPE .1

CHASSIS FINAL BILL  
FOR VIN 1XPBDP9X5KD624490

PAGE 001  
AS OF 10/05/18

DEALER CODE - A131  
NAME AND ADDRESS  
ALLSTATE PBLT OF ROCH

CUSTOMER NO - 9C1I  
STOCK

DATES  
REQ DELV 09/03/18

610 SCHUMANN DR. NW

STOCK 579 SLEEPER

DELIVERY 10/05/18  
PRIC EFF 10/05/18

STEWARTVILLE MN 55976

*Purple*

*222,800 m/s*

PREVIOUS CHASSIS NO.

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS  
DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION

COMMODITY HAULED 0091200 OTHER COMMODITY  
INTENDED SERVICE 0093160 REFRIGERATED FREIGHT

BODY LENGTH .00 IN BODY HEIGHT .00 IN  
MAX LADEN WEIGHT .00 LBS

TRAILER

TRAILER TYPE 0096040 REFRIGERATED VAN  
TRAILER LENGTH .00 FT TRAILER HEIGHT .00 FT  
KINGPIN 36.00 IN CTR LINE AXLE GRP .00 IN  
CORNER RADIUS 1.00 IN NO TRAILER AXLES 02

OPERATING AREA RESTRICTIONS

LENGTH 65.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT  
\*\*\*\* DEALER ASSIGNED:

CHASSIS

FRONT AXLE LOAD 12350.00 LBS REAR AXLE LOAD 40000.00 LBS GCW 80000.00 LBS  
WHEELBASE 244.00 IN FAX/BOC 74.10 IN CAB/AXLE 169.90 IN  
CAB/EOF 225.90 IN MAXIMUM GRADE 06 PERCENT HIGHWAY 100 % CLASS B 000  
% CLASS C 000  
% CLASS D 000

UNIT TYPE 1

SPECIAL REQUIREMENTS  
SPECIAL RESTRICTIONS 0098170 UNITED STATES REGISTRY

## ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 12,350.00 LBS  
GAWR FIRST INTER 20,000.00 LBS SECOND INTER 20,000.00 LBS  
GAWR REAR: 0.00 LBS  
GVWR: 52,350.00 LBS

| CODE                     | DESCRIPTION                             | PUB CD | PRICE   | WEIGHT |
|--------------------------|-----------------------------------------|--------|---------|--------|
| -----                    | -----                                   | ----   | -----   | -----  |
| BASE MODEL               |                                         |        |         |        |
| 0005791                  | MODEL 579 CONVENTIONAL                  | P      | 184,527 | 14,491 |
| N0000                    | N307 OFF...CAB ACCELERATOR ACTIVE IN RE |        |         |        |
| 0200614                  | SMARTWAY DESIGNATED - NOT SELECTED OR   | P      | 0       | 0      |
|                          | UNAVAILABLE FOR VEHICLE CONFIGURATION   |        |         |        |
| 0200700                  | NOT APPLICABLE                          | P      | 0       | 0      |
|                          | SECONDARY MANUFACTURER                  |        |         |        |
| FRAME AND EQUIPMENT      |                                         |        |         |        |
| 0515010                  | 10-5/8" STEEL RAILS 326-384"            | P      | 249     | 236    |
|                          | 5/16" RAIL THICKNESS                    |        |         |        |
| 0611330                  | ZINC COATED ANTI CORROSION TREATED FRME | P      | 361     | 0      |
|                          | RAILS - REQUIRES FRAME RAIL CODE        |        |         |        |
| 0611790                  | ALUMINUM FRAME RAIL XMBS                | P      | 0       | 0      |
|                          | EXCLUDES SUSPENSION                     |        |         |        |
| 0644000                  | EOF TRACTOR TAPERED WITH XMBS           | P      | 0       | 0      |
|                          | INCL KINGPIN CUTOOT                     |        |         |        |
| 0651220                  | FURNISH MUDFLAP HNGRS ONLY OMIT FLAPS   | P      | 21-     | 9-     |
|                          | MUDFLAP/HANGER OPTION REQUIRED          |        |         |        |
| 0651820                  | PB REAR MUDFLAPS, SS MUDFLAP HANGERS    | P      | 107     | 4      |
|                          | SPRING LOADED                           |        |         |        |
| 0671040                  | PETERBILT STAINLESS STEEL QTR FENDERS,  | P      | 209     | 40     |
|                          | BRACELESS                               |        |         |        |
| 0835840                  | HOLLAND FW17 FIFTH WHEEL TOP PLATE      | P      | 1,846   | 190    |
| 0870060                  | REAR OR FIXD SETTING BHD C/L BOGIE 006. |        |         |        |
| 0890090                  | LH FIFTH WHEEL RELEASE                  | P      | 0       | 0      |
| 0890540                  | 6.6"-7" FIFTH WHEEL HEIGHT              | P      | 0       | 79     |
| 0890641                  | HOLLAND LIGHTWEIGHT AIR SLIDE           | P      | 0       | 0      |
|                          | NOT AVAIL W/ SUSPENSIONS >40K           |        |         |        |
| 0891240                  | 24" AIR SLIDE                           | P      | 107     | 216    |
| 0898030                  | FIFTH WHEEL SLIDE CONTROLS              | P      | 26      | 2      |
| 0960000                  | FRAME MTD DECK PLATE AND ACCESS PKG, LH | P      | 506     | 42     |
|                          | SIDE                                    |        |         |        |
| FRONT AXLE AND EQUIPMENT |                                         |        |         |        |
| 1014090                  | HENDRICKSON STEERTEK NXT 12,500 LB      | P      | 100     | 18-    |
|                          | 4.25" DROP, USE W/1111140 ONLY          |        |         |        |
| 1111140                  | HENDRICKSON SOFTEK NXT SPRINGS 12,500LB | P      | 196     | 11-    |
| 1243040                  | POWER STEERING SHEPPARD HD94            | P      | 0       | 0      |
| 1250180                  | POWER STEERING RESERVOIR, FRAME MOUNTED | P      | 0       | 0      |
| 1353540                  | PHP10 ALUMINUM PRESET+ HUBS             | P      | 778-    | 187-   |

UNIT TYPE 1

| CODE                        | DESCRIPTION                             | PUB CD | PRICE  | WEIGHT |
|-----------------------------|-----------------------------------------|--------|--------|--------|
| -----                       | -----                                   | ----   | -----  | -----  |
| 1380350                     | BENDIX AIR CAM FRT HP DRUM BRKS 16.5X5  | P      | 338    | 24-    |
| 1380380                     | TENNECO SHOCKS FOR STEER AXLE           | P      | 0      | 0      |
| 1380550                     | HENDRICKSON WIDE TRACK IPO STD TRACK    | P      | 0      | 0      |
| 1391170                     | 20 MM FRONT SPRING SPACER BLOCKS        | U      | 0      | 0      |
| 1391390                     | LONG STROKE BRAKES, FRONT AXLE          | P      | 21     | 0      |
| 1391410                     | GUSSETED CAM BRACKETS, STEER AXLE       | P      | 25     | 0      |
| 1392970                     | HEAVY DUTY CAM BUSHINGS, STEER AXLE     | P      | 28     | 0      |
| REAR AXLE AND EQUIPMENT     |                                         |        |        |        |
| 1527050                     | PACCAR REAR AXLE 40,000 LB              | P      | 0      | 0      |
| 1616290                     | PHP10 ALUMINUM PRESET+ HUBS             | P      | 1,229- | 0      |
| 1632650                     | LONG STROKE PARKING BRAKES              | P      | 0      | 0      |
|                             | DRIVE AXLE(S)                           |        |        |        |
| 1680390                     | BENDIX ESP ELECTRONIC STABILITY PROGRAM | P      | 0      | 0      |
|                             | WITH ATC, TRACTOR SERVICE               |        |        |        |
| 1680490                     | GUSSETED CAM BRACKETS, DRIVE AXLE(S)    | P      | 65     | 2      |
| 1680935                     | BENDIX WINGMAN ADVANCED NOT SELECTED    | U      | 0      | 0      |
|                             | OR NOT AVAILABLE                        |        |        |        |
| 1682710                     | ANTI-LOCK BRAKING SYSTEM (ABS) 6S6M     | P      | 0      | 0      |
| 1684200                     | SYNTHETIC AXLE LUBRICANT ALL AXLES      | P      | 0      | 0      |
| 1687010                     | BENDIX AIR CAM REAR DRUM BRAKES 16.5X7  | P      | 1,223- | 0      |
| 1702930                     | RATIO 2.93 REAR AXLE                    | P      | 0      | 0      |
| 1821970                     | PB LOW AIR LEAF 40,000 LBS, 52" AS      | P      | 536    | 60-    |
|                             | LIGHT WEIGHT                            |        |        |        |
| 1922260                     | DASH MTD DUMP SWITCH WITH INDICATOR     | P      | 42     | 2      |
|                             | LIGHT FOR SUSPENSION                    |        |        |        |
| ENGINE AND ENGINE EQUIPMENT |                                         |        |        |        |
| 2072823                     | PACCAR MX-13 485@1600 GV@2200 1650@1000 | P      | 1,095  | 0      |
|                             | PERFORMANCE (2017 EMISSIONS)            |        |        |        |
| 2091310                     | ENGINE IDLE SHUTDOWN TIMER DISABLED     | P      | 0      | 0      |
| 2091315                     | ENABLE EIST AMBIENT TEMP OVERRULE       | P      | 0      | 0      |
| 2091330                     | EFF EIST 0 EXPIRATION MILES (USA)       | P      | 0      | 0      |
| 2091510                     | ENABLE RESERVE SPEED DRIVE CYCLE LIMIT  | U      | 0      | 0      |
| 2091638                     | EFFECTIVE VSL SETTING 65.0 MPH          | P      | 0      | 0      |
|                             | OR GREATER (USA)                        |        |        |        |
| 2092014                     | TYPICAL OPERATING SPEED 65 MPH          | P      | 0      | 0      |
| 2092027                     | MX RETARDER STATE CRUISE CONTROL ON     | P      | 0      | 0      |
|                             | (MANUAL MODE ENGINE PARAMETER)          |        |        |        |
| 2092031                     | POWERTRAIN OPTIMIZED FOR FUEL ECONOMY   | P      | 0      | 0      |
|                             | OPERATE AT OR NEAR CRUISE SPEED 90 PLUS |        |        |        |
|                             | PERCENT OF TIME                         |        |        |        |
| 2092075                     | ENABLE MX RETARDER AUTO RETARD          | P      | 0      | 0      |
|                             | (ENGINE PARAMETER)                      |        |        |        |
| 2092082                     | ENGINE MONITORING PROTECTION - DERATE   | P      | 0      | 0      |
|                             | (PACCAR MX)                             |        |        |        |
| 2092092                     | ENABLE DRIVER PERFORMANCE ASSISTANT     | P      | 0      | 0      |
| 2092093                     | DPA - ENABLE DRIVER COACHING            | P      | 0      | 0      |
| 2092094                     | DPA - ENABLE ANTICIPATION SCORE         | P      | 0      | 0      |
| 2092095                     | DPA - ENABLE BRAKE SAVING SCORE         | P      | 0      | 0      |
| N2069                       | N162 75....MAXIMUM ACCELERATOR PEDAL VE |        |        |        |
| N2070                       | N006 75....MAX CRUISE SPEED (N006)      |        |        |        |
| N2071                       | N052 650...IDLE TARGET (N052)           |        |        |        |

UNIT TYPE 1

| CODE    | DESCRIPTION                              | PUB CD | PRICE | WEIGHT |
|---------|------------------------------------------|--------|-------|--------|
| N2074   | N015 NO....ENABLE MX RETARDER IN NEUTRA  |        |       |        |
| N2075   | N019 0.....DELAY IN ENGINE BRAKE ACTIVA  |        |       |        |
| N2076   | N014 2.....AUTO RETARD VEHICLE SPEED OF  |        |       |        |
| N2077   | N013 4.....DOWNHILL SPEED LIMITER VEHIC  |        |       |        |
| N2078   | N001 16.....MINIMUM SPEED TO TURN CRUISE |        |       |        |
| N2079   | N003 19.....MINIMUM CRUISE CONTROL SPEED |        |       |        |
| N2080   | N002 19....MIN SPEED TO AUTOMATICALLY T  |        |       |        |
| N2083   | N039 OFF...ALLOW MULTI-TORQUE ONLY WHEN  |        |       |        |
| N2084   | N187 5.....TIMER SETTING NON-PTO MODE W  |        |       |        |
| N2085   | N188 5.....TIMER SETTING NON-PTO MODE W  |        |       |        |
| N2086   | N185 40....LOW AMBIENT TEMPERATURE OVER  |        |       |        |
| N2087   | N184 80....HIGH AMBIENT TEMPERATURE OVE  |        |       |        |
| N2090   | N186 5.....TIMER SETTING WHEN IN PTO MO  |        |       |        |
| N2091   | N190 YES...RESET EIST TIMER BASED ON EN  |        |       |        |
| N2093   | N071 ON....FIC ENABLE/DISABLE (N071)     |        |       |        |
| N2094   | N072 1900..MAXIMUM FAST IDLE CONTROL EN  |        |       |        |
| N2099   | N078 OFF...PTO MODE DISABLED W/ CLUTCH   |        |       |        |
| 2140200 | CARB ENGINE IDLING COMPLIANCE            | P      | 0     | 0      |
| 2140410 | ENGINE BRAKE CONTROLS LOC ON RH COLUMN   | P      | 0     | 0      |
| N2100   | N101 ON....PTO MODE DISABLED W/ SERVICE  |        |       |        |
| N2101   | N079 OFF...PTO MODE ENABLE ONLY W/ PARK  |        |       |        |
| N2102   | N080 0.....PTO VEHICLE SPEED LIMIT (N08  |        |       |        |
| N2103   | N089 OFF...PTO MODE ENABLE ONLY W/ TRAN  |        |       |        |
| N2110   | N087 780...RPM SET POINT (N087)          |        |       |        |
| N2111   | N086 650...MAXIMUM ENGINE SPEED DURING   |        |       |        |
| N2116   | N110 0.....ENABLE SET POINT W/ SET/ACCE  |        |       |        |
| N2117   | N191 NO....OVERRULE EIST TIMER BASED ON  |        |       |        |
| N2119   | N193 0.....EXPIRATION DISTANCE (N193)    |        |       |        |
| N2123   | N197 YES...ENABLE ACCELERATOR PEDAL RES  |        |       |        |
| N2124   | N198 YES...ENABLE SERVICE BRAKE RESET (  |        |       |        |
| N2125   | N199 YES...ENABLE CLUTCH PEDAL RESET (N  |        |       |        |
| N2126   | N200 YES...ALLOW EIST TIMER OVERRULES I  |        |       |        |
| N2128   | N163 0.....MAXIMUM CYCLE DISTANCE (N163  |        |       |        |
| N2130   | N169 0.....EXPIRATION DISTANCE (N169)    |        |       |        |
| N2131   | N170 155...STANDARD MAXIMUM SPEED LIMIT  |        |       |        |
| N2132   | N106 650...MINIMUM ENGINE SPEED DURING   |        |       |        |
| N2164   | N179 YES...ENABLE PARK BRAKE RESET (N17  |        |       |        |
| N2165   | N173 0.....RESERVE SPEED OFFSET (N173)   |        |       |        |
| N2167   | N164 474...RESERVE SPEED FUNCTION RESET  |        |       |        |
| N2190   | N073 0.....CAB ACCEL PEDAL TYPE IN PTO   |        |       |        |
| N2191   | N182 30....COOLANT TEMPERATURE OVERRULE  |        |       |        |
| N2192   | N219 0.....OFFSET MODE (N219)            |        |       |        |
| N2193   | N224 2.....MAXIMUM VEHICLE SPEED BONUS   |        |       |        |
| N2194   | N227 -2....MAXIMUM VEHICLE SPEED PENALT  |        |       |        |
| N2195   | N246 4.....MINIMUM VEHICLE SPEED FOR DS  |        |       |        |
| N2196   | N247 1.....LOWEST GEAR THAT DSA WILL BE  |        |       |        |
| N2197   | N248 12....HIGHEST GEAR THAT DSA WILL B  |        |       |        |
| 2513060 | PACCAR 160 AMP ALTERNATOR, BRUSHED       | P      | 0     | 0      |
| 2521090 | IMMERSION TYPE BLOCK HEATER 110-120V     | P      | 0     | 0      |
|         | SEE SALES TOOL DESC FOR PLUG LOCATION    |        |       |        |
| 2522050 | PACCAR STARTER 12V                       | U      | 0     | 0      |

UNIT TYPE 1

| CODE                      | DESCRIPTION                                                  | PUB CD | PRICE | WEIGHT |
|---------------------------|--------------------------------------------------------------|--------|-------|--------|
| -----                     | -----                                                        | ----   | ----- | -----  |
| 2538050                   | 4 PACCAR PREMIUM 12V DUAL PURPOSE BATTERIES, 2920 CCA        | P      | 213   | 62     |
| 2539720                   | LOW VOLTAGE DISCONNECT SYSTEM                                | P      | 0     | 0      |
| 2621090                   | DM ADVANTAGE ON/OFF FAN CLUTCH                               | P      | 0     | 0      |
| 2738410                   | WABCO 25.9 CFM AIR COMPRESSOR - (MX)                         | P      | 0     | 0      |
| 2811160                   | COMPRESSION BRAKE, MX                                        | P      | 0     | 0      |
| 2921130                   | DAVCO 382 FUEL/WATER SEPARATOR                               | P      | 149   | 0      |
| 2921250                   | COOLANT HEAT FOR FUEL FILTER                                 | P      | 234   | 0      |
| 2921340                   | 12V AND 120V HEAT FOR FUEL FILTER                            | P      | 219   | 0      |
| 3114270                   | HIGH EFFICIENCY COOLING SYSTEM                               | P      | 0     | 0      |
| 3291680                   | (1) AIR CLEANER FIREWALL MTD                                 | P      | 0     | 0      |
| 3365280                   | EXHAUST SINGLE RH HORIZONTAL DPF/SCR RH UNDER CAB (2017)     | P      | 68    | 29-    |
| TRANSMISSION AND CLUTCH   |                                                              |        |       |        |
| 4030040                   | PACCAR PO-16F112C12 AUTOMATED 12-SPEED, NO COOLER            | P      | 0     | 0      |
| 4099980                   | TRANSMISSION APPROVED                                        | U      | 0     | 0      |
| N4090                     | * TRANSMISSION APPROVED TR000108291 *                        |        |       |        |
| 4210870                   | RPL20 DRIVELINE INTERAXLE                                    | P      | 0     | 0      |
| 4211360                   | RPL25 SD DRIVELINE, 1 MIDSHIP BEARING                        | P      | 903   | 115    |
| 4252610                   | COLUMN MOUNTED SHIFTER RH SIDE                               | P      | 0     | 0      |
| 4257050                   | EATON NEUTRAL COAST MODE AUTOMATED TRANSMISSION              | P      | 0     | 0      |
| AIR AND TRAILER EQUIPMENT |                                                              |        |       |        |
| 4510320                   | BENDIX AD-IS AIR DRYER W/HEATER AND COALESCING FILTER        | P      | 0     | 0      |
| 4540420                   | NYLON CHASSIS HOSE                                           | P      | 0     | 0      |
| 4543320                   | STEEL PAINTED AIR TANKS                                      | P      | 0     | 0      |
| 4611040                   | OMIT TRAILER HAND VALVE                                      | P      | 26-   | 4-     |
| 4611590                   | GLADHAND, PLUG & ISO HOLDER MTD BOC/BOS                      | P      | 55    | 0      |
| 4614810                   | A&E CONNECTIONS BOC/BOS W/ HOSE TENNA                        | P      | 0     | 0      |
| 4614850                   | 12' A&E LINES STRAIGHT & TWO 7-WAY PLUG                      | P      | 108   | 9      |
| TIRES AND WHEELS          |                                                              |        |       |        |
| 5069610                   | FF: BR 14PLY 295/75R22.5 R268 ECOPIA PART: BR241592 FET: 50  | P      | 99-   | 9      |
| 5169370                   | RR: BR 14PLY 295/75R22.5 M710 ECOPIA PART: BR233466 FET: 200 | P      | 204-  | 36     |
| 5190008                   | CODE-REAR TIRE QTY 08.                                       |        |       |        |
| 5221740                   | FF: ALCOA 883677 22.5X8.25 CLEAN BUFF ALM                    | P      | 352   | 44-    |
| 5321740                   | RR: ALCOA 883677 22.5X8.25 CLEAN BUFF ALM                    | P      | 1,408 | 176-   |
| 5390008                   | CODE-REAR RIM QTY 08.                                        |        |       |        |
| FUEL TANKS                |                                                              |        |       |        |
| 5552400                   | 26" ALUM 150 GAL FUEL TANK RH BOC                            | P      | 152   | 42     |
| 5556250                   | 26" ALUM 120 GAL FUEL TANK LH BOC                            | P      | 110   | 24     |
| 5603150                   | LOCATION RH BEHIND CAB 150 GAL.                              |        |       |        |

UNIT TYPE 1

| CODE    | DESCRIPTION                             | PUB CD | PRICE  | WEIGHT |
|---------|-----------------------------------------|--------|--------|--------|
| -----   | -----                                   | ----   | -----  | -----  |
| 5604120 | LOCATION LH BEHIND CAB 120 GAL.         |        |        |        |
| 5651060 | ARCTIC WRAP ON ALL FUEL LINES           | P      | 106    | 2      |
| 5652780 | (3) STRAPS PER TANK, (2) TANKS          | P      | 910    | 37     |
|         | SUBJECT TO FRAME REVIEW                 |        |        |        |
| 5652890 | DEF TANK MOUNTED LH BOC                 | P      | 0      | 0      |
| 5652980 | LESS THAN STD DEF TO FUEL RATIO 2:1     | P      | 0      | 0      |
|         | GREATER THAN MINIMUM 1:1                |        |        |        |
| 5655089 | DEF TANK AERO, LARGE                    | P      | 275    | 20     |
|         | 579-579K ONLY                           |        |        |        |
| N5650   | * DEALER OK W/ LESS THAN STD FUEL/DEF   |        |        |        |
|         | BATTERY BOX AND BUMPER                  |        |        |        |
| 6020020 | AERO ALUMINUM BATTERY BOX LH U/C        | P      | 278-   | 4      |
| 6040550 | AFTERTREATMENT RH U/C ALUM NON-SLIP     | P      | 0      | 0      |
|         | CAB ENTRY STEP                          |        |        |        |
| 6121020 | AERO BUMPER, STEEL 3-PIECE, BRIGHT      | P      | 1,111  | 64     |
|         | FINISH                                  |        |        |        |
| 6132000 | BRIGHT FINISH PACKAGE                   | P      | 0      | 0      |
| 6132360 | CHASSIS AERO FAIRINGS                   | P      | 1,482  | 0      |
|         | PAINTED BODY COLOR                      |        |        |        |
| 6132700 | FAIRING LH FROM QUARTER FENDER TO BOS   | P      | 1,628  | 106    |
| 6132730 | FAIRING RH FROM QUARTER FENDER TO BOS   | P      | 1,207  | 106    |
|         | CAB AND EQUIPMENT                       |        |        |        |
| 6515680 | AERODYNAMIC 123 BBC ALUM CAB & SMC HOOD | P      | 2,773  | 60     |
|         | SBFA                                    |        |        |        |
| 6540660 | SMARTSOUND CAB INSULATION PKG           | P      | 398    | 64     |
| 6540740 | PETERBILT KEYLESS ENTRY                 | P      | 119    | 2      |
| 6701990 | 80" HIGH ROOF SLPR- PREMIER INTERIOR    | P      | 20,199 | 1,151  |
| 6800160 | SIDE OF HOOD AIR INTAKE BEZEL, BRIGHT   | P      | 250    | 0      |
|         | FINISH                                  |        |        |        |
| 6810025 | ADDL 12V POWER OUTLET-SLPR CONTROL      | P      | 30     | 0      |
|         | PANEL                                   |        |        |        |
| 6810035 | SLEEPER WALKTHROUGH CURTAIN             | P      | 208    | 4      |
| 6810245 | POWER DOOR LOCK ON SLPR                 | P      | 42     | 2      |
|         | REQ W/PLATINUM INTERIOR, OPT W/PRESTIGE |        |        |        |
| 6810290 | SLEEPER DOOR DIAPHRAGM (CURTAIN)        | P      | 87     | 2      |
|         | 44/58/72/78/80 INCH ULTRACAB SLEEPER    |        |        |        |
| 6811400 | PREMIUM POCKET SPRING MATTRESS          | P      | 286    | 35     |
|         | WIDTH AND LENGTH VARY BY SLEEPER SIZE   |        |        |        |
| 6812290 | CABINET SHELVES, RH & LH TOWER LOWER    | P      | 84     | 7      |
|         | AND LH TOWER UPPER COMPARTMENT          |        |        |        |
| 6812600 | PROVISIONS FOR 22"FLAT PANEL TV IN SLPR | P      | 186    | 4      |
|         | ANTENNA AND WIRING, BRACKET             |        |        |        |
| 6812605 | 12V POWER OUTLET, RH SIDE OF SLEEPER    | P      | 73     | 0      |
| 6812620 | REAR WALL STORAGE CABINET               | P      | 286    | 20     |
|         | PRESTIGE/PREMIER TRIM                   |        |        |        |
| 6812670 | LH UPPER TOWER STORAGE UNIT             | P      | 147    | 24     |
|         | IPO MICROWAVE SHELF                     |        |        |        |
| 6812680 | SLEEPER CABINET DOOR & DRAWER PACKAGE   | P      | 331    | 20     |
|         | PREMIER/PLATINUM INTERIOR ONLY          |        |        |        |

UNIT TYPE 1

| CODE    | DESCRIPTION                                                                     | PUB CD | PRICE | WEIGHT |
|---------|---------------------------------------------------------------------------------|--------|-------|--------|
| -----   | -----                                                                           | ----   | ----- | -----  |
| 6812740 | REAR SLEEPER AUDIO CONTROLS                                                     | P      | 212   | 2      |
| 6812780 | LH FULL HEIGHT ACCESS DOOR WITH TILTING WINDOW                                  | P      | 753   | 4      |
| 6814270 | THERMAL INSULATION PACKAGE<br>72/78/80" HIGH ROOF                               | P      | 244   | 4      |
| 6814340 | 1.8 CUBIC FOOT REFRIGERATOR<br>IN RH LOWER CABINET, 72"/80" SLPRS ONLY          | P      | 1,103 | 40     |
| 6911100 | PETERBILT ST DRIVER                                                             | P      | 0     | 0      |
| 6921140 | PETERBILT ST PASSENGER SEAT                                                     | P      | 345   | 40     |
| 6930580 | DRIVERS ARMRESTS - LH & RH                                                      | P      | 163   | 4      |
| 6930590 | PASSENGER ARMREST - LH ONLY                                                     | P      | 115   | 2      |
| 6930800 | BLACK SEAT COLOR IPO STD COLOR                                                  | P      | 0     | 0      |
| 6939400 | AIR RIDE DRIVER                                                                 | P      | 0     | 0      |
| 6939420 | HIGH BACK DRIVER                                                                | P      | 0     | 0      |
| 6939450 | LEATHER DRIVER                                                                  | P      | 320   | 0      |
| 6939500 | AIR RIDE PASSENGER                                                              | P      | 0     | 0      |
| 6939520 | HIGH BACK PASSENGER                                                             | P      | 0     | 0      |
| 6939550 | LEATHER PASSENGER                                                               | P      | 320   | 0      |
| 7001520 | ADJUSTABLE STEERING COLUMN<br>TILT/TELESCOPE                                    | P      | 500   | 11     |
| 7001580 | VANITY MIRRORS ON INSIDE SUNVISORS                                              | P      | 12    | 0      |
| 7001620 | STEERING WHEEL WITH PETERBILT LOGO                                              | P      | 0     | 0      |
| 7037150 | PREMIER INTERIOR - STERLING GRAY                                                | P      | 830   | 0      |
| 7040180 | PRIVACY CURTAIN AROUND WINDSHIELD                                               | P      | 253   | 18     |
| 7040310 | BLACK FLOOR CARPET IPO INTERIOR COLOR                                           | P      | 0     | 0      |
| 7230060 | ONE-PIECE CURVED WINDSHIELD                                                     | P      | 0     | 0      |
| 7230360 | POWER DOOR LOCKS AND POWER WINDOW LIFTS<br>STANDARD                             | P      | 0     | 0      |
| 7230540 | RH SLEEPER SIDE TILTING WINDOW                                                  | P      | 378   | 4      |
| 7310260 | FUEL FIRED SLEEPER HEATER W/DIGITAL CONTROLLER                                  | P      | 1,505 | 9      |
| 7322010 | COMBO FRESH AIR HEATER/AIR CONDITIONER                                          | P      | 0     | 0      |
| 7322130 | CUP HOLDER (FLOOR MOUNTED)                                                      | P      | 62    | 4      |
| 7410120 | OUTSIDE SUNVISOR - BRIGHT FINISH<br>AVAILABLE FOR HIGH ROOF SLEEPERS            | P      | 669   | 9      |
| 7510060 | AERO REAR VIEW MIRROR HOUSING<br>BRIGHT FINISH                                  | P      | 319   | 0      |
| 7514010 | PETERBILT AERO REAR VIEW MIRROR<br>MOTORIZED & HEATED W/INTEGRATED CONVEX       | P      | 361   | 2      |
| 7514050 | LOOK DOWN MIRROR OVER PASSENGER DOOR<br>WITH BLACK HOUSING                      | P      | 0     | 0      |
| 7610500 | AIR HORN MOUNTED UNDER CAB                                                      | P      | 0     | 0      |
| 7725740 | MIDLEVEL SPEAKER PACKAGE FOR CAB<br>(4) SPEAKERS                                | P      | 139   | 7      |
| 7725745 | CONCERTCLASS W/CD, BLUETOOTH PHONE/<br>AUDIO/SAT INC AM/FM, WB, USB & MP3       | P      | 630   | 11     |
| 7725780 | MIDLEVEL SPEAKER PACKAGE FOR SLEEPER<br>(2) SPEAKERS W/SUBWOOFER                | P      | 416   | 33     |
| 7740150 | CB TERMINAL WIRING, MICROPHONE CLIP,<br>SPEAKER, F/O CB RADIO MTD CTR OF HEADER | P      | 128   | 2      |
| 7748740 | (2) ANTENNAS FOR FACTORY INSTALLED<br>OR F/O CB, MTD RH/LH SIDE OF ROOF         | P      | 186   | 2      |

UNIT TYPE 1

| CODE    | DESCRIPTION                                                                  | PUB CD | PRICE | WEIGHT |
|---------|------------------------------------------------------------------------------|--------|-------|--------|
| -----   | -----                                                                        | ----   | ----- | -----  |
| 7749490 | SIRIUS-XM SATELLITE RADIO SRV PROVIDER                                       | P      | 0     | 0      |
| 7788055 | SmartLINQ REMOTE DIAGNOSTICS                                                 | P      | 0     | 0      |
| 7850690 | 16 GA WIRE-2FT COILD BHD DASH, 3FT COIL<br>CTR BAG CMPT-F/O APU              | P      | 51    | 0      |
| 7851040 | REMOVABLE BUGSCREEN BEHIND GRILLE                                            | P      | 176   | 2      |
| 7851480 | PB ELEC WINDSHIELD WIPERS<br>W/INTERMITTENT FEATURE                          | P      | 0     | 0      |
| 7852050 | AUTO RESET CIRCUIT PROTECTION<br>DAYCAB AND SLEEPER                          | P      | 18    | 0      |
| 7870520 | 18" SLEEPER SIDE EXTENDERS, HIGH ROOF<br>SLEEPER                             | P      | 581   | 44     |
| 7870570 | 8" RUBBER FLARES FOR SLEEPER<br>SIDE EXTENDERS                               | P      | 344   | 15     |
| 7900070 | FIRE EXTINGUISHER, MTD IN SLEEPER<br>BAGGAGE COMPARTMENT,UL LISTED/RATED ABC | P      | 59    | 9      |
| 7900090 | TRIANGLE REFLECTOR KIT<br>SHIP LOOSE                                         | P      | 18    | 13     |
| 8011410 | DRIVE AXLE #1 FRONT OIL TEMP GAUGE<br>52MM ROUND, BACKLIT                    | P      | 153   | 0      |
| 8011420 | DRIVE AXLE #2 REAR OIL TEMP GAUGE<br>52MM ROUND, BACKLIT                     | P      | 168   | 0      |
| 8011470 | ENGINE OIL TEMPERATURE GAUGE<br>52MM ROUND, BACKLIT                          | P      | 50    | 0      |
| 8012240 | GUARD(S) FOR REAR AXLE HEAT GAUGE                                            | P      | 61    | 2      |
| 8021390 | AIR FILTER RESTRICTION PRESSURE<br>LOCATED IN DRIVER INFORMATION DISPLAY     | P      | 0     | 0      |
| 8021530 | AIR SUSPENSION PRESSURE 1 GAUGE<br>52MM ROUND, BACKLIT                       | P      | 105   | 0      |
| 8022160 | FUEL FILTER RESTRICTION GAUGE<br>52MM ROUND, BACKLIT                         | P      | 206   | 0      |
| 8070080 | (2) ADDITIONAL DASH SWITCHES, WIRING                                         | P      | 83    | 0      |
| 8070260 | SWITCH TO DEACTIVATE BENDIX ATC<br>TRACTION CONTROL                          | P      | 0     | 0      |
| 8071340 | BRIGHT BEZEL GAUGES IPO BLACK                                                | P      | 69    | 0      |
| 8071890 | MAIN INSTRUMENT PANEL<br>INC DRIVER INFORMATION DISPLAY                      | P      | 0     | 0      |
| 8071900 | MANIFOLD PRESSURE GAUGE<br>52MM ROUND, BACKLIT                               | P      | 50    | 2      |
| 8072960 | TRAILER AIR SUSPENSION DUMP SWITCH<br>SOLENOID ON CHASSIS                    | P      | 71    | 0      |
| 8072980 | AMMETER<br>LOCATED IN DRIVER INFORMATION DISPLAY                             | P      | 83    | 2      |
| 8111110 | HEADLIGHTS COMPOSITE FENDER MOUNTED<br>INTEGRAL PARK, TURN, & SIDE MARKER    | P      | 0     | 0      |
| 8120990 | (5) MARKER LIGHTS, AERO LED<br>ON ROOF, VISOR, OR FAIRING                    | P      | 0     | 0      |
| 8132860 | (2) STROBE LIGHTS, ROOF MOUNTED<br>EACH SIDE CAB ROOF BRACKET                | P      | 616   | 11     |
| 8133110 | SWITCH & WIRING F/O AUXILIARY LIGHT<br>UNDER CAB/SLEEPER (15A MAX)           | P      | 35    | 2      |
| 8133960 | DAYTIME RUNNING LIGHTS<br>REQUIRED ON ALL CANADIAN VEHICLES                  | P      | 0     | 0      |

PETERBILT  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 1XPBDP9X5KD624490

PAGE 009  
AS OF 10/05/18

UNIT TYPE 1

| CODE    | DESCRIPTION                                                            | PUB CD | PRICE | WEIGHT |
|---------|------------------------------------------------------------------------|--------|-------|--------|
| -----   | -----                                                                  | ----   | ----- | -----  |
| 8140080 | LED STOP/TURN/TAIL/BACKUP<br>BRACKET MOUNTED LH/RH EOF                 | P      | 39    | 2      |
| 8140650 | PB SIGNATURE DOOR LIGHT TURN SIGNAL                                    | P      | 0     | 0      |
| 8151190 | (2) LOAD LIGHTS, LED, FLUSH MTD LOW INBD<br>BOC/BOS                    | P      | 184   | 4      |
| 8151230 | (2) LOAD LIGHTS, LED, FLUSH MTD MID INBD<br>BOS                        | P      | 184   | 4      |
| 8153050 | (1) F/O LOAD LIGHT, SWITCH & (2) 10 FT<br>WIRE COILS UNDER CAB/SLEEPER | P      | 97    | 2      |
|         | PAINT                                                                  |        |       |        |
| 8530780 | (1) COLOR AXALTA TWO STAGE<br>CAB/HOOD/SLEEPER                         | P      | 724   | 0      |
| 8531320 | AXALTA TWO STAGE EFFECT-METALLIC/PEARL<br>CAB/HOOD & SLEEPER ONLY      | P      | 468   | 0      |
| N8502   | A - L2318EY VIOLET                                                     |        |       |        |
| N8520   | FRAME N0001EA BLACK                                                    |        |       |        |
| N8530   | FENDER L2318EY VIOLET                                                  |        |       |        |
| N8540   | HOOD TOP L2318EY VIOLET                                                |        |       |        |
| N8550   | CAB ROOF L2318EY VIOLET                                                |        |       |        |
| N8560   | SLEEPER ROOF L2318EY VIOLET                                            |        |       |        |
| N8580   | CH FAIRINGS L2318EY VIOLET                                             |        |       |        |

PETERBILT  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 1XPBDP9X5KD624490

PAGE 010  
AS OF 10/05/18

UNIT TYPE 1

