

**TRUCK INFORMATION**

Job #	11771
Item #	
Unit #	2
# of Units	2
Work Order	00951505
Actual Ship Date	3/08/2001
Warranty Start Date	2/01/2001
Drawing #	11771AD
Body Sales Option Description	Aerial, Tiller, 100' MDL Alum Body
Chassis Sales Option Description	Dash-2000, Tractor Chassis (Tiller)
Truck VIN	4P1CT02SX1A001095
Desc Cab	Cab, Dash-2000, 67"
Desc Engine	Engine, DDC Series 60, 12.7L 500 hp, 1550 Torque (SPECIAL PURCHASE)
Desc Front Axle	FL943LX38 Axle, Front, Meritor FL-943, 16,540 lb, w/o assist
Desc Front Tire	Tires, Michelin, 315/80R22.50 20 ply XZY-2
Desc Pump	
Desc Rear Axle	RS25160NFPF91 Axle, Rear, Meritor RS25-160, 27,000 lb
Desc Rear Tire	Tires, (4) Michelin, 315R/80R22.50 20 ply, XDY
Desc Tank	
Desc Transmission	Trans, Allison HD 4060PR
Desc Foam System	
Desc Aerial	Aerial, 100' Medium Duty Ladder, Tiller
Desc Generator	Amps 8.0 kW Hydraulic, Constant Engaged PTO (8,000W Cont. Rating)
Desc Compartment Door	Doors, Lap w/"D" Handles - Side Compts
Pressure Governor	
Gross Vehicle Weight Rating	62280
Gross Weight Without Water	53640
Gross Weight With Water	
Front Weight Rating	16540
Front Weight Without Water	14700
Front Weight With Water	
Rear Weight Rating	27000
Rear Weight Without Water	23080
Rear Weight With Water	
Seating Capacity	4
Body Primary Paint Color	390 RED
Body Secondary Paint Color	
Aerial Paint Color	#10 WHITE

**TRUCK SERIAL NUMBERS**

Engine Serial Number	06R0629059
Transmission Serial Number	6610070217
Transfer Case Serial Number	
Generator Serial Number	00-1022
Alternator Serial Number	10214
PTO Serial Number	0263
Pump Serial Number	
Tank Serial Number	
Aerial Serial Number	11771-02
Side Roll Protection Serial Number	See Service Bulletin #189
Multiplex Serial Number	
Front Axle 1 Serial Number	NKA00055290
Front Axle 2 Serial Number	
Rear Axle 1 Serial Number	NKA00055172
Rear Axle 2 Serial Number	

**DEALER INFORMATION**

Salesman Name	CLAREY, KIM
Dealer Number	5111268
Contract Admin Name	ATKINSON, HAL M
Dealer Name	MACQUEEN EMERGENCY GROUP*

**CUSTOMER INFORMATION**

Customer Name	MINNEAPOLIS, CITY OF
Customer Number	5386332
Address	330 SECOND AVE S ROOM 552
City	MINNEAPOLIS
State	MN
Zip	55401
Country	US
Chief Name	



911-scl (2)



bpl (2)



bpl-scl (2)



bpl (2)



drs-scl (2)



frt-scl-ltr-# (2)



Overall View of Truck (2)



rr-scl-ltr (2)



s-scl (2)



scl (3)



scl (4)



scl-ltr (2)



scl-x (2)



scl (2)



x (2)





911 (2)



911 (2)



bpl-ltr (2)



bpl-ltr (2)



bpl (2)



bpl (2)



frt-scl-ltr-# (2)



frt-scl-ltr-# (2)



ltr (2)



ltr (2)



Overall View of Truck (2)



Overall View of Truck (2)



Overall View of Truck (2)



Overall View of Truck (2)



# (2)



# (2)



rr-ltr-# (2)



rr-ltr-# (2)



rr (2)



rr (2)



s-scl-bpl (2)



s-scl-bpl (2)



s-scl-ltr-#-x (2)



s-scl-ltr-#-x (2)



s-scl-ltr-x (2)



s-scl-ltr-x (2)



911 (2)





911 (2)



scl (912)



scl (912)



ang (2)



ang (2)



scl-ang-ltr (2)



scl-ang-ltr (2)



scl-ang (2)



scl-ang (2)



ltr (2)



ltr (2)



scl-ltr (2)



scl-ltr (2)



scl-x (2)



scl-x (2)



x (2)



x (2)

## DOCUMENTS

**11771 I/O Sheet**

File Type: PDF, File Size: 464k

**11771 Approval Drawing**

File Type: PDF, File Size: 466k

Sales Option Code	Qty	Type	Description / Features
0050005	1		Boiler Plates, Tiller
0018180	1	PSC	Single Source Compliance (Aerials)
0015918	1	PSC	Comply NFPA Changes Effective Jan 1, 2000
0008036	1	PSC	Career/Paid Department
9900067	1		Credit for Material Error and Extended Warranty  Fill in Blank -- The tractor body was made of the incorrect material and an extended (15 yr.) perforation warranty, for this area only, has been added. Credit is for the difference in material costs. Additional rustproofing has also been added.
0000114	4	PSC	Inspection Trip(s)  Fill in Blank -- (4) representatives at pre-construction conference, (4) representatives at two separate inspection trips and (3) representatives at final inspection
0021007	1		Maximum Overall Height  Size -- 11'-3"
0021010	1		Maximum Overall Length  Size -- 57 feet 3 inches
0000007	1		Approval Drawing
0010025	1	PSC	Warranty, Custom Chassis, 2 Year Bumper to Bumper
0000035	1		Bid Bond, 5%
0010022	1	PSC	Dash-2000, Tractor Chassis (Tiller)
0000109	4		Seating Capacity, Cab
0000110	1		Wheelbase  Wheelbase -- 139.50" INCHES.
0000070	1		GVW Rating  GVW rating -- 62,280#
0000203	1		Frame Rails, 13.38 x 3.50 x .375, DLX/Qtm/Enf
0020018	1		Frame Liner not Req'd
0021621	1		Axle, Front, Meritor FL-943, 16,540#, w/o assist, DLXEnf
0000322	1		Oil Seals, Front Axle
0000319	1		Shock Absorbers on Front Axle, FL-943 Axle
0010359	1		Axle, Rear, Meritor RS25-160, 27,000#
0000000	4	STF	Chocks, Checker #AT2512-AC-Y w/mtg. bracket
0000469	1	PSC	Top Speed of Vehicle  Top Speed of Vehicle -- 64 to 67 MPH
0000485	1		Oil Seals, Rear Axle
0000547	1		Suspension, front spring, 17,000#, FL-943 Axle
0000556	1		Suspen, Rear, Spring, 27,000#

Sales Option Code	Qty	Type	Description / Features
0021151	1	PSC	Tractor 5th Wheel and S/S Fender Skirts
0020670	1		ABS Wabco Brake System, Tiller
0000710	1		Brakes, Cam, Front, 16.50 x 6.00 (Std FL/RF axle)
0000730	1		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"
0001236	1	PSC	No Auxiliary Brake Req'd, Alt. Aux. Brake Selected
0070784	1		Air Compressor, Brake, Bendix 16.0 CFM
0014773	1	PSC	Compressor, Air, Gast 110V Brake Sys, Minneapolis  Location -- locate above the passengers side of the transverse compartment in the crew cab. Locate the compressor on top of the compartment and install a ventilated cover over it. Note, the compressor to plug into receptacle, do not hardwire
0000785	1		Brake Reservoirs, Three
0010787	1		Air Dryer, Wabco System Saver 1200
0000790	1		Brake Lines, Nylon
0020851	1		No Air Inlet
0070810	1		All Wheel Lockup (Aerial/Tanker Chassis)
0001013	1		Engine, DDC Series 60, 12.7L 500hp, 1550 Torque
0000000	1	STF	Training, 40 hours Detroit Diesel
0031055	1		Air Intake, w/Ember separator, DLX
0002880	1		Exhaust System, 5" (std)
0031231	1	PSC	Diagnostic Card/Adapter, DDEC III/IV, Pro-Link
0031228	1		Diagnostic Cartridge, Wabco ABS/ASR, Pro-Link
0031227	1		Diagnostic Cartridge, World/Atec trans, Pro-Link
0031224	1		Diagnostic Reader, Pro-Link 9000
0031260	1		Filter, DDC Fuel Pro-380, w/Heater
9900066	1		Credit, Pro-Link 9000 and Diagnostic Cards Only one needed for (2) units
0028523	1	PSC	Indicator, Air Restriction Indicator, @ air cleaner, Chicago
0051353	1	PSC	Access, Fluid Checks, Eng/Trans, Inside Cab, DX
0001244	1		High Idle w/Electronic Engine, Custom
0001091	1		Cooling Hoses, Silicone - Custom
0011104	1	PSC	Radiator, DLX/Enf
0021125	1		Fuel Tank, 65 gal, Tractor Chassis
0001129	1		Lines, Fuel
0001280	1		Fuel Pump for Repriming
0001375	1		Driveline, Spicer 1810
0071478	1		Trans, Allison HD 4060PR  Trans. retarder capacity -- 2000 ft. lb. torque (high)  Trans, retarder control -- (RET9) activated by letting off the throttle pedal. Retarder activation is adjustable, using the dash mounted hand lever, in 1/6 increments. The retarder is also activated 100% @ 2 psi by applying the brake pedal
0041477	1		Transmission, Shifter, 5-Spd, T-Handle  Trans, ratio -- 1st - 3.51 to 1.00, 2nd - 1.91 to 1.00, 3rd - 1.43 to 1.00, 4th - 1.00 to 1.00, 5th - 0.74 to 1.00, R - 4.80 to 1.00
0001476	1		Transmission Oil Cooler, External, w/Retarder
0015426	1	PSC	Warranty, 5-year Transmission (std HD Custom elec)
0000000	1	STF	Training, 40 hours Allison transmission
0001526	1		Steering, Ross TAS-85 w/tilt
0001544	1		No Steering assist cylinder on front axle
0031622	1		Tires, Michelin, 315/80R22.50 20 ply XZY-1
0001655	1		Wheels, Frt, Steel 22.50" x 9.00" (315/80R22.50)
0009843	1	PSC	Tires, (4) Michelin, 315R/80R22.50 20 ply, XDY, Minneapolis
0001904	1		Wheels, Rr, Steel 22.50" x 9.00" (315/80R22.50)
0011149	1	PSC	Wheels, Hub Pilot, IPO Standard, All Custom Chassis
0002000	1	PPC	Chains, Onspot automatic tire, Custom
0002045	1		Mud flaps, w/logo front & rear
0020257	1	PSC	Mud flaps, w/Logo, Tiller Trailer
0031944	1		Spare Tire, Tiller, 385/65R22.50, w/Alum. Rim
0012055	1		Cab, Dash-2000, 67"
0032100	1	PSC	Floor, Rubber Padded Cab & Crew Cab - DLX/Enf
0052102	1		Window, Side of C/C, Fixed, Sab/DLX/Enf
0002101	1		Windows, Rear CC, (2) 8" x 14"
0010535	1	PSC	Window defrost fans, (2) Red Dot, one ea side

Sales Option Code	Qty	Type	Description / Features
0006264	1	PSC	Box, Glove, 3.50" H x 8.00" W x 11.00" L, DLX Location -- on the rear of the engine tunnel Latch, Storage Compt -- Non-locking latch
0023409	1	PSC	Compt, Storage, (2) on Rear Wall 20"W x 11"D x 15"H, DX
0014739	2	PSC	Holders, Vinyl Radio, Ea Location -- forward of the officer and in the tiller cab
0002140	1		Fenders, S/S on cab
0002224	1		Scuffplates, S/S At Cab Door Jambs
0030695	1	PSC	Scuffplates, S/S at C/C door jambs to protect weatherstrip, DLX
0002508	1		Map box, 3 bin - Any Pierce Custom Chassis Location -- in the cab, in the standard location
0032172	1		Cab Lift, Elec/Hyd, DLX, w/Manual Override Location, Cab Lift Recept -- on the passenger side of extended bumper extension
0001304	1	PPC	Mirrors, Velvac #2030, w/manual convex, heated & remote
0012245	1		Bumper, 19" extended - all chassis'
0012225	1		Gravel Pan, Extended Bumper
0002270	1		Tow Hooks, Chrome
0052275	1		Cab Interior vinyl - DLX/Enf Color, Cab Interior Vinyl -- dark silver gray
0012430	1		Cab Interior, paint color Color, Cab Interior Paint -- gray, vinyl texture paint
0022343	1	PSC	Seat, Driver, HO Bostrom, Sierra 100RX, Air, DLX/Enf/Qtm
0022349	1		Seat, Officer 911 Fixed w/SCBA, All Chassis
0002518	1		Radio Compt w/Non Air Ride Seat Radio Compt Size, Officer -- 14.13" deep x 15.75" across x 5.25" high
0076627	1	PSC	Receptacle, Straight Blade 12v 20 Amp, w/Cvr Location, Receptacles -- in the radio compartment under the officer's seat
0012399	1		[No Rear Facing Crew Cab Seats]
0012350	1	PSC	Seats, (2) C/C, 911Forw Facing, w/SCBA, Inboard
0027613	1	PSC	Upholstery, Seats In Cab, 911 - Tufftex & Bostrom (driver) - Dura-Wear Color, Cab Interior Vinyl -- dark silver gray
0072358	1	PSC	Bracket, Air Bottle KD-UH-6-SFCRS, In Cab Seats
0073243	1	PSC	Bracket, SCBA, Ziamatic KD-UH-6-SFCRS, with 45 deg mount Location -- standing upright behind the drivers seat, accesible from the drivers crew cab door
0021754	1		Seat, Belt, Height Adjustment, DLX
0019914	1	PSC	Warranty, Cab (Arr/Sab/DLX/Enf/Qtm w/fixed step)
0002531	1	PSC	Light, Engine Compt, Truck-Lite 40003, DLX/Enf
0020319	1		Lights, Cab Inter, Std w/Weldon Dome Lights
0020583	1		Lights, Weldon, Dome, (2), C/C, Red/Clear
0012288	1	PSC	Heater/defroster, DLX/Enf
0002301	1		Heater, Crew cab Sab/Qtm/DLX/Enf
0012482	1		Air conditioning, DX/Enf, Flat Roof, Northern Pkg
0002538	1		Cab Instruments, DLX
0002549	1		Switching, Cab Instrument & Overhead, Membrane Sw Location, Emerg Switch -- driver's
0002543	1		Air Restriction Gauge, Needle Type
0012630	1		Wiper control, 2-speed w/intermittent, DLX/Enf
0002565	1		Hourmeter, Aerial Inside Cab
0002615	1		Switch, Aerial 12V Master
0002617	1		PTO switch, w/light - aerial
9900056	1		Tiller Heater Power, Emergency Master Location -- The heater in the tiller cab is to be deactivated unless the emergency master switch is activated 12vdc power from -- directly to the emergency master switched power
0012655	1		Command Zone® Electrical Power/Signal Dist, DLX



Sales Option Code	Qty	Type	Description / Features
0014882	1	PSC	Boot, Rubber, To cover steering components, Tiller, Minneapolis Location -- -
0014325	1	PSC	Cover, Cab Lift Pump, Minneapolis Location -- under the right side battery box
0009035	1	PSC	Fittings, Grease extended to side of body
0022673	1		Single Start, (6) Grp 31, 1000 CCA each
0002681	1		Selector, single bat sys, Dsh/Lnce/Sbr/Arrow/Qtum
0022698	1	PSC	Battery Compartment, Enclosed, Sab/Qtum/Dash
0014634	1	PSC	Charger, Sngl system, Charles Industries CI1250A
0090975	1	PSC	Location, Charger, In Cab, Minneapolis
0016837	1		Shoreline, 20 Amp Connection, Shoreline -- the battery charger and the air compressor
0012760	1		Alternator, 360 amp Niehoff C711-2 Qtm/DLX
0000000	1	STF	Spare alternator and regulator, Niehoff 360 amp
0002764	1		Auxiliary power supply, alternator system Location -- in the AMPS generator enclosure
0014468	6	PSC	Enclosure, Perimeter scene light, S/S
0089328	1	PSC	Lights, LED Body Marker/Clearance, Rear, Tiller, IPOS
0030693	1	PSC	Wiring, Spare, Pair, Each Location -- siren swivel area to the radio box under the officers seat
0062356	2		Antenna, Mounts Only, Additional & Standard, 2-way Radio, Cust
0012762	1		Load Manager/Sequencer, DLX
0002761	1		Amp Draw Report
0002758	1		Amp Draw, NFPA Radio Allowance
0012785	1	PPC	Cab Lighting, LED
0017571	1		Front Directionals, Whelen 64LED in common bezels
0002848	1		Light, Front Zone, Federal GS2F Strobe in Bezel Color, Light -- red
0013464	1	PSC	Alarm, Backup Warning, Federal 258
0002900	1		Manual/s, Body Parts
0022900	1		Manual, One (1) Chassis Parts
0002905	1		Manuals, Two (2) Chassis Service
0002922	1		Manuals, Three (3) Chassis Operation
0022929	1		Video Training Tape, Chassis (Custom) Qty, Training Tapes -- 3 sets
0033602	1		Aerial, Tiller, 100' MD, Alum Body
0003479	1		Alum Const. Cargo Area (Tiller)
0003540	1		Tow Eyes (2) (Aerial/Tanker/Rescue)
0073518	1	PSC	Morton Cass Insert in Body Catwalks
0084946	1	PSC	Morton Cass Insert in Body Compt Tops, Tiller
0058945	1	PSC	Morton Cass Insert in Steps to Turntable, Tiller
0033563	1		Construction, Compt, Alum, Tiller
0033613	1		Compt, Fl Ht/Trns Lap Frt. D.S. Tiller
0033679	1		Compt, Low Lap, Ctr D.S. Tiller
0083711	1	PSC	Compt, Std. Dpth/Lap, Short Torque Bx, D.S. Rear
0033655	1		Compt, Fl Ht/Trns Lap, Frt. P.S. Tiller
0033694	1		Compt, Low Lap, Ctr P.S. Tiller
0073812	1	PSC	Compt, Std. Dpth/Lap, Short Torque Box, P.S. Rear
0033910	1		Doors, Lap w/"D" Handles - Side Compts
0003982	1		Tray, 500# Slideout w/ 2" Sides - Floor Mounted Location -- P3
0009707	2	PSC	Tray, 500# Cap 2-Way Trans Slide w/4" Floor Mt Location -- P4-D5, P5-D6
9900054	1		Replace Rear Side Compartments, Minneapolis Tiller Fill in Blank -- Charges to replace the compartments behind the trailer wheels

Sales Option Code	Qty	Type	Description / Features
9900049	2		Flange/Lip, inside compartment  Location -- on each side of the transverse area between P5-D5 and P6-D6  Fill in Blank -- Install a 2" lip up on each side of the floor of the transverse area. This to prevent small items stored there from rolling off.
0014498	1	PSC	Bracket, SCBA, Ziamatic, KD-UH-5-SFCRS, Mounted  Location -- in compartment "F"
0023909	2	PSC	Compt, Transverse Over Torque Box, "Tiller"  Location -- The two compartments in the forward module
0091060	1	PSC	Heater, Electric, 120V, Minco Heat Strips (Minneapolis Tiller)  Location -- in P4, two heater strips on lower front & rear wall, control unit at top front corner near receptacle, sensor on shelf track near lower front door frame. NOTE: the -02 unit will be installed and the -01 will be shipped loose.
0003942	6		Shelves, Adjustable, 215# Capacity  Location, Shelf -- P3, P4, P5, D2, D3, D4
0003945	8		Shelf Tracks  Location -- shelf equipped
0004020	1		Rubrail, Stainless Steel
0004024	1		Crowns, Rear Fender - SS
0064150	4		Handrail, Extra - 20-30" Long  Location, Handrails -- one each side, inside the forward door frame of the crew cab doors and one each side on the rear of the cab to assist access to the turntable
0000504	2	PSC	Ladder, 40' Alco-Lite, TEL-40, 2 Sect
0034275	1	PSC	Ladder, 28' Alco-Lite TEL-28, 2-sec (ALP-020-28)
0089266	1	PSC	Ladder, 16' Alco-Lite, TRL-16, Roof (ALP-015-16)
0034282	1	PSC	Ladder, 14' Alco-Lite, TRL-14 Roof (ALP-015-14)
0059235	1	PSC	Ladder, 18' Alco-Lite, TRL-18, Roof
0000594	2	PSC	Ladder, 20' Alco-Lite, TWL-20 Wall
0024233	1		Attic Extension Ladder Not Required
0084246	1	PSC	Ladder, Folding Not Required
0034311	1		Ladder Storage/Torque Box, Dbl. Drs, Tiller
0000000	1	STF	Pole, Pike 6' Fiberglass, #APH all-purpose hook  Location -- on the side of the Duo-Safety Fresno ladder
0000000	2	STF	Pole, Pike 12' Fiberglass, #PPH providence pierce hook  Location -- as determined by the Minneapolis Fire Department
0000000	1	STF	Pole, Pike 8' Fiberglass, #MPH multi-purpose hook  Location -- as determined by the Minneapolis Fire Department
0000000	1	STF	Pole, Pike 6' Fiberglass, #MPH multi-purpose hook  Location -- as determined by the Minneapolis Fire Department
0000000	1	STF	Pole, Pike 8' Fiberglass, #GBH gator-back hook  Location -- as determined by the Minneapolis Fire Department
0000000	1	STF	Pole, Pike 6' Fiberglass, #GBH gator-back hook  Location -- as determined by the Minneapolis Fire Department
0084317	1	PSC	Pike Poles, 12' Not Required
0084332	1	PSC	Pike Poles, (2) 8' Not Required
0084342	1	PSC	Pike Poles, (2) 6' Not Required
0014343	1		Pike Poles, 3', Not Required
0084358	1		Pike Pole Storage, in Torque Box (No Poles)
0005896	1		Wiring, DLX
0091315	1	PSC	Buzzer, Chassis Horns, Rear Step to Cab, Both Sides, Minneapolis
0013824	1	PSC	Lights, Step, Truck-Lite 40003, tiller, Switch w/Aerial Master
0036097	1		Tail-Lights, Whelen 64 LED, w/ Whelen Cast 3 Bezel
0085905	1		Lights, Backup, Whelen 6E Halo (D.O.T Approved)
0045907	1		Bezel, (2) Whelen Cast 3, For mtg (3) Whelen 6E
0092128	1	PSC	Lights, (2) Whelen 64 LED Directionals, In Addition, Below body  Location -- below the approximate mid point of the trailer on each side

Sales Option Code	Qty	Type	Description / Features
0091076	1	PSC	Lights, Cornering, Code 3 Model 41 Location -- forward of the tiller wheels, angled forward and outward
0014604	1	PSC	Light, Turn Signal/Clearance, Federal Mogul 4094A, IPOS, Minneapolis
0005924	1	PSC	Light, Do not move apparatus, Custom
0092137	1	PSC	Light, Do Not Move indicator, Connect Tiller Seat
0055922	13	PSC	Light, Compt, Recessed, Truck-Lite model 40003, Each
0030676	13	PSC	Light, Additional, Compt, Truck Lite 40003 Grommet mount Location, lights -- each light to be located 8-10" above the floor level, on the compartment wall toward the rear of the trailer, and just inside the door opening. Contact C/M for detail if this is not clear.
0005947	1		Perimeter Scene Lights, Cab Exit Areas, NFPA (STD) Cab, Perimeter Scene -- under the driver, officer, and crew cab riding area exits
0005941	1		Perimeter scene lights, Rear Step Area, (2) lights Switch, Location, Perim -- rocker switch in cab and a switch at the rear of the body
0021289	1	PSC	Lights, Tractor Scene, Federal GHSCENE w/spacer bezels
0005956	1		Lights, Unity A Deck-Rear, Aerial
0015964	1		Lights, (2) Collins FX-12 Rear of cab
0005991	1	PSC	Spotlights, Unity 325 Cab
0013948	1	PPC	Air Horns, (2) Grover model 2040, in Bumper Inside Frame Location, Air Horn (bmpr) -- must be located in positions #2 and #6 due to the longer than standard length. The siren speaker will be moved outward
0006064	1		Two (2) Foot Switch Controls Location, Air Horn Contro -- one for the driver and one for the officer
0006125	1		Siren, Federal PA-300MSC
0016133	1	PSC	Location, Electronic Siren
0076156	1		Siren Control on Siren Head Only
0016186	2	PSC	Speaker, Federal BP100P, polished, recess bumper Connection, Speaker -- connected to the siren amplifier
0016080	1		Siren, Federal Q2B
0006095	1		Siren, Mechanical, mounted above deckplate Location, Siren, Mech -- on the left side
0026163	1		Switches, 2 Toe, Mech Siren, No Horn Button
0030696	1	PSC	Bracket, Foot Switches, Relocate to door opening, one each side
0014588	1	PSC	Lightbar, Federal, FHL8060, Minneapolis
0008880	1	PPC	Light, 792 Opticom Emitter, Remote mount on Cab Roof
0006507	1		Flasher, Headlight Alternating, DLX Headlt flash deactivation -- the hi-beam headlight flash will deactivate whenever the Headlight (hi-beam only) switch is activated.
0046457	1		Light, Rear, Fed SML6 w/SMC-56 ctrl, PAL/PAP
0020957	1		Light, Side Zone Lower, Federal GS5 Strobes 2pr Location, lights rear -- over tiller wheel Color, Light -- red Color, Light, Two -- red Location, lights frt side -- one each side on the bumper extension
0036458	1		Lights, Rear Zone Lower, Federal GS2F Strobes Color, Light -- red
0006535	1		Light, Rear Zone Upper, Federal IVP100, Red & Amb Color, Light Forward -- the forward light color is red Color, Light Rear -- the rear light color is amber
0006551	1		No lights Req'd, Rear Upper Zone Blocking
0006646	1	PSC	Electrical System, A/C, General Design
0076646	1		Amps 8.0 KW Hydraulic, Constant Engaged PTO
0006645	1		Location, Hydraulic Generator Above Pump Location, Generator -- gooseneck area

Sales Option Code	Qty	Type	Description / Features
0016752	1		Starting Switch for Truck Engine Powered Generator
0016757	1		Remote Start Not Req'd for Generator
0016740	1		Fuel System, None Required
0016767	1		Oil Drain Extension Not Req'd for Generator
0016771	1		Routing Exhaust Not Req'd for Generator
0036738	1	PSC	Circuit Breaker Panel, Included With PTO Generator Location, CB Panel -- right side of compartment D6 in upper portion
0099998	1		Switch, remote location, refer to 26856 Location -- The remote switch location at the pump panel is incorrect and should be located at the breaker box.
0066601	2		Extenda-Lite, 500W Non-Telescoping w/Switch Location, 120/240 Volt Lt -- one each side at the rear of the cab
0026856	2		Switch, Remote, 120/240, 3-way, Cab & Pump Panel
0015367	1	PSC	Light, Kwik-Raze, (2) 205 500W Top Raise, Side Mt, @ Turntable
0014571	1	PSC	Light, Kwik-Raze (2) 605 500W, Arl Tip
0066627	2		Reel, Elec Four (4) Wire - Hannay 1600 Series Location, Cord Reel -- on each side of gooseneck above stabilizers
0086632	2		Cord, Electric, 10/4 Yellow Feet of Yellow Cord -- 300 feet Connection, Cord -- A 30 amp 240 volt twist lock connector body shall be installed on the end of the cord
0023350	2	PSC	Box, Junction - GFE EJB, Four 5-20 Pin type Connection, Cord -- A 30 amp 120 volt twist lock connector body shall be installed at the end of the cord
0013473	4	PSC	Receptacle, 20 Amp Hubbell 320R4W Location, Receptacles -- two on rear of the tiller and one on each side of the tractor walkway, on the vertical surface, near the front. See C/M if unsure of the tractor location
0066620	1		Receptacles, Str Blade Dplx 20 Amp Shoreline Int Location, Receptacles -- in the area of the transverse compartment/seat box in the crew cab. The receptacle is to allow the battery charger and compressor to be plugged in, not hardwired.
0066619	1		Receptacle, Str Blade Duplex 20 Amp Generator Int Location, Receptacles -- in compartment P4, forward wall
0026801	1	PSC	Shoreline Location, Cab, Dash Location, Shoreline (s) -- in the driver side lower step well of cab
0036903	1		Aerial, 100' Medium Duty Ladder, Tiller
0006975	1		Spotlights, Collins FX-12 (PAL)
0046908	1		Control Stations, 100' MDL, Tiller
0046906	1		Stabilizers, 100' MDL, Tiller
0009682	1	PSC	Lights, Federal GHSCENE, @ Stabilizers, IPOS
0076918	1		Light, Stabilizer Warn (1) set, Federal GS2F Strobes Color, Lights, Warning -- red
0016917	1		Hydraulic System, Tiller
0006918	1		Swivels, PAL (28 Collector Rings)
0006999	1		Warranty, 20 Year Structural (PAL, PAP)
0021204	1	PSC	AC Power To Aerial Tip, 20 Amp Hubbell 320R4 receptacle, (PAL)
0006920	1		Intercom, 2-Way Atkinson (PAL)
0006936	1		Breathing Air to Aerial Tip Not Required
0066919	1	PSC	No Raised Pedestal Req'd, Tiller, MidMt
0006979	1		Brackets, Ax-Aerial Fly Section (No Ax)
0026912	1		Indicator, Exten.-In & Outside Handrails
0006922	1		Lifting Eye, Rope Rescue Attachment - MDL
0036951	1		Waterway, 100' MDL, Tiller
0009716	1	PSC	Monitor, Akron 3578 w/5077 Nozzle, No Tip Control (PAL)
0086972	1	PSC	Flow Meter, Fire Research, Waterway (PAL)
0036952	1		Inlet, Aerial Waterway, Tiller
0011742	1	PSC	Quick-Lock Waterway Locking System, PAL
0006919	1		Manuals and Training (PAL)
0036992	1	PSC	Manual, Oper., Maint., and Repair, Extra, PAL



Sales Option Code	Qty	Type	Description / Features
0036970	1		Cab, Tiller
0086945	1		Heater, Tiller Cab
0086942	1		Seat, 911, Non-Suspension, Tiller Cab
0092163	1	PSC	Steps, Tiller Access, 25" W, w/Std Depth Rear
0086955	1		Intercom, Tiller Cab To Tractor Cab, Atkinson
0036977	1	PSC	Tiller Warning Indicators
0012207	1	PSC	Mirror, 6" Round Convex, Tiller Cab (PR)
0021323	1	PSC	Heater Fuel Gauge, Special Location
0056785	1	PSC	Sunvisor, Tiller Cab, Lexan IPO Std
0046980	1		Trailer, Tiller
0046990	1		Walkway, Turntable to Body, Tiller
0037001	1		Axle, Tiller, Meritor FL-941 18,740
0037003	1	PSC	Steering, Ross TAS-85, Tiller Trailer
0037035	1		Brakes, Cam, 16.50" x 6.00", Tiller
0037010	1		Suspension, Spring, 19,000, Tiller
0037016	1		Tires, Goodyear, 385/65R22.5 18 Ply (tiller)
0037030	1		Wheels, Alum. 22.50" x 12.25" (385), Tiller
0037050	1		Oil Seals, Tiller Axle
0007150	1		Bag of Nuts and Bolts
0000000	5	STF	Axe(s), Pickhead w/ Fiberglass Handle & Mounting Brackets
0000000	3	STF	Mounting Stainless Steel brackets, Axe Location, Axes -- as determined by the Minneapolis Fire Department
0000000	2	STF	Mounting Bracket Only for Fire Extinguisher, #EXT-H
0000000	2	STF	Mounting Bracket Only for Fire Extinguisher Location -- for Amerex #810
0000000	1	STF	Crowbar, 51.00" with mounting brackets
0007482	1		Crowbars Not Required
0007484	1		Claw Tools Not Required
0007490	1		Axes, Flathead Not Required
0007492	1		Axes, Pickhead Not Required
0007494	1		Sledgehammers Not Required
0007205	1		Paint, Single Color, Custom Paint, Color -- Pierce #390/red
0001387	1	PSC	Paint Chassis Frame Assy. Black, Minneapolis w/joints sealed
0057205	1		Warranty, Standard Paint
0025371	1	PSC	Panel, Boom, Painted Special Color Color, Paint -- job color red
0014417	1	PSC	Paint, Rear Tiller Cab Exterior, Job Color IPOS
0007230	1		Compartment paint, Spatter gray
0007237	1		Aerial Ladder Paint, White #10
0001144	1	PSC	Reflective Band, .75"- 4"- .75", with .75" spacing Color, Reflect Band - A -- gold Color, Reflect Band - B -- white Color, Reflect Band - C -- gold
0087342	2		Jog, "Z"-Shaped, In Reflective Stripe
0007356	1		Reflective across Cab Face
0087357	1		Molding, Chrome on side of cab
0007363	1		Lettering, Reflective On Ladder-PAL/PAP/Sky Color, Outline -- Minneapolis Fire Department approved Color, Lettering -- ruby red
0027372	1		Lettering Specifications, (GOLD STAR Process)
0079253	1		Lettering, Reflective 3" w/outline (41-60)

Sales Option Code	Qty	Type	Description / Features
0077250	3		Lettering, Reflective Location, Lettering -- crew cab doors and rear of tiller Color, Lettering -- white Size, Lettering, Reflect -- 12.00"
0018585	15		Lettering, Reflective w/outline & shade Location, Lettering -- rear lettering plates Color, Lettering -- black Size, Lettering, Reflect -- 5.00"
0017027	1		Lettering, Reflective w/outline or shade Location, Lettering -- cab roof Color, Lettering -- white Size, Lettering, Reflect -- 20.00"
0012612	2		Plate, Alum for Reflective Letters Location -- rear of tiller Size -- approx. 14" square Color, Reflective -- gold
0017268	1		Decals, Customer furnished, Pierce installed
0025494	1	PSC	Rubber Coat, Tiller Body Substructure
0002838	1	PSC	Undercoating, Cab & Body, Ziebart
0099998	1		Concession per Jeff Resch (Minneapolis, MN Tiller)
0008558	1		2% Handling Charge on 100' ML
0000000	2	STF	Pro-Bar, 30" Fire Hooks
0000000	2	STF	Mounting bracket, oxygen cylinder
0000000	2	STF	Miller-Peerless 5gallon pump can w/mtg bracket
0000029	1		TILLER BODY
0000012	1		PIERCE CHASSIS
0020027	1	PSC	SERIES 60 ENGINE
0020030	1	PSC	HD TRANSMISSION
0020015	1	PSC	ABS SYSTEM

Sales Option Code	Product Name	Expiration Date
0010025	Warranty, Custom Chassis, 2 Year Bumper to Bumper	---
0000000	Chocks, Checker #AT2512-AC-Y w/mtg. bracket	---
0000000	Training, 40 hours Detroit Diesel	---
0015426	Warranty, 5-year Transmission (std HD Custom elec)	1/31/2006
0000000	Training, 40 hours Allison transmission	---
0019914	Warranty, Cab (Arr/Sab/DLX/Enf/Qtm w/fixed step)	1/31/2011
0000000	Spare alternator and regulator, Niehoff 360 amp	---
0000000	Pole, Pike 6' Fiberglass, #APH all-purpose hook Location -- on the side of the Duo-Safety Fresno ladder	---
0000000	Pole, Pike 12' Fiberglass, #PPH providence pierce hook Location -- as determined by the Minneapolis Fire Department	---
0000000	Pole, Pike 8' Fiberglass, #MPH multi-purpose hook Location -- as determined by the Minneapolis Fire Department	---
0000000	Pole, Pike 6' Fiberglass, #MPH multi-purpose hook Location -- as determined by the Minneapolis Fire Department	---
0000000	Pole, Pike 8' Fiberglass, #GBH gator-back hook Location -- as determined by the Minneapolis Fire Department	---
0000000	Pole, Pike 6' Fiberglass, #GBH gator-back hook Location -- as determined by the Minneapolis Fire Department	---

Sales Option Code	Product Name	Expiration Date
0099998	Switch, remote location, refer to 26856 Location -- The remote switch location at the pump panel is incorrect and should be located at the breaker box.	---
0006999	Warranty, 20 Year Structural (PAL, PAP)	1/31/2021
0000000	Axe(s), Pickhead w/ Fiberglass Handle & Mounting Brackets	---
0000000	Mounting Stainless Steel brackets, Axe Location, Axes -- as determined by the Minneapolis Fire Department	---
0000000	Mounting Bracket Only for Fire Extinguisher, #EXT-H	---
0000000	Mounting Bracket Only for Fire Extinguisher Location -- for Amerex #810	---
0000000	Crowbar, 51.00" with mounting brackets	---
0057205	Warranty, Standard Paint	1/31/2007
0099998	Concession per Jeff Resch (Minneapolis, MN Tiller)	---
0000000	Pro-Bar, 30" Fire Hooks	---
0000000	Mounting bracket, oxygen cylinder	---
0000000	Miller-Peerless 5gallon pump can w/mtg bracket	---

**Warranty Disclaimer:**

Warranty expiration dates are for reference only and are subject to change without notice. For verification of actual start and end dates, questions, or discrepancies, please contact the warranty administration group at Pierce Mfg.

Warranty expiration date reflects the date by which warranty claims must be received at Pierce Mfg., where applicable.

An Oshkosh Corporation Company      Copyright© 2006 Pierce Manufacturing Inc.      Privacy Statement

Specifications, descriptions and illustrative material on this Web site are as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment. All measurements are nominal values.