


**Conservation Service** 





Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
109	Cordova clay loam, 0 to 2 percent slopes	88	2.5	2.6%
247	Linder loam	60	3.9	4.1%
1075	Klossner and Muskego soils, ponded, 0 to 1 percent slopes	8	12.1	12.6%
L107A	Canisteo-Glencoe complex, 0 to 2 percent slopes	91	38.0	39.7%
L113B	Reedslake-Le Sueur complex, 1 to 6 percent slopes	96	28.0	29.3%
L1207B	Le Sueur-Reedslake- Cordova complex, 0 to 5 percent slopes	95	11.2	11.7%
Totals for Area of Interest			95.6	100.0%

## **Crop Productivity Index**

## Description

Crop productivity index ratings provide a relative ranking of soils based on their potential for intensive crop production. An index can be used to rate the potential yield of one soil against that of another over a period of time. Ratings range from 0 to 100. The higher numbers indicate higher production potential. The rating is not crop specific. Minnesota inquiries must use the 'Map Unit Cropland Productivity Report (MN)' soils report from the Soil Reports tab under 'Vegetative Productivity'.

When the soils are rated, the following assumptions are made: a) adequate management, b) natural weather conditions (no irrigation), c) artificial drainage where required, d) no frequent flooding on the lower lying soils, and e) no land leveling or terracing. Even though predicted average yields will change with time, the productivity indices are expected to remain relatively constant in relation to one another over time.

## **Rating Options**

Aggregation Method: Weighted Average Component Percent Cutoff: None Specified Tie-break Rule: Higher Interpret Nulls as Zero: Yes