



AXLE #1 TIRE SPACING

AXLES #2, & #3 TIRE SPACING

TRACTOR ID	
BIGGE EQUIPMENT No.	PM-13
MODEL YEAR	2016
MANUFACTURER	WESTERN STAR
MODEL	6900XD
VIN	5KJASBG9GPGM5762
CONFIGURATION	TANDEM

TECHNICAL SPECIFICATIONS	
GVWR	72,000 LBS.
GCWR	330,000 LBS.
TRACTOR WEIGHT	35,300 LBS.
BALLAST BED (TBB-01) WEIGHT	6,533 LBS.
ENGINE POWER	600 HP w/EXHAUST BRAKE
ENGINE TORQUE	1,850 LB-FT
MAIN TRANS	7 SPEED AUTO w/RETARDER
AUX TRANS	3 SPEED MANUAL
FUEL CAPACITY	300 GALLONS
DIESEL EXHAUST FLUID CAPACITY	23 GALLONS
AIR COMPRESSOR	37.4 CFM
MAX TRAVEL SPEED 7th GEAR MAIN & 1st GEAR AUX/ENGINE RPM	21.7 MPH/1,920 RPM
MAX TRAVEL SPEED 7th GEAR MAIN & 2nd GEAR AUX/ENGINE RPM	54.3 MPH/1,920 RPM
MAX TRAVEL SPEED 7th GEAR MAIN & 3rd GEAR AUX/ENGINE RPM	54.3 MPH/1,652 RPM
FRONT FRAME HITCH RECEIVER DRAW BAR CAPACITY	100,000 LBS. PULL/PUSH*
REAR FRAME HITCH RECEIVER DRAW BAR CAPACITY	150,000 LBS. PULL/PUSH*
BALLAST BED CAPACITY	29,686 LBS.**

*ACTUAL EFFECTIVE DRAWBAR CAPACITY MAY BE LIMITED BY THE INSTALLED HITCH'S CAPACITY. REFER TO THE HITCH MANUFACTURER'S PRODUCT DATA FOR SPECIFIC HITCH DRAWBAR CAPACITY RATING AND USE GUIDELINES.
**BALLAST WEIGHT CG MUST BE LOCATED BETWEEN AXLE LINES #2 & #3.



0	FOR INFORMATION	2/11/2019	MWJ	4/11/2019	VLH	4/11/2019	VLH
NO.	REVISIONS	DATE	BY	DATE	BY	DATE	BY
		DRAWN		CHECKED		APPROVAL	

This drawing contains information proprietary to Bigge Crane and Rigging Co. It is submitted in confidence and is to be used solely for the purpose for which it is furnished and returned upon request. This drawing and such information is not to be reproduced, transmitted, disclosed or used in whole or in part without the written authorization of Bigge Crane and Rigging Co.



PM-13 WESTERN STAR 6900XD TANDEM (3 AXLE)
EQUIPMENT DATA SHEET

SCALE: (U.N.O.)	SIZE	PROJECT No.	DWG. No.	SHEET	REV.
1/4" = 1'-0"	B		DS-PM-13	1 of 1	0