



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Maintenance Inspections

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
051103	EFIS WIRING VISUAL INSPECTION	KMEV	MTH	27-Aug-2018		36		31-Aug-2021	9 m 21 d
			HRS	12441.3		1200		13641.3	962.1
			LDG	13379					
051104	EFIS STRUCTURE VISUAL INSPECTION	KMEV	MTH	27-Aug-2018		36		31-Aug-2021	9 m 21 d
			HRS	12441.3		1200		13641.3	962.1
			LDG	13379					
051105	FORWARD BULKHEAD ETHERNET FEED-THROUGH NDT INSPECTION	SMF	MTH	16-Sep-2010	-5487				
			HRS	9632.5		50818		54963.5	42284.3
			LDG	10515					
051106	ICA AVIONICS FEED THRU PLATE INSPECTION	MEV	MTH	27-Sep-2017					
			HRS	12157.3		3192		15349.3	2670.1
			LDG	13077		2902		15979	2336
			ACH	60					
051233Y	HAWKER BATTERY CAPACITY INSPECTION	KMEV	MTH	24-Feb-2020		18		31-Aug-2021	9 m 21 d
			HRS	12606.5		4500		17106.5	4427.3
			LDG	13559					
053203 LEFT	LEFT MAIN GEAR WHEEL EDDY CURRENT INSPECTION		MTH	18-Jun-2013		O/C			
			HRS	10600.1					
			LDG	11557					
053203 RIGHT	RIGHT MAIN GEAR WHEEL EDDY CURRENT INSPECTION		MTH	18-Jun-2013		O/C			
			HRS	10600.1					
			LDG	11557					
053402	UNS-1L INSPECTION	KMEV	MTH	27-Aug-2018		36		31-Aug-2021	9 m 21 d
			HRS	12441.3		1200		13641.3	962.1
			LDG	13379					
053403	JTECH-WAAS-0303 24 MONTH INSPECTION		MTH	04-Sep-2019		24		30-Sep-2021	10 m 20 d
			HRS	12527.2					
			LDG	3467					
053404	JTECH-WAAS-0303 2,000 FT HR/120 MONTHINSPECTION		MTH	04-Sep-2019		120		30-Sep-2029	106 m 20 d
			HRS	12527.2		2000		14527.2	1848
053405	GPS ANTENNA INSPECTION	MEV	MTH	28-Feb-2017					
			HRS	11839		1200		13039	359.8
			LDG	12763					
			ACH	60					
055101 AFT	AFT PRESSURE BULKHEAD INSPECTION STC ST03240NY		MTH	10-Jan-2010					
			HRS	9453.9		4450		13903.9	1224.7
5-12-01 051201	INSPECTION PHASE 1	KMEV	MTH	27-Aug-2018		24		31-Aug-2020	-2 m 10 d
			HRS	12441.3		300		12741.3	62.1
			LDG	13379					
									Over Due
5-12-02 051202	INSPECTION PHASE 2	KMEV	MTH	27-Aug-2018		24		31-Aug-2020	-2 m 10 d
			HRS	12441.3		300		12741.3	62.1
			LDG	13379					
									Over Due
5-12-03 051203	INSPECTION PHASE 3	KMEV	MTH	27-Aug-2018		24		31-Aug-2020	-2 m 10 d
			HRS	12441.3		300		12741.3	62.1
			LDG	13379					
									Over Due
5-12-04 051204	INSPECTION PHASE 4	KMEV	MTH	27-Aug-2018		24		31-Aug-2020	-2 m 10 d
			HRS	12441.3		300		12741.3	62.1
			LDG	13379					
									Over Due
5-12-05 051205	INSPECTION PHASE 5	KMEV	MTH	27-Aug-2018		36		31-Aug-2021	9 m 21 d
			HRS	12441.3		1200		13641.3	962.1
			LDG	13379					

NOTE: Item Codes in italics show pre-migration CESCOM item codes and position (provided for cross-reference). Remains calculated from Print Date for calendar items.



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Maintenance Inspections

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
5-12-0B 051200B	INSPECTION PHASE B	KMEV	MTH	24-Feb-2020					
			HRS	12606.5		150		12756.5	77.3
			LDG	13559					
5-12-12 051212	INSPECTION PHASE 12	MEV	MTH	01-Feb-2018					
			HRS	12275.4		600		12875.4	196.2
			LDG	13199					
5-12-14 051214	INSPECTION PHASE 14	SMF	MTH	25-Aug-2011					
			HRS	9977.7		3000		12977.7	298.5
			LDG	10873					
5-12-15 051215	INSPECTION PHASE 15	SMF	MTH	25-Aug-2011					
			HRS	9977.7		5000		14977.7	2298.5
			LDG	10873					
5-12-16 051216	INSPECTION PHASE 16	SMF	MTH	25-Aug-2011					
			HRS	9977.7		5000		14977.7	2298.5
			LDG	10873					
5-12-17 051217	INSPECTION PHASE 17	SMF	MTH	25-Aug-2011					
			HRS	9977.7		10000		19977.7	7298.5
			LDG	10873					
5-12-19 051219	INSPECTION PHASE 19	KMEV	MTH	27-Aug-2018					
			HRS	12441.3		2500		14941.3	2262.1
			LDG	13379					
5-12-20	INSPECTION PHASE 20 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)			MTH	03-Dec-2019	24			
A341007 RVSM 051220 : RVSM	PERFORM RVSM SKIN WAVINESS INSPECTION (AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20			MTH	03-Dec-2019	24		31-Dec-2021	13 m 21 d
B341005 LEFT 051220 : L	CALIBRATION TEST STATIC SYSTEM LEAK TEST (FAR 91.411): INSPECTION PHASE 20			MTH	03-Dec-2019	24		31-Dec-2021	13 m 21 d
B341005 RIGHT 051220 : R	CALIBRATION TEST STATIC SYSTEM LEAK TEST (FAR 91.411): INSPECTION PHASE 20			MTH	03-Dec-2019	24		31-Dec-2021	13 m 21 d
B341008 LEFT 051220 : ADC	PERFORM AIR DATA COMPUTER AIR DATA SYSTEMS CHECK(AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20			011-02337-01 MTH	03-Dec-2019	24		31-Dec-2021	13 m 21 d
			1U6102499						
B341008 RIGHT 051220 : ADC#2	PERFORM AIR DATA COMPUTER AIR DATA SYSTEMS CHECK(AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20			011-02337-01 MTH	03-Dec-2019	24		31-Dec-2021	13 m 21 d
			1U6102424						
B341008 STANDBY 051220 : STDBY	PERFORM ALTIMETER AIR DATA SYSTEMS CHECK(AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20			6420302-1 MTH	03-Dec-2019	24		31-Dec-2021	13 m 21 d
			E19-11897						
5-12-21	INSPECTION PHASE 21 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)			MTH	28-Nov-2018	24			
		KMEV	HRS	12525.7					
			LDG	13465					
A237003 051221A : CVR	INSPECT CVR UNDERWATER LOCATOR BEACON : INSPECTION PHASE 21			MTH	28-Nov-2018	24		30-Nov-2020	20 d
		KMEV	DK120	HRS	12525.7				
			SD44516	LDG	13465				
B237004 051221A : CVR	OPERATIONAL TEST CVR UNDERWATER LOCATOR BEACON : INSPECTION PHASE 21			MTH	28-Nov-2018	24		30-Nov-2020	20 d
		KMEV	DK120	HRS	12525.7				
			SD44516	LDG	13465				
B345001 LEFT 051221	CALIBRATION TEST TRANSPONDER FAR 91.413: INSPECTION PHASE 21			MTH	03-Dec-2019	24		31-Dec-2021	13 m 21 d
		UNK	011-03303-00						
			3EH023925						
B345001 RIGHT 051221 : R	CALIBRATION TEST TRANSPONDER FAR 91.413: INSPECTION PHASE 21			MTH	03-Dec-2019	24		31-Dec-2021	13 m 21 d
		UNK	011-03301-00						
			3EF021714						

NOTE: Item Codes in italics show pre-migration CESCOM item codes and position (provided for cross-reference). Remains calculated from Print Date for calendar items.



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Maintenance Inspections

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
5-12-22	INSPECTION PHASE 22 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)	MEV		MTH 18-Sep-2019 HRS 12527.2 LDG 13467		36			
B326003 051222 : EMER	HYDROSTATIC TEST -- : INSPECTION PHASE 22	MEV	212940-2 4482	MTH 18-Sep-2019 HRS 12527.2 LDG 13467		36	2	31-Jul-2022	20 m 21 d
5-12-23	INSPECTION PHASE 23 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)			MTH 05-Apr-2014 HRS LDG		60			
B262002 AFT 051223 : A	HYDROSTATIC TEST ENGINE FIRE EXTINGUISHER : INSPECTION PHASE 23	MEV	32700015 12873C1	MTH 15-Feb-2017		60		28-Feb-2022	15 m 18 d
B262002 FORWARD 051223 : F	HYDROSTATIC TEST ENGINE FIRE EXTINGUISHER : INSPECTION PHASE 23	MEV	898066-1 71006EK	MTH 15-Feb-2017		60		28-Feb-2022	15 m 18 d
5-12-26	INSPECTION PHASE 26			MTH 13-Aug-1987		N/A			
5-12-27	INSPECTION PHASE 27			MTH 13-Aug-1987		N/A			
5-12-34	INSPECTION PHASE 34 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)	MEV		MTH 18-Sep-2019 HRS 12527.2 LDG 13467		6			
A262003 CABIN 051234 : A	WEIGHT CHECK PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 34	KMEV	A352 W-301053	MTH 10-Mar-2020		6		30-Sep-2020	-1 m 10 d Over Due
A262003 COCKPIT 051234 : F	WEIGHT CHECK PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 34	KMEV	A352 W-301008	MTH 10-Mar-2020		6		30-Sep-2020	-1 m 10 d Over Due
5-12-37 051237	INSPECTION PHASE 37	SMF		MTH 29-Apr-2011 HRS 9853.8 LDG 10741	-53.8	5000		14800	2120.8
5-12-40 051240	INSPECTION PHASE 40 (NOT USED)	*CF		MTH 13-Aug-1987		A/R			
5-12-47	INSPECTION PHASE 47 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)	SMF		MTH 05-Apr-2014 HRS 10683.3 LDG 11559		144			
B262003 CABIN 051247 : A	HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 47	SMF	A352 W-301053	MTH 01-Jan-2014		144		31-Jan-2026	62 m 21 d
B262003 COCKPIT 051247 : F	HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 47	SMF	A352 W-301008	MTH 01-Jan-2014		144		31-Jan-2026	62 m 21 d
5-12-48	INSPECTION PHASE 48 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)	KMEV		MTH 10-Mar-2020 HRS 12610.9 LDG 13565		72			
B262004 CABIN 051248 : A	DETAILED INSPECTION PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 48	KMEV	A352 W-301053	MTH 10-Mar-2020 HRS 12610.9 LDG 13565		72		31-Mar-2026	64 m 21 d
B262004 COCKPIT 051248 : F	DETAILED INSPECTION PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 48	KMEV	A352 W-301008	MTH 10-Mar-2020 HRS 12610.9 LDG 13565		72		31-Mar-2026	64 m 21 d



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Maintenance Inspections

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
5-12-49 <i>051249</i>	INSPECTION PHASE 49	KMEV	MTH	27-Aug-2018		36		31-Aug-2021	9 m 21 d
			HRS	12441.3		1200		13641.3	962.1
			LDG	13379					
5-12-55 <i>051255</i>	INSPECTION PHASE 55	MEV	MTH	18-Sep-2019		12		30-Sep-2020	-1 m 10 d
			HRS	12527.2					
			LDG	13467					
									Over Due
5-12-57 <i>051257</i>	INSPECTION PHASE 57	SMF	MTH	05-Apr-2014		A/R			
			HRS	10683.3					
			LDG	11559					
THIS INSPECTION MAY BE APPLICABLE TO YOUR AIRCRAFT. PLEASE NOTIFY CESCOM IF NOT APPLICABLE AND IT WILL BE REMOVED.									
5-12-58	INSPECTION PHASE 58	KMEV	MTH	22-Jan-2020					
			HRS	12574.9		300		12874.9	195.7
			LDG	13520					
5-12-59	INSPECTION PHASE 59		MTH	0					
			ACH			500		500	323.2
5-12-60	INSPECTION PHASE 60	MEV	MTH	09-Jul-2016					
			HRS	11635.4		1200		12835.4	156.2
			LDG	12553					
			ACH	31.6					
5-12-61	INSPECTION PHASE 61	KMEV	MTH	24-Feb-2020		6		31-Aug-2020	-2 m 10 d
			HRS	12606.5					
			LDG	13559					
									Over Due
5-12-MB	INSPECTION PHASE MB (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)	KMEV	MTH	27-Aug-2018					
			HRS	12441.3					
			LDG	13379		749			
A324214 LEFT MAIN GEAR <i>0512MB</i>	INSPECT/REPLACE BRAKE ASSEMBLY MAIN LANDING GEAR BRAKE: INSPECTION PHASE MB	KMEV	2-1528-6 3298	MTH	27-Aug-2018				
				HRS	12441.3				
				LDG	13379		749	14128	485
A324214 RIGHT MAIN GEAR <i>0512MB</i>	INSPECT/REPLACE BRAKE ASSEMBLY MAIN LANDING GEAR BRAKE: INSPECTION PHASE MB	KMEV	2-1528-6 2499	MTH	27-Aug-2018				
				HRS	12441.3				
				LDG	13379		749	14128	485
5-12-MD	INSPECTION PHASE MD (AIRPLANES 0002 THRU 0626 EXCEPT 491,492) (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)	SMF	MTH	11-Feb-2015					
			HRS	11066					
			LDG	11947		5000			
A325008 NOSE LANDING GEAR <i>0512MD</i>	INSPECT FORK NOSE LANDING GEAR FORK (5542300-1 AND/OR -3): INSPECTION PHASE MD (AIRPLANES 0002 THRU 0626 EXCEPT 491,492)	SMF	5542300-1 N/A	MTH	09-May-2016				
				HRS	11551.2				
				LDG	12463		5000	17463	3820
057110 E1	MINOR INSPECTION	KMEV	MTH	27-Aug-2018		24		31-Aug-2020	-2 m 10 d
			HRS	12441.3		300		(12625.2)12741.3	62.1
			LDG	13379					
									Over Due
057110 E2	MINOR INSPECTION	KMEV	MTH	27-Aug-2018		24		31-Aug-2020	-2 m 10 d
			HRS	12441.3		300		(12572.8)12741.3	62.1
			LDG	13379					
									Over Due
215012	REPLACE AIR CONDITIONER MOTOR BRUSHES (COMPRESSOR MOTORS 1134104-1,-5 OR FWA1134104-1, -5)		PN SN-UNKNOWN	MTH	05-Oct-2014				
				HRS	10931.8				
				LDG	11809				
				ACH	0		500	500	323.2



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Maintenance Inspections

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
262041 AFT RIGHT 262003 : AR	REPLACE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)	MEV		13083-5 35817	MTH 31-Aug-2016		72		31-Aug-2022	21 m 21 d
262042 AFT LEFT 262003 : AL	REPLACE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)	MEV		13083-5 35830	MTH 31-Aug-2016		72		31-Aug-2022	21 m 21 d
262043 FORWARD RIGHT 262003 : FR	REPLACE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)	MEV		873364-1 03108	MTH 31-Dec-2016		N/A			
262044 FORWARD LEFT 262003 : FL	REPLACE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)	MEV		873364-1 03108	MTH 31-Dec-2016		N/A			
B350004	HYDROSTATIC TEST OXYGEN CYLINDER (DOT 3HT 1850, DOT 3FC 1850 OR CYLINDERS MANUFACTURED UNDER DOT-SP-8162)	KMEV		176274-22 1913-2177	MTH 27-Aug-2018		60		31-Aug-2023	33 m 21 d
710000 E1	TURBINE WASH						A/R			
710000 E2	TURBINE WASH						A/R			
710010 E1	OVERHAUL	UNK			MTH 04-Jun-2013 HRS 10513.5 LDG 11434		3500		(13897.5)14013.5	1334.3
710010 E2	OVERHAUL	UNK			MTH 11-Feb-2013 HRS 10513.5 LDG 11434		3500		(13845.4)14013.5	1334.3
710020 E1	HOT SECTION INSPECTION	MEV			MTH 01-Feb-2018 HRS 12275.4 LDG 13199		1800		(13959.3)14075.4	1396.2
710020 E2	HOT SECTION INSPECTION	MEV			MTH 01-Feb-2018 HRS 12275.4 LDG 13199		1800		(13906.9)14075.4	1396.2
710030 E1	INSPECT INTERMEDIATE CASE FOR CORROSION						A/R			
710030 E2	INSPECT INTERMEDIATE CASE FOR CORROSION						A/R			
720010 E1	OIL ANALYSIS						A/R			
720010 E2	OIL ANALYSIS						A/R			
731025 E1	VISUALLY INSPECT FUEL-OIL COOLER	UNK		3015303 3300	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		A/R			
731025 E2	VISUALLY INSPECT FUEL-OIL COOLER	UNK		3015303 3380	MTH 11-Feb-2013		A/R			
731035 E1	VISUALLY INSPECT MOTIVE FLOW VALVE	MEV		2524995-1 A90645	MTH 01-Feb-2018 HRS 12275.4 LDG 13199		1800		(13959.3)14075.4	1396.2
731035 E2	VISUALLY INSPECT MOTIVE FLOW VALVE	MEV		2524995-1 A90652	MTH 01-Feb-2018 HRS 12275.4 LDG 13199		1800		(13906.9)14075.4	1396.2
731090 E1	VISUALLY INSPECT FLOW DIVIDER VALVE	MEV		25607-3 3372	MTH 01-Feb-2018 HRS 12275.4 LDG 13199		1800		(13959.3)14075.4	1396.2
731090 E2	VISUALLY INSPECT FLOW DIVIDER VALVE	MEV		25607-2 1638	MTH 01-Feb-2018 HRS 12275.4 LDG 13199		1800		(13906.9)14075.4	1396.2



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Maintenance Inspections

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
741030 E1 LOWER	VISUAL INSPECT IGNITION EXCITER	KMEV		9049770-3 NNA09078937	MTH 27-Aug-2018 HRS 12441.3 LDG 13379		24 300		31-Aug-2020 (12625.2)12741.3	-2 m 10 d 62.1
										Over Due
741030 E1 UPPER	VISUAL INSPECT IGNITION EXCITER	KMEV		9049770-3 99307294	MTH 27-Aug-2018 HRS 12441.3 LDG 13379		24 300		31-Aug-2020 (12625.2)12741.3	-2 m 10 d 62.1
										Over Due
741030 E2 LOWER	VISUAL INSPECT IGNITION EXCITER	KMEV		9049770-3 NNA03425066	MTH 27-Aug-2018 HRS 12441.3 LDG 13379		24 300		31-Aug-2020 (12572.8)12741.3	-2 m 10 d 62.1
										Over Due
741030 E2 UPPER	VISUAL INSPECT IGNITION EXCITER	KMEV		9049770-3 NNA03425071	MTH 27-Aug-2018 HRS 12441.3 LDG 13379		24 300		31-Aug-2020 (12572.8)12741.3	-2 m 10 d 62.1
										Over Due
792010 E1	CHANGE OIL	SMF			MTH 16-Sep-2010 HRS 9631.8 LDG 10516			O/C		
792010 E2	CHANGE OIL	SMF			MTH 16-Sep-2010 HRS 9684.2 LDG 10571			O/C		
792020 E1	INSPECT/CLEAN OR REPLACE OIL FILTER ELEMENT	KMEV			MTH 24-Feb-2020 HRS 12606.5 LDG 13559		200		(12690.4)12806.5	127.3
792020 E2	INSPECT/CLEAN OR REPLACE OIL FILTER ELEMENT	KMEV			MTH 24-Feb-2020 HRS 12606.5 LDG 13559		200		(12638)12806.5	127.3



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
211002	EMERGENCY PRESSURIZATION VALVE SMF			27441482-06 2BB5	MTH 20-Dec-2006 HRS 8307		O/C	0		
212004	OVERHEAD CABIN FAN KMEV			MB38A-1 1313	MTH 04-Jun-2018 HRS 12397.1 LDG 13330		O/C	0		
212006	DEFOG FAN SMF			5703-4 1584	MTH 16-Sep-2010 HRS 9632.5 LDG 10515		3500	0	13132.5	453.3
212007 FORWARD	INSTRUMENT PANEL FAN *CF			4124 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
212007 LEFT	AVIONICS NOSE FAN *CF			19A827 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
212009	AIR FLOW ACTUATOR *CF			NYLC50466 717	MTH 13-Aug-1987		O/C			
212010	MOTOR DOOR ACTUATOR 9910059-3 *CF			5A3032 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
213001	CABIN PRESSURE INDICATOR 3001J14 *CF			C668511-0102 18598	MTH 13-Aug-1987		O/C			
213002	CABIN RATE CONTROLLER SMF			130356-15 47997	MTH 18-Apr-1991 HRS 1535		O/C	262		
213003	CABIN RATE OF CLIMB INDICATOR 35060-1128 *CF			C668513-0101 W17879H	MTH 13-Aug-1987		O/C			
213007 LEFT	SECONDARY OUTFLOW VALVE *CF			103576-26 471209	MTH 13-Aug-1987		O/C			
213007 RIGHT	PRIMARY OUTFLOW VALVE SMF			103576-26 18158	MTH 10-Jul-1990 HRS 1145		O/C	0		
213009 LEFT	BLEED AIR FLOW CONTROL VALVE SMF			1988-00-1 1924A	MTH 19-Apr-2003 HRS 6745		O/C	0		
213009 RIGHT	BLEED AIR FLOW CONTROL VALVE SMF			1988-00-1 1475A	MTH 19-Apr-2003 HRS 6745		O/C	0		
213013	PNEUMATIC RELAY *CF			130358-1 1261541	MTH 13-Aug-1987		O/C			
215001	REFRIGERATION ASSEMBLY 9912069-25 *CF			782343-1 860921	MTH 13-Aug-1987		O/C			
215004 NO. 1	AIR CYCLE MACHINE SMF			738384-26 465558	MTH 25-Aug-2011 HRS 9977.7 LDG 10873		5000			?
RECOMMENDED ECONOMIC OVERHAUL PERIOD DEFINED BY HAMILTON STANDARD.										
215005	BYPASS VALVE 9912069-1	SMF		754751-2 90023645	MTH 07-Nov-2009 HRS 9428		O/C	0		
215007	B/A PRESSURE VALVE 9912294-1 *CF			BYLB50907 202	MTH 13-Aug-1987		O/C			
215010 TOP	HEAT EXCHANGER 9912041-4 *CF			10663 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
215016	COMPRESSOR MEV			1250160 F284	MTH 28-Mar-2016 HRS 11511.5 LDG 12421 ACH 31.6		O/C	0 0		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
216002	TEMPERATURE CONTROL UNIT KMEV			9912069-22 83081956	MTH 04-Dec-2018 HRS 12525.7 LDG 13465		O/C			
216003	DUCT TEMPERATURE SENSOR 9912069-14	SMF		754691-3 01126469	MTH 19-Aug-2002 HRS 6451		O/C	0		
216004	CABIN TEMP SENSOR 9912069-15	*CF		754681-1 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
216005	CABIN AIR SENSOR BLOWER 9912070-1	KMEV		19A2338 2520	MTH 27-Aug-2018 HRS 12441.3 LDG 13379		O/C	0 0		
216011 LEFT	OVERHEAT SWITCH	*CF		1173T135-1 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
216011	ACM OVERHEAT SWITCH	*CF		1173T42-1 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
216013 LEFT	PRESSURE SWITCH	*CF		1103P240-1 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
216013 RIGHT	PRESSURE SWITCH	*CF		1103P240-2 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
217001	WATER SEPARATOR 9912069-13	*CF		738386-3 860936	MTH 13-Aug-1987		O/C			
221008	AUTOPILOT COMPUTER SP-200	SMF		4008519-941 80122227	MTH 09-Feb-2016 HRS 11444.4		O/C			
221009	AUTOPILOT CONTROLLER PC-500	KVNY		4018639-909 84092508	MTH 25-Jan-2013 HRS 10489.9 LDG 11409		O/C			
221010 AILERON	SERVO ACTUATOR SM-200	SMF		4006719-906 86112884	MTH 11-Dec-2004 HRS 7431		O/C	0		
221010 ELEVATOR	SERVO ACTUATOR SM-200	SMF		4006719-904 82038585	MTH 05-Oct-2014 HRS 10931.8 LDG 11809		O/C			
221010 RUDDER	SERVO ACTUATOR SM-200	SMF		4006719-906 87012980	MTH 11-Dec-2004 HRS 7431		O/C	7431		
232002 NO. 2	VHF COMM ANTENNA 9912084-1	*CF		VF10-108-1 1509	MTH 13-Aug-1987		O/C			
232003 NO. 1	VHF COMM ANTENNA	SMF		VFS10-90-7 1582	MTH 25-Sep-2012 HRS 10437 LDG 11353		O/C	0 0 0		
232007	FLITEFONE ANTENNA	*CF		121-0011 973	MTH 13-Aug-1987		O/C			
237001	COCKPIT VOICE RECORDER SMF			2100-1020-02 000590609	MTH 03-Jun-2009 HRS 9234		O/C	0		
237002	CVR CONTROLLER SMF			S251-1120-00 000591665	MTH 03-Jun-2009 HRS 9234		O/C	0		
237004	CVR UNDERWATER LOCATOR BEACON 266-E0305-00	SMF		DK120 SD44516	MTH 05-Oct-2014 HRS 10931.8 LDG 11809		O/C	0 0		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
237013 LEFT	M1090 SUMMING AMP			990-3138-000 00010001967	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
237013 RIGHT	M1090 SUMMING AMP			990-3138-000 00010002114	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
242001 NO. 1	AC INVERTER	SMF		SPC38B 1023	MTH 20-Dec-2006 HRS 8307		O/C	0		
242001 NO. 2	AC INVERTER	SMF		SPC38B 1962	MTH 20-Dec-2006 HRS 8307		O/C	163		
243001 NO. 1 ENGINE	STARTER/GENERATOR 9912038-4	KMEV		23080-001-1 1824	MTH 24-Feb-2020 HRS 12606.5 LDG 13559		1000	0	13606.5	927.3
243001 NO. 2 ENGINE	STARTER/GENERATOR 9912038-4	MEV		23080-001-1 395	MTH 01-Feb-2018 HRS 12275.4 LDG 13199		1000	0	13275.4	596.2
243003 NO. 1	GENERATOR CONTROL UNIT 9912039-6	SMF		51539-006F 4368AB	MTH 24-Feb-2007 HRS 8374		O/C	0		
243003 NO. 2	GENERATOR CONTROL UNIT 9912039-6	KMEV		51539-006F 8711AB	MTH 27-Jul-2020 HRS 12636.1 LDG 13595		O/C	0 0		
243004 LEFT	AMMETER	CXP		C662501-0102 M98268	MTH 25-Aug-1999 HRS 5251		O/C	0		
243004 RIGHT	AMMETER	*CF		C662501-0102 3849	MTH 13-Aug-1987		O/C			
243005	VOLTMETER 153LV30A	*CF		C662502-0101 1466	MTH 13-Aug-1987		O/C			
243007	BATTERY	KMEV		9750W0370-11 153380005	MTH 27-Aug-2018 HRS 12441.3 LDG 13379		O/C			
243008	BATTERY TEMPERATURE MODULE SMF			1529-1 349	MTH 26-Feb-2004 HRS 7109		O/C	0		
243009	BATTERY TEMPERATURE GAUGE *CF			1229-1 1376	MTH 13-Aug-1987		O/C			
243010 RIGHT	BATTERY TEMPERATURE SENSOR *CF			1166-1 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
243011	CURRENT/VOLT CONTROLLER SMF			1301-1 1101A	MTH 14-Aug-2013 HRS 10600.1 LDG 11557		O/C			
243012	CURRENT SENSOR SMF			1302-1 1352A	MTH 14-Aug-2013 HRS 10600.1 LDG 11557		O/C	0		
243014	BATTERY DISCONNECT RELAY *CF			A876K SN-UNKNOWN	MTH 13-Aug-1987		O/C			
252004	TAS COMPUTER SMF			2600-200A-030 73137	MTH 21-Jan-2000 HRS 5398		O/C	5398		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
256003 TOILET	PUMP	SMF		17000-382 5222	MTH 26-Feb-2004 HRS 7109		O/C	0		
261002 LEFT	FIRE DETECTION CONTROL 9912036-2	*CF		377-02808 8707012	MTH 13-Aug-1987		O/C			
261002 RIGHT	FIRE DETECTION CONTROL 9912036-2	*CF		377-02808 8707008	MTH 13-Aug-1987		O/C			
262001 AFT	ENGINE FIRE EXTINGUISHER 9912048-3	SMF		32700015 12873C1	MTH 20-Dec-2006 HRS 8307		O/C	0		
262001 FORWARD	ENGINE FIRE EXTINGUISHER 9912048-3	SMF		898066-1 71006EK	MTH 07-Oct-1996 HRS 4040		O/C	0		
262002 CABIN	PORTABLE FIRE EXTINGUISHER KMEV	KMEV		A352 W-301053	MTH 10-Mar-2020 HRS 12610.9 LDG 13565		O/C	0 0		
262002 COCKPIT	PORTABLE FIRE EXTINGUISHER KMEV	KMEV		A352 W-301008	MTH 10-Mar-2020 HRS 12610.9 LDG 13565		O/C	0 0		
262003 AFT LEFT	FIRE EXTINGUISHER CARTRIDGE MEV	MEV		13083-5 35830	MTH 28-Feb-2017 HRS 11839 LDG 12763 ACH 60		72		31-Aug-2022	21 m 21 d
Manufacture Date: 31-Aug-2016										
262003 AFT RIGHT	FIRE EXTINGUISHER CARTRIDGE MEV	MEV		13083-5 35817	MTH 28-Feb-2017 HRS 11839 LDG 12763 ACH 60		72		31-Aug-2022	21 m 21 d
Manufacture Date: 31-Aug-2016										
262003 FORWARD LEFT	FIRE EXTINGUISHER CARTRIDGE MEV	MEV		873364-1 03108	MTH 28-Feb-2017 HRS 11839 LDG 12763 ACH 60		120		31-Dec-2026	73 m 21 d
Manufacture Date: 31-Dec-2016										
262003 FORWARD RIGHT	FIRE EXTINGUISHER CARTRIDGE MEV	MEV		873364-1 03108	MTH 28-Feb-2017 HRS 11839 LDG 12763 ACH 60		120		31-Dec-2026	73 m 21 d
Manufacture Date: 31-Dec-2016										
271001	AILERON TRIM TAB ACTUATOR *CF			5565450-72 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
272001	RUDDER TRIM TAB ACTUATOR *CF			5565450-71 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
273002	ELEVATOR TRIM ELECTRIC ACTUATOR MEV			5115231-28 040-28X	MTH 10-Oct-2016 HRS 11744.6 LDG 12669 ACH 60		O/C	0 0		
273003 RIGHT	ELEVATOR TRIM TAB ACTUATOR KMEV	KMEV		5565450-80 0148-80	MTH 04-Dec-2018 HRS 12525.7 LDG 13465		O/C	0 0		
275001 LEFT	FLAP MOTOR 9910055-4	SMF		FS30-5 113	MTH 03-Jun-2009 HRS 9234		O/C	0		
275001 RIGHT	FLAP MOTOR 9910055-4	SMF		FS30-5 1268	MTH 03-Jun-2009 HRS 9234		O/C	0		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
275002 LEFT	FLAP GEARBOX	SMF		5565175-38 11492	MTH 05-Oct-2014 HRS 10931.8 LDG 11809		3000	0	13931.8	1252.6
275002 RIGHT	FLAP GEARBOX	SMF		5565175-38 113094-0	MTH 05-Oct-2014 HRS 10931.8 LDG 11809		3000	0	13931.8	1252.6
276001 LEFT	SPEED BRAKE ACTUATOR	*CF		50115-1 122	MTH 13-Aug-1987		O/C			
276001 RIGHT	SPEED BRAKE ACTUATOR	*CF		50115-1 115	MTH 13-Aug-1987		O/C			
276002	SPEED BRAKE CONTROL VALVE	*CF		66720 286	MTH 13-Aug-1987		O/C			
276003	SAFETY VALVE	*CF		68930 138	MTH 13-Aug-1987		O/C			
276004	THERMAL RELIEF VALVE	*CF		20900-1 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
282001 LEFT	FUEL BOOST PUMP	*CF		1C7-12 10AA7	MTH 13-Aug-1987		O/C			
282001 RIGHT	FUEL BOOST PUMP	*CF		1C7-12 10AA9	MTH 13-Aug-1987		O/C			
282010 LEFT	MOTIVE FLOW SHUTOFF VALVE	SMF		2524995 A90645	MTH 26-Feb-2004 HRS 7109		O/C	0		
282010 RIGHT	MOTIVE FLOW SHUTOFF VALVE	SMF		2524995 A900652	MTH 26-Feb-2004 HRS 7109		O/C	0		
284001 LEFT	LOW FUEL LEVEL SWITCH	*CF		L15H-3 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
284001 RIGHT	LOW FUEL LEVEL SWITCH	SMF		L15H-3 4346	MTH 12-Oct-1995 HRS 3605		O/C	0		
284002 LEFT	FUEL QUANTITY COMPENSATOR	*CF		300047-13001 15214T	MTH 13-Aug-1987		O/C			
284002 RIGHT	FUEL QUANTITY COMPENSATOR	*CF		300047-13001 15256T	MTH 13-Aug-1987		O/C			
284007	FUEL QUANTITY INDICATOR	UNK		9912147-12 370JBA	MTH 04-Sep-2019		O/C			
291001	HYDRAULIC RESERVOIR	SMF		7140-7 427	MTH 14-Apr-2015 HRS 11150.8 LDG 12047		O/C	2 0		
291002 NO. 1 ENGINE	HYDRAULIC PUMP	SMF		24195-LAA 9912062-4 3395	MTH 30-Jul-2001 HRS 5995		O/C	0		
291002 NO. 2 ENGINE	HYDRAULIC PUMP	KCXP		24195-LAA 9912062-4 5161	MTH 30-Jun-2013 HRS 10515.6 LDG 11436		O/C	0 0		
291004 LEFT	HYDRAULIC FIREWALL SHUTOFF VALVE	*CF		149145 2834	MTH 13-Aug-1987		O/C			
291004 RIGHT	HYDRAULIC FIREWALL SHUTOFF VALVE	*CF		149145 2848	MTH 13-Aug-1987		O/C			
291005 LEFT	CHECK/FLOW SWITCH VALVE	*CF		3520020100-4 2284	MTH 13-Aug-1987		O/C			
291005 RIGHT	CHECK/FLOW SWITCH VALVE	*CF		3520020100-4 2289	MTH 13-Aug-1987		O/C			



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
291006	RELIEF VALVE	SMF		4614 948A	MTH 02-Oct-1990 HRS 1256		O/C	0		
291010	HYDRAULIC PRESSURE SWITCH	SMF		1106P59 4620	MTH 01-Nov-2013 HRS 10632.9 LDG 11558		O/C	0 0 0		
291012	OPEN CENTER BYPASS VALVE	*CF		2710971 573A	MTH 13-Aug-1987		O/C			
301001 LEFT WING	DE-ICE BOOT	SMF		P25S-7D5059-09 MASW930	MTH 19-Mar-2010 HRS 9527		O/C	0		
301002 RIGHT WING	DE-ICE BOOT	SMF		25S-7D5059-10 NAF0850	MTH 05-Apr-2014 HRS 10683.3 LDG 11559		O/C	0 0		
301003 LEFT	HORIZONTAL STABILIZER DE-ICE BOOT	SMF		25S-7D5059-03 MI15160	MTH 21-Jan-2000 HRS 5398		O/C	0		
301003 RIGHT	HORIZONTAL STABILIZER DE-ICE BOOT	SMF		P29S-7D5059-13 NBT9570	MTH 05-Apr-2014 HRS 10683.3 LDG 11559		O/C	0 0		
301004	VERTICAL STABILIZER DE-ICE BOOT	SMF		P25S-7D5059-05 NAY5030	MTH 05-Apr-2014 HRS 10683.3 LDG 11559		O/C	0 0		
301008 LEFT WING	DE-ICE VALVE	SMF		3D2353-06 N10884	MTH 02-Oct-1990 HRS 1256		O/C	0		
301008 RIGHT WING	DE-ICE VALVE	*CF		3D2353-06 N8565	MTH 13-Aug-1987		O/C			
301008	STABILIZER AND FIN DE-ICE VALVE	*CF		3D2353-06 N8705	MTH 13-Aug-1987		O/C			
301010 LEFT WING	ANTI-ICE ASSEMBLY	*CF		6528007-3 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
301010 RIGHT WING	ANTI-ICE ASSEMBLY	*CF		6528007-4 U048	MTH 13-Aug-1987		O/C			
301013 LEFT	TEMPERATURE CONTROLLER	SMF		3E1870-01 U4249	MTH 30-Mar-2009 HRS 9170		O/C	0		
301013 RIGHT	TEMPERATURE CONTROLLER	SMF		3E1870-01 U3803	MTH 12-Nov-2004 HRS 7406		O/C	0		
302003 LEFT	ANTI-ICE SOLENOID VALVE	KMEV		229715-1 5	MTH 09-Jan-2020 HRS 12565.1 LDG 13511		O/C			
302003 RIGHT	ANTI-ICE SOLENOID VALVE	*CF		67410-1 325	MTH 13-Aug-1987		O/C			
302004 LEFT	TEMPERATURE SWITCH	KMEV		21548-2-68-6 NSN	MTH 09-Jan-2020 HRS 12565.1 LDG 13511		O/C	0 0		
302004 RIGHT	TEMPERATURE SWITCH	SMF		21548-2-19-6 9351	MTH 13-Oct-1995 HRS 3605		O/C	0		
303001 LEFT	HEATED PITOT TUBE	SMF		PH502 1208510	MTH 08-Jan-2010 HRS 9453		O/C	0		

301001:L



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
303001 RIGHT	HEATED PITOT TUBE *CF			PH502 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
304001	TEMPERATURE WARNING CONTROL UNIT *CF			1169-1 1547	MTH 13-Aug-1987		O/C			
304005	TEMPERATURE CONTROL VALVE 9912085-1 *CF			27241287 12AB66	MTH 13-Aug-1987		O/C			
304006	TEMPERATURE WINDSHIELD ANTI-ICE CONTROLLER 9912085-2 *CF			27231272 2AC9	MTH 13-Aug-1987		O/C			
304007 LEFT	TEMPERATURE SENSOR 9912085-3 *CF			27221274 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
304008	PRESSURE SWITCH *CF			1115P25 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
304009	WINDSHIELD REGULATOR VALVE 9912086-4 *CF			67410-2 306	MTH 13-Aug-1987		O/C			
312001 LEFT	CLOCK 86000-1143	*CF		C664510-0102 W17578H	MTH 13-Aug-1987		O/C			
312002 LEFT	CLOCK BATTERY	KMEV		811-BATT-1 NSN	MTH 24-Feb-2020 HRS 12606.5 LDG 13559		36	0	28-Feb-2023	27 m 18 d
313001	FLIGHT HOUR RECORDER 15136	CXF		C664503-0102 SN-UNKNOWN	MTH 19-Nov-2001 HRS 6130		O/C	0		
313003 LEFT	ACCELEROMETER AG-222	*CF		7000992 5207	MTH 13-Aug-1987		O/C			
321001 LEFT	MAIN GEAR ASSEMBLY *CF			6541000-37 74	MTH 13-Aug-1987 LDG 0		28600	0	28600	14957
321002 RIGHT	MAIN GEAR ASSEMBLY 6541000-838 *CF			6541000-38 72	MTH 13-Aug-1987 LDG 0		28600	0	28600	14957
322001	NOSE LANDING GEAR ASSEMBLY *CF			5542000-9 1217	MTH 13-Aug-1987 LDG 0		22500	0	22500	8857
322002 NOSE LANDING GEAR	SHIMMY DAMPER	SMF		5543001-12 342-12X	MTH 13-Dec-2012 HRS 10461.4 LDG 11380		O/C			
322003 LOWER	NOSE GEAR TORQUE LINK *CF			5542302-2 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
322003 UPPER	NOSE GEAR TORQUE LINK *CF			5542302-1 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
322004 NOSE LANDING GEAR	FORK	MEV		5542300-1 N/A	MTH 09-May-2016 HRS 11551.2 LDG 12463		12500	0	24963	11320
322007 NOSE LANDING GEAR	TRUNNION ASSEMBLY *CF			5542301-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
323001 LEFT MAIN GEAR	ACTUATOR ASSEMBLY MEV			9912053-17 444B	MTH 01-Feb-2018 HRS 12275.4 LDG 13199		37500	5845	44854	31211
323002 RIGHT MAIN GEAR	ACTUATOR ASSEMBLY SMF			9912053-18 473B	MTH 21-Jun-2015 HRS 11223 LDG 12121		37500	0 2058	47563	33920
323003 NOSE LANDING GEAR	ACTUATOR 9912120-2	KMEV		1523200-5 1123	MTH 19-Oct-2020 HRS 12678.9 LDG 13641		23900	7255	30286	16643
323004 LEFT MAIN GEAR	UPLOCK ACTUATOR *CF			5527504-2 222	MTH 13-Aug-1987		O/C			



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
323004 NOSE LANDING GEAR	UPLOCK ACTUATOR	*CF		5527504-2 217	MTH 13-Aug-1987		O/C			
323004 RIGHT MAIN GEAR	UPLOCK ACTUATOR	*CF		5527504-2 223	MTH 13-Aug-1987		O/C			
323005	EMERGENCY DUMP VALVE	*CF		AS19400-1 1398	MTH 13-Aug-1987		O/C			
323006	PNEUMATIC BLOWDOWN/EMERGENCY BRAKE BOTTLE	SMF		9912103-3 212940-2 4482	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		288		31-Jul-2029	104 m 21 d
Manufacture Date: 24-Jul-2005										
323007	LANDING GEAR CONTROL VALVE	*CF		66710 107	MTH 13-Aug-1987		O/C			
323008 NOSE LANDING GEAR	PISTON WELD ASSEMBLY	MEV		5542105-3 N/A	MTH 09-May-2016 HRS 11551.2 LDG 12463		12500	0	24963	11320
323010 LEFT	LOWER TORQUE LINK	*CF		5541304-11 SN-UNKNOWN	MTH 13-Aug-1987		N/A			
323010 RIGHT	LOWER TORQUE LINK	*CF		5541304-6 SN-UNKNOWN	MTH 13-Aug-1987 LDG 0	2552	41600	2552	41600	27957
323011 LEFT	UPPER TORQUE LINK	*CF		5541304-9 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
323011 RIGHT	UPPER TORQUE LINK	*CF		5541304-10 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
324001 LEFT MAIN GEAR	WHEEL ASSEMBLY	MEV		3-1490-1 3103	MTH 27-Sep-2017 HRS 12157.3 LDG 13077 ACH 60		O/C			
324001 RIGHT MAIN GEAR	WHEEL ASSEMBLY	MEV		3-1490-1 3963	MTH 25-Oct-2016 HRS 11763 LDG 12669 ACH 60		O/C	0 0 0		
324002 NOSE LANDING GEAR	WHEEL ASSEMBLY	KMEV		3-1418 3745	MTH 29-Jun-2018 HRS 12422.7 LDG 13359		O/C	0 0		
324003 LEFT MAIN GEAR	BRAKE ASSEMBLY	KMEV		2-1528-6 3298	MTH 27-Aug-2018 HRS 12441.3 LDG 13379		O/C	0 0		
<i>324003T : LTR</i>										
324004 RIGHT MAIN GEAR	BRAKE ASSEMBLY	MEV		2-1528-6 2499	MTH 27-Sep-2017 HRS 12157.3 LDG 13077 ACH 60		O/C	0 0		
<i>324004T : RTR</i>										
324005 LEFT MAIN GEAR	TIRE	MEV		220K08-3 40542275	MTH 27-Sep-2017 HRS 12157.3 LDG 13077 ACH 60		O/C	0 0		
<i>324005T : LTR</i>										
324005 RIGHT MAIN GEAR	TIRE	MEV		220K28-1 41532537	MTH 25-Oct-2016 HRS 11763 LDG 12669 ACH 60		O/C	0 0 0		
<i>324005T : RTR</i>										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
324006 NOSE LANDING GEAR	TIRE	KMEV		184F13-5 71112654	MTH 29-Jun-2018 HRS 12422.7 LDG 13359		O/C	0 0		
324011 LEFT INBOARD	BRAKE MASTER CYLINDER 9912050-11	*CF		12A085-11 3053	MTH 13-Aug-1987		O/C			
324011 LEFT OUTBOARD	BRAKE MASTER CYLINDER 9912050-11	*CF		12A085-11 3042	MTH 13-Aug-1987		O/C			
324012 RIGHT INBOARD	BRAKE MASTER CYLINDER 9912050-12	*CF		12A085-12 3051	MTH 13-Aug-1987		O/C			
324012 RIGHT OUTBOARD	BRAKE MASTER CYLINDER 9912050-12	*CF		12A085-12 3107	MTH 13-Aug-1987		O/C			
324013	PARKING BRAKE VALVE *CF			AS20800-5 1278	MTH 13-Aug-1987		O/C	0		
324014	EMERGENCY BRAKE VALVE SMF			895232-04 V065	MTH 08-Jan-2010 HRS 9453		O/C	0		
324020	ANTI SKID CONTROL BOX 9912305-6	*CF		42-707-1 326	MTH 13-Aug-1987		O/C			
324021	POWER BRAKE RELAY VALVE 9912305-7	SMF		38-707-1 632	MTH 12-Oct-1995 HRS 3605		O/C	323		
324023	ACCUMULATOR SMF			57C57652 RHO753	MTH 24-Jan-1995 HRS 3297		O/C	0		
324024 LEFT MAIN GEAR	WHEEL TRANSDUCER 9912305-2	*CF		40-955 1724	MTH 13-Aug-1987		O/C			
324024 RIGHT MAIN GEAR	WHEEL TRANSDUCER 9912305-2	*CF		40-955 1711	MTH 13-Aug-1987		O/C			
324025 HIGH	PRESSURE SWITCH 38-581501	SMF		1206P27 1771	MTH 11-Jun-1992 HRS 2091 LDG 2332		O/C	0		
324026	POWER BRAKE MOTOR ASSY SMF			MP50B1 1872	MTH 19-Aug-2002 HRS 6451		O/C	0		
325001	NOSE STEERING BUNGEE KMEV			5565624-19 NSN	MTH 06-Aug-2020 HRS 12636.9 LDG 13600		O/C	0 0		
326002 LEFT MAIN GEAR	UP & LOCKED SWITCH SMF			65-430087 SN-UNKNOWN	MTH 12-Oct-1995 HRS 3605 LDG 4029		O/C	0		
326002 RIGHT MAIN GEAR	UP & LOCKED SWITCH SMF			65-430087 SN-UNKNOWN	MTH 25-Jul-1994 HRS 3086 LDG 3475		O/C	0		
326003 LEFT MAIN GEAR	DOWN & LOCKED SWITCH *CF			602EN16-6B SN-UNKNOWN	MTH 13-Aug-1987		O/C			
326003 RIGHT MAIN GEAR	DOWN & LOCKED SWITCH *CF			602EN16-6B SN-UNKNOWN	MTH 13-Aug-1987		O/C			
326004 NOSE LANDING GEAR	DOWN & LOCKED SWITCH SMF			1EN118-6 SN-UNKNOWN	MTH 20-Jun-1995 HRS 3498 LDG 3902		O/C	0		
326005 NOSE LANDING GEAR	UP & LOCKED SWITCH *CF			65-430087 SN-UNKNOWN	MTH 13-Aug-1987		O/C			



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
331004 CENTER	5 VOLT DIMMER	SMF		1505-1 0223128	MTH 11-Aug-2003 HRS 6898		O/C	0		
331004 LEFT	5 VOLT DIMMER	SMF		273-1 0150174	MTH 11-Nov-2003 HRS 7020		O/C	0		
331004 RIGHT	5 VOLT DIMMER	SMF		1505-1 0150200	MTH 11-Aug-2003 HRS 6898		O/C	0		
331011 FLIGHT COMPARTMENT	PANEL LIGHT INVERTER	SMF		EM2044-1 670A	MTH 27-Jun-2004 HRS 7255		O/C	0		
332002 AFT	LIGHTING INVERTER	*CF		18.996 4027	MTH 13-Aug-1987		O/C			
332002 FWD	LIGHTING INVERTER	*CF		18.994 2485	MTH 13-Aug-1987		O/C			
334002	ROTATING TAIL BEACON	LGB		90033-35 1183067	MTH 28-Oct-1992 HRS 2275		O/C	0		
334003 LEFT	STROBE POWER SUPPLY	SMF		04-0790101-04 177	MTH 11-Oct-1995 HRS 3605		O/C	0		
334003 RIGHT	STROBE POWER SUPPLY	CXP		01-0790101-04 01115	MTH 30-Jan-2009 HRS 9104		O/C	3350		
335001	EMERGENCY LIGHTING BATTERY	SMF		CBS28-1 4161M	MTH 22-Jan-2016 HRS 11427.7 LDG 12338 ACH 31.6		O/C			
340001	GMU-44 MAGNOMETER UNIT			011-00870-20 39Z005785	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
341002 STANDBY	ALTIMETER	UNK		6420302-1 E19-11897	MTH 04-Sep-2019		O/C			
341004	OAT INDICATOR 162BL507D	*CF		C668510-0401 2211	MTH 13-Aug-1987		O/C			
341005	OVERSPEED WARNING SWITCH 9912076-9	SMF		D2RA45C-39 584	MTH 01-Nov-2013 HRS 10632.9 LDG 11558		O/C			
341010	ANGLE OF ATTACK INDICATOR	SMF		SLZ9686-1 PC1855	MTH 21-Jan-2000 HRS 5398		O/C	0		
341013	ANGLE OF ATTACK FLAP POSITION SENSOR	SMF		SLZ9386 GU0299B	MTH 19-Jan-2011 HRS 9757.1 LDG 10637		O/C	0 0 0		
341014	ANGLE OF ATTACK INDEXER	*CF		SLZ9374 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
342001	MAGNETIC COMPASS	*CF		C660501-0301 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
342003 RIGHT	HORIZON INDICATOR 1U149-002-2	SMF		C661056-0202 T67603M	MTH 19-Mar-2010 HRS 9527		O/C	0		
342041 LEFT	FLIGHT DIRECTOR COMPUTER FZ-500	*CF		4018369-905 87065424	MTH 13-Aug-1987		O/C			
342044 NO. 1	RATE GYRO RG-204	*CF		7007453-903 87020496	MTH 13-Aug-1987		O/C			



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
342048 LEFT	LEFT GDC7400 ADC	UNK		011-02337-01 1U6102499	MTH 04-Sep-2019		O/C			
342048 RIGHT	RIGHT GDC7400 ADC	UNK		011-02337-01 1U6102424	MTH 04-Sep-2019		O/C			
342050 NO. 1	FLUX VALVE TRANSMITTER FX-220	*CF		2594484 87034574	MTH 13-Aug-1987		O/C			
342050 NO. 2	FLUX VALVE TRANSMITTER FX-220	*CF		2594484 87034586	MTH 13-Aug-1987		O/C			
342053 NO. 2	HSI INDICATOR RT-300	SMF		7002493-910 83070252	MTH 24-Jan-1995 HRS 3297		O/C	0		
342064	STANDBY GYRO POWER SUPPLY MEV			9015607 L14-10901	MTH 01-Feb-2018 HRS 12275.4 LDG 13199		36	0	28-Feb-2021	3 m 18 d
343007	GDL69A			010-01294-11 3NV004471	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
343011	GAD42 ADAPTER			011-00417-10 99613583	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
343021	NO. 1 GARMIN GMU-44 MAGNETOMETER			011-00870-10 1CM028883	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
344002	WEATHER RADAR INDICATOR DI-2007	ICT		M1585277-4 4027	MTH 30-Jul-1988 HRS 24		O/C	24		
344008	ELT TRANSMITTER ARTEX C406-2	SMF		453-5000-999 170-05037	MTH 03-Jun-2009 HRS 9234		O/C	0		
344009 LEFT	ELT ANTENNA	*CF		ELT10-177-1 755	MTH 13-Aug-1987		O/C			
344009 RIGHT	ELT ANTENNA	*CF		ELT10-177-2 726	MTH 13-Aug-1987		O/C			
344010	ELT BATTERY	MEV		452-0133 377400-019	MTH 16-Jul-2018 HRS 12422.7 LDG 13359		60	0	31-Jul-2023	32 m 21 d
344020	WEATHER RADAR ANTENNA AA-2012V	SMF		071-01549-0200 3889	MTH 16-Sep-2010 HRS 9632.5 LDG 10515		O/C			
344022	RADIO ALTIMETER TRANSCEIVER ALT-55	*CF		622-2855-001 5936	MTH 13-Aug-1987		O/C			
344023 AFT	RADIO ALTIMETER ANTENNA 437X-1B	*CF		622-0954-001 3379	MTH 13-Aug-1987		O/C			
344023 FORWARD	RADIO ALTIMETER ANTENNA 437X-1B	*CF		622-0954-001 3380	MTH 13-Aug-1987		O/C			
345004 AFT BOTTOM	ATC TRANSPONDER ANTENNA	*CF		DMNI50-2 31862	MTH 13-Aug-1987		O/C			
345004 FORWARD BOTTOM	ATC TRANSPONDER ANTENNA	*CF		DMNI50-2 31886	MTH 13-Aug-1987		O/C			
345007 NO. 1	DME ANTENNA	*CF		DMNI50-2 31865	MTH 13-Aug-1987		O/C			
345007 NO. 2	DME ANTENNA	*CF		DMNI50-2 31866	MTH 13-Aug-1987		O/C			



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
345010	VOR/LOC ANTENNA	*CF		DMN4-17-1B 29978	MTH 13-Aug-1987		O/C			
345012 NO. 1	ADF CONTROL CTL-62	*CF		622-6522-005 2826	MTH 13-Aug-1987		O/C			
345014 NO. 1	ADF LOOP ANTENNA APA-80	*CF		622-2363-001 20637	MTH 13-Aug-1987		O/C			
345014 NO. 2	ADF LOOP ANTENNA APA-80	*CF		622-2363-001 20641	MTH 13-Aug-1987		O/C			
345017	MARKER BEACON ANTENNA	*CF		16D00400-2 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
345018	GLIDESLOPE ANTENNA	*CF		RGS1048 9937	MTH 13-Aug-1987		O/C			
345020 NO. 1	RVSM CONFIGURATION MODULE	SMF		9B-07035-1 59867	MTH 16-Sep-2010 HRS 9632.5 LDG 10515		O/C			
345020 NO. 2	RVSM CONFIGURATION MODULE	SMF		9B-07035-1 59881	MTH 16-Sep-2010 HRS 9632.5 LDG 10515		O/C			
345034 LEFT	TRANSPONDER	UNK		011-03303-00 3EH023925	MTH 04-Sep-2019		O/C			
345034 RIGHT	TRANSPONDER	UNK		011-03301-00 3EF021714	MTH 04-Sep-2019		O/C			
345036 NO. 2	DME INTERROGATOR DME-40	SMF		622-6263-001 1570	MTH 14-Jan-2007 HRS 8320		O/C	0		
345100 ADF 1	CAD-62 (ADF) CONTROL ADAPTER CAD-62	SMF		622-6590-001 2975	MTH 01-Mar-2003 HRS 6683		O/C	2725		
345118 RIGHT	GPS ANTENNA	SMF		10710 5090	MTH 08-Jan-2010 HRS 9453		O/C	0		
345118	GPS/GPWS ANTENNA	SMF		10708 5914	MTH 08-Jan-2010 HRS 9453		O/C	0		
346014	UNS DATA TRANSFER --	SMF		1408-00-1 664	MTH 08-Jan-2010 HRS 9453		O/C	0		
346030	TCAS PROCESSOR COMPUTER	SMF		071-00168-0311 3345	MTH 08-Jan-2010 HRS 9453		O/C	0		
346031 BOTTOM	TCAS ANTENNA KA-815A	SMF		071-01599-0100 21914	MTH 08-Jan-2010 HRS 9453		O/C	0		
346031 TOP	TCAS ANTENNA KA-815	SMF		071-01599-0100 07112	MTH 28-Oct-2001 HRS 6100		O/C	0		
346031	TCAS ANTENNA --	SMF		071-01599-0100 07110	MTH 28-Oct-2001 HRS 6100		O/C	0		
348005	GARMIN GAD43E			011-02349-00 1V7051741	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
348006	GMA35C AUDIO PANEL			011-02299-40 1T6201500	MTH 30-Dec-2019 HRS 12562.7 LDG 13508		O/C	0 0 0		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
348007	GTN 750 GPS/NAV/COM			011-02282-50 1ZA211091	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
348008	GTN 750 GPS/NAV/COM			011-02282-50 1ZA210235	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
348019	GARMIN GRS79 AHRS			011-03732-00 45T002737	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
348021	GARMIN GDU 1060			011-03308-00 3M6000632	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
348022	GARMIN GDU1060			011-03308-00 3M6000655	MTH 04-Sep-2019 HRS 12527.2 LDG 13467		O/C	0 0 0		
349001	RADOME --	KCXP		5513101-1CRU 85426	MTH 11-Sep-2013		O/C			
351004 COPILOT	OXYGEN MASK/REGULATOR 9914067-41	MEV		MC10-15-109 6873	MTH 31-Jul-2017 HRS 12135.3 LDG 13056 ACH 60		72	3	30-Apr-2023	29 m 20 d
351004 PILOT	OXYGEN MASK/REGULATOR 9914067-41	MEV		MC10-16-101 98419	MTH 31-Jul-2017 HRS 12135.3 LDG 13056 ACH 60		72	3	30-Apr-2023	29 m 20 d
351005	OXYGEN SUPPLY REGULATOR SMF			172270-01 0926	MTH 01-Nov-2013 HRS 10632.9 LDG 11558		O/C			
351006	OXYGEN CYLINDER 9912057-19	SMF		176274-22 1913-2177	MTH 05-Apr-2014 HRS 10683.3 LDG 11559		180		31-Aug-2028	93 m 21 d
Manufacture Date: 01-Aug-2013										
361003	BLEED AIR PRESSURE REGULATOR 9912043-2	SMF		38E85-5C 1163-U	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		O/C	35 0		
361005	GYRO PRESSURE GAUGE *CF			C668515-0101 C6350	MTH 13-Aug-1987		O/C			
361006 BOTTOM	INSTRUMENT PRESSURE (STG 1) REGULATOR *CF			3H64-4 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
361006 TOP	INSTRUMENT PRESSURE (STG 2) REGULATOR *CF			3H64-4 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
361008 LEFT ENGINE	CHECK BLEED AIR VALVE *CF			1H95-3 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
361008 RIGHT ENGINE	CHECK BLEED AIR VALVE *CF			1H95-3 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
521001	CABIN DOOR SEAL 9912075-4	SMF		S15501-1 SN-UNKNOWN	MTH 20-May-1994 HRS 3003		O/C	0		
526001	CABIN DOOR STEP *CF			6519009-46 SN-UNKNOWN	MTH 13-Aug-1987		O/C			



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
531001 NOSE LANDING GEAR	ACTUATOR FITTING	*CF		5511169-1 SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		13800	0	13800	157
531002 LEFT	NOSE LANDING GEAR TRUNNION SUPPORT			PN SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		22500	0	22500	8857
531002 RIGHT	NOSE LANDING GEAR TRUNNION SUPPORT			PN SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		22500	0	22500	8857
561001 LEFT MAIN	WINDSHIELD ASSY, (LH)	SMF		9912064-15 3533	MTH 21-Jun-2015 HRS 11223 LDG 12121		O/C	0	0	0
561002 RIGHT MAIN	WINDSHIELD ASSY, (LH)	SMF		E149000-102 3404	MTH 21-Jun-2015 HRS 11223 LDG 12121		O/C	0	0	0
561003	FOUL WEATHER WINDOW	SMF		5511275-7 0000745500-010	MTH 25-Aug-2011 HRS 9977.7 LDG 10873		O/C	0	0	0
561005 LEFT INBOARD	WINDOW	*CF		5511285-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
561005 LEFT OUTBOARD	WINDOW	*CF		5511285-3 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
561005 RIGHT INBOARD	WINDOW	SMF		5511285-6 NSN	MTH 20-Dec-2006 HRS 8307		O/C	0		
561005 RIGHT OUTBOARD	WINDOW	SMF		5511285-200 NSN	MTH 20-Dec-2006 HRS 8307		O/C	0		
562001 LEFT NO. 1	CABIN MAIN DOOR WINDOW	*CF		5591005-6 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 LEFT NO. 2	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 LEFT NO. 3	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 LEFT NO. 4	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 LEFT NO. 5	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 LEFT NO. 6	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 RIGHT NO. 1	CABIN EMERGENCY DOOR WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 RIGHT NO. 2	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 RIGHT NO. 3	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 RIGHT NO. 4	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 RIGHT NO. 5	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
562001 RIGHT NO. 6	CABIN WINDOW	*CF		5591005-5 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
572001 LEFT FORWARD	TRUNNION FITTING ASSEMBLY	*CF		5522700-5 SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		25800	0	25800	12157
572002 RIGHT FORWARD	TRUNNION FITTING ASSEMBLY	*CF		5522700-6 SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		25800	0	25800	12157



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
574001 LEFT AFT	TRUNNION FITTING ASSEMBLY *CF			5522710-11 SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		18300	0	18300	4657
574002 RIGHT AFT	TRUNNION FITTING ASSEMBLY *CF			5522710-12 SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		18300	0	18300	4657
574003 LEFT	SIDE BRACE SUPPORT FITTING *CF			5522720-25 SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		30000	0	30000	16357
574004 RIGHT	SIDE BRACE SUPPORT FITTING *CF			5522720-26 SN-UNKNOWN	MTH 13-Aug-1987 LDG 0		30000	0	30000	16357
712001 NO. 1 ENGINE AFT 9912172-7	ISOLATOR MOUNT SMF			LM420SA23 -NSN-	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		3500	0	14013.5	1334.3
712001 NO. 2 ENGINE AFT 9912172-7	ISOLATOR MOUNT SMF			LM420SA23 -NSN-	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		3500	0	14013.5	1334.3
712002 NO.2 ENGINE LOWER FORWARD 9912172-9	ISOLATOR MOUNT SMF			LM420SA31 -NSN-	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		3500	0	14013.5	1334.3
712002 NO. 1 ENGINE LOWER FORWARD 9912172-9	ISOLATOR MOUNT SMF			LM420SA31 -NSN-	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		3500	0	14013.5	1334.3
712002 NO. 1 ENGINE UPPER FORWARD 9912172-8	ISOLATOR MOUNT SMF			LM420SA30 -NSN-	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		3500	0	14013.5	1334.3
712002 NO. 2 ENGINE UPPER FORWARD 9912172-8	ISOLATOR MOUNT SMF			LM420SA30 -NSN-	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		3500	0	14013.5	1334.3
71EN1 NO. 1 <i>710001 : E1**L</i>	ENGINE 9912156-1			JT15D-4 PCE-71442	MTH 17-Jun-2013 HRS 10513.5 LDG 11434			E/C		
71EN2 NO. 2 <i>710001 : E2**R</i>	ENGINE 9912156-1	SMF		JT15D-4 PCE-71440	MTH 08-Apr-2013 HRS 10513.5 LDG 11434			E/C		
722001 E1	OIL PUMP	UNK		3104289-06 26A992	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C	0 3222.5 0		
722001 E2	OIL PUMP	UNK		3104289-06 PWV033881JT	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
723001 E1	FAN	SMF		3018020 SN-UNKNOWN	MTH 26-Feb-2004 HRS 7108.3		O/C	0		
723001 E2	FAN	SMF		3018020 SN-UNKNOWN	MTH 26-Feb-2004 HRS 7160.7		O/C	0		
723010 E1	CENTRIFUGAL IMPELLER	UNK		3040937 A001CRLN	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		12000	3402.5 3553	(19800)19881	6238
723010 E2	CENTRIFUGAL IMPELLER	SMF		3040937 A001C94P	MTH 26-Feb-2004 HRS 7160.7 LDG 7938		12000	0	(19801)19938	6295
723020 E1	LOW PRESSURE BOOST COMPRESSOR HUB	UNK		3021112 24A056	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		14000	0	(25353)25434	11791
723020 E2	LOW PRESSURE BOOST COMPRESSOR HUB	UNK		3021112 A000DN5E	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		14000	0	(25299)25434	11791

NOTE: Item Codes in italics show pre-migration CESCOM item codes and position (provided for cross-reference). Remains calculated from Print Date for calendar items.



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
723030 E1	LOW PRESSURE COMPRESSOR HUB UNK			3018018 A002P69H	MTH 04-Jun-2013 HRS 10513.5 LDG 11434			0 0 13750		11541
723030 E2	LOW PRESSURE COMPRESSOR HUB UNK			3018018 A002P69F	MTH 11-Feb-2013 HRS 10513.5 LDG 11434			0 0 13750	(25103)25184	11541
725010 E1	HIGH PRESSURE TURBINE ROTOR DISK UNK			3023411 A001EN1E	MTH 04-Jun-2013 HRS 10513.5 LDG 11434			3402.5 3553	(21800)21881	8238
725010 E2	HIGH PRESSURE TURBINE ROTOR DISK SMF			3023411 8R279	MTH 26-Feb-2004 HRS 7160.7 LDG 7938		14000	7800	(14001)14138	495
725020 E1	SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK UNK			3022212 6T086	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		14000	10397.5 11353	(14000)14081	438
725020 E2	SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK SMF			3022212 6T113	MTH 26-Feb-2004 HRS 7160.7 LDG 7938		14000	7800	(14001)14138	495
725030 E1	THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK UNK			3036113 4M720	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		14000	10397.5 11353	(14000)14081	438
725030 E2	THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK SMF			3036113 4M706	MTH 26-Feb-2004 HRS 7160.7 LDG 7938		14000	7800	(14001)14138	495
725071 E1	COMBUSTION LINER SMF			3105143-01 9C890	MTH 26-Feb-2004 HRS 7108.3		O/C	0		
725071 E2	COMBUSTION LINER SMF			3105143-01 9C912	MTH 26-Feb-2004 HRS 7160.7		O/C	0		
725101 E1 NO. 1	REPLACE HIGH TURBINE BLADES UNK				MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C			
725101 E2 NO. 1	REPLACE HIGH TURBINE BLADES UNK				MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C			
731004 LEFT	LOW FUEL PRESS SWITCH 9912033-2 SMF			1103P0448 3776	MTH 22-Apr-1999 HRS 5103		O/C	0		
731004 RIGHT	LOW FUEL PRESS SWITCH 9912033-2 SMF			1103P0448 5557	MTH 29-Mar-2003 HRS 6720		O/C	0		
732002	ENGINE SYNC CONTROL UNIT OO4			213787 2128444	MTH 07-Oct-1988 HRS 128		O/C	0		
732003	ENG SYNC ACTUATOR *CF			5485-066 2007358E	MTH 13-Aug-1987		O/C			
733002	FUEL FLOW INDICATOR UNK			9912147 453	MTH 04-Sep-2019		O/C			
733003 NO. 1 ENGINE	FUEL FLOWMETER 9912031-6 SMF			3268014-0201 1322A	MTH 01-Dec-2008 HRS 9068		O/C	153		
733003 NO. 2 ENGINE	FUEL FLOWMETER 9912031-6 SMF			3268014-0201 1622D	MTH 01-Dec-2008 HRS 9068		O/C	2765		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
731010 E1	FUEL PUMP 3031632C	SMF		025493-403-05 1709	MTH 14-Apr-2015 HRS 11150.8 LDG 12047		O/C	2 0		
731010 E2	FUEL PUMP 3032203	UNK		398601-2 585	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
731020 E1	FUEL-OIL COOLER	UNK		3015303 3300	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
731020 E2	FUEL-OIL COOLER	UNK		3015303 3380	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
731030 E1	MOTIVE FLOW VALVE 3017930	UNK		2524995-1 A90645	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
731030 E2	MOTIVE FLOW VALVE 3017930	UNK		2524995-1 A90652	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
731040 E1	FLOW DIVIDER VALVE	UNK		25607-3 3372	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
731040 E2	FLOW DIVIDER VALVE 3024476	UNK		25607-2 1638	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
732004 E1	SOLENOID FUEL VALVE	SMF		3029591 C18339	MTH 14-Apr-2015 HRS 11150.8 LDG 12047		O/C	0 0		
732004 E2	SOLENOID FUEL VALVE 3029591	UNK		3244758-1 4733	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
732010 E1	FUEL CONTROL UNIT 3030251	SMF		3244759-4 A92231	MTH 14-Apr-2015 HRS 11150.8 LDG 12047		O/C	16 0		
732010 E2	FUEL CONTROL UNIT 3030251	UNK		3244759-4 A92917	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
741010 E1 LOWER	IGNITION EXCITER 3041641-01	SMF		9049770-3 NNA09078937	MTH 05-Oct-2014 HRS 10931.8 LDG 11809		O/C	6 0		
741010 E2 LOWER	IGNITION EXCITER 3041641-01	UNK		9049770-3 NNA03425066	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
741015 E1 UPPER	IGNITION EXCITER 3041641-01	UNK		9049770-3 99307294	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
741015 E2 UPPER	IGNITION EXCITER 3041641-01	SMF		9049770-3 NNA03425071	MTH 26-Feb-2004 HRS 7160.7		O/C	0		
742010 E1 OUTBOARD	IGNITER PLUG 3119400-01	KMEV		CH34659-3 NSN	MTH 24-Feb-2020 HRS 12606.5 LDG 13559		O/C	0		
742010 E2 OUTBOARD	IGNITER PLUG 3119400-01	SMF		CH34659-3 -NSN-	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		O/C	0		
742020 E1 INBOARD	IGNITER PLUG 3119400-01	UNK		CH34659-3 NSN	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C	0		
742020 E2 INBOARD	IGNITER PLUG 3119400-01	SMF		CH34659-3 -NSN-	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		O/C	0		
742030 E1 SHORT	IGNITER LEAD 3118347-01	SMF		53300-1 SN-UNKNOWN	MTH 26-Feb-2004 HRS 7108.3		O/C	0		
742030 E2 SHORT	IGNITER LEAD 3118347-01	SMF		53300-1 SN-UNKNOWN	MTH 26-Feb-2004 HRS 7160.7		O/C	0		
742040 E1 LONG	IGNITER LEAD 3118347-02	SMF		53300-2 SN-UNKNOWN	MTH 19-Mar-2010 HRS 9526.3		O/C	0		
742040 E2 LONG	IGNITER LEAD 3118347-02	SMF		53300-2 -NSN-	MTH 27-Jun-2004 HRS 7306.7		O/C	0		
750010 E1	LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE 3018531	SMF		KW15632H 2341	MTH 11-Feb-2015 HRS 11066 LDG 11947		O/C			
750010 E2	LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE 3018531	UNK		KW15632 3672	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0		
761005	DEPLOY INTERLOCK SOLENOID ASSEMBLY 9912110-1	*CF		U-183238-001 SN-UNKNOWN	MTH 13-Aug-1987		O/C			
771001 LEFT BOTTOM	N2 (TURB) TACH GENERATOR *CF			22A623 34663	MTH 13-Aug-1987		O/C			
771001 LEFT TOP	N1 (FAN) TACH GENERATOR *CF			22A623 34751	MTH 13-Aug-1987		O/C			
771001 RIGHT BOTTOM	N2 (TURB) TACH GENERATOR SMF			22A623 34976	MTH 07-Apr-1995 HRS 3396		O/C	3396		
771001 RIGHT TOP	N1 (FAN) TACH GENERATOR 9912034-1	SMF		22A703 89850	MTH 12-Nov-2004 HRS 7406		O/C	0		
772001	ITT INDICATOR 9912147-15 266JA	UNK			MTH 04-Sep-2019		O/C			
772010 E1	TI THERMOCOUPLE HARNESS UNK			3028022 NSN	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C	0		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
772010 E2	TI THERMOCOUPLE HARNESS	UNK		3028022 NSN	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
781001 NO. 1 ENGINE	EXHAUST NOZZLE CONE	SMF		6555030-212-M3 NSN	MTH 05-Apr-2014 HRS 10683.3 LDG 11604		O/C	0 0		
781001 NO. 2 ENGINE	EXHAUST NOZZLE CONE	SMF		6555030-211-M4 SN-UNKNOWN	MTH 13-Oct-1995 HRS 3605		O/C	0		
783001 LEFT HAND	THRUST REVERSER ASSEMBLY	*CF		202-0000-1 1832	MTH 13-Aug-1987		O/C			
783001 RIGHT HAND	THRUST REVERSER ASSEMBLY	*CF		202-0000-3 1833	MTH 13-Aug-1987		O/C			
783002 LEFT ENGINE	THRUST REVERSER CONTROL VALVE	*CF		65680 1017	MTH 13-Aug-1987		O/C			
783002 RIGHT ENGINE	THRUST REVERSER CONTROL VALVE	*CF		65680 1022	MTH 13-Aug-1987		O/C			
783003 LEFT ENGINE	THRUST REVERSER ISOLATION VALVE	*CF		13027-4 1747	MTH 13-Aug-1987		O/C			
783003 RIGHT ENGINE	THRUST REVERSER ISOLATION VALVE	*CF		13027-4 1751	MTH 13-Aug-1987		O/C			
783005 LEFT ENGINE	THRUST REVERSER UPPER DOOR	*CF		202-0001-1 1832	MTH 13-Aug-1987		O/C			
783005 RIGHT ENGINE	THRUST REVERSER UPPER DOOR	*CF		202-0001-2 1833	MTH 13-Aug-1987		O/C			
783006 LEFT ENGINE	THRUST REVERSER LOWER DOOR	*CF		202-0002-1 1832	MTH 13-Aug-1987		O/C			
783006 RIGHT ENGINE	THRUST REVERSER LOWER DOOR	*CF		202-0002-2 1833	MTH 13-Aug-1987		O/C			
783007 LEFT INBOARD	THRUST REVERSER MECHANISM ASSEMBLY	*CF		202-0004-1 1832	MTH 13-Aug-1987		O/C			
783007 RIGHT INBOARD	THRUST REVERSER MECHANISM ASSEMBLY	*CF		202-0004-1 1833	MTH 13-Aug-1987		O/C			
783008 LEFT OUTBOARD	THRUST REVERSER MECHANISM ASSEMBLY	*CF		202-0004-3 1832	MTH 13-Aug-1987		O/C			
783008 RIGHT OUTBOARD	THRUST REVERSER MECHANISM ASSEMBLY	*CF		202-0004-5 1833	MTH 13-Aug-1987		O/C			
783009 LEFT ENGINE	THRUST REVERSER FAN DUCT ASSEMBLY	*CF		202-0012-1 1832	MTH 13-Aug-1987		O/C			
783009 RIGHT ENGINE	THRUST REVERSER FAN DUCT ASSEMBLY	*CF		202-0012-1 1833	MTH 13-Aug-1987		O/C			
783010 LEFT INBOARD	THRUST REVERSER ACTUATOR	*CF		62270 2051	MTH 13-Aug-1987		O/C			
783010 LEFT OUTBOARD	THRUST REVERSER ACTUATOR	*CF		62270 2058	MTH 13-Aug-1987		O/C			
783010 RIGHT INBOARD	THRUST REVERSER ACTUATOR	*CF		62270 1959	MTH 13-Aug-1987		O/C			
783010 RIGHT OUTBOARD	THRUST REVERSER ACTUATOR	*CF		62270 2027	MTH 13-Aug-1987		O/C			
793001	OIL TEMPERATURE INDICATOR	UNK		9912147-11 129	MTH 04-Sep-2019		O/C			



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Components

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
793002 LEFT ENGINE	OIL TEMPERATURE TRANSMITTER *CF			102-00083 89996	MTH 13-Aug-1987		O/C			
793002 RIGHT ENGINE	OIL TEMPERATURE TRANSMITTER *CF			102-00083 82339	MTH 13-Aug-1987		O/C			
793003	OIL PRESSURE INDICATOR UNK			9912147-10 121CBA	MTH 04-Sep-2019		O/C			
793004 LEFT ENGINE	OIL PRESSURE TRANSMITTER 9912164-1	SMF		123479 49729	MTH 01-Sep-1995 HRS 3565		O/C	0		
793004 RIGHT ENGINE	OIL PRESSURE TRANSMITTER 9912164-1	SMF		123479 40619	MTH 13-Oct-1995 HRS 3605		O/C	3605		
793006 LEFT	LOW OIL PRESSURE SWITCH 9912178-2	SMF		8130059 2082	MTH 20-Dec-2006 HRS 8307		O/C	0		
793006 RIGHT	LOW OIL PRESSURE SWITCH 9912178-2	SMF		8130059 2096	MTH 07-Jul-2008 HRS 8927		O/C	0		
792003 E1	OIL FILTER	UNK		3059256-01 NSN	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
792003 E2	OIL FILTER	UNK		3059256-01 NSN	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		O/C	0 0 0		
832001 E1	MAIN GEARBOX ASSEMBLY SMF			3018390 SN-UNKNOWN	MTH 26-Feb-2004 HRS 7108.3		O/C	0		
832001 E2	MAIN GEARBOX ASSEMBLY SMF			3018390 SN-UNKNOWN	MTH 26-Feb-2004 HRS 7160.7		O/C	0		



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL CIL-03-01	CERTIFICATION REQUIREMENTS - SUPPLEMENTAL TYPE CERTIFICATE (STC)			INFORMATIONAL			-			
	MOC :									
SL CIL-99-03 R01	MISCELLANEOUS - CORROSION PREVENTION AND CONTROL PROGRAM (CPCP)			RECOMMENDED			-			
	MOC :									
SL CIL-99-03	MISCELLANEOUS - CORROSION PREVENTION AND CONTROL PROGRAM (CPCP)			RECOMMENDED MTH			-			
	MOC :									
SL 550-03-02 R01	CERTIFICATION REQUIREMENTS - SUPPLEMENTAL TYPE CERTIFICATE (STC) (THIS SL CANCELS SL550-03-02 AND IS REPLACED BY CIL-03-01, DATED JUNE 3, 2013)			INFORMATIONAL			-			
	MOC :									
SL CIL-99-04	MISCELLANEOUS - INCREMENTAL LIBRARY UPDATES FOR CESVIEW			INFORMATIONAL			-			
	MOC :									
SL 550-99-05 R07	CESCOM PRICING (THIS SL CANCELS SL550-99-05 R6)			INFORMATIONAL			-			
	MOC :									
SL 550-99-08	MISCELLANEOUS - CESSNA PART NUMBER SUFFIXES FOR REMANUFACTURED PARTS			INFORMATIONAL			A/R			
	MOC :									
SL 550-99-09	MISCELLANEOUS - CESSNA SERVICE DOCUMENT CHANGE NOTIFICATION			INFORMATIONAL			A/R			
	MOC :									
SL 550-01-01 <i>01SL-01</i>	AIRCRAFT GENERAL - CORRECTION TO INSTALLED EQUIPMENT LIST			RECOMMENDED	MTH 02-Dec-1988 HRS 214		-			Complete
	MOC : COMPLIED WITH									
SB 550-11-03 <i>11SB-3</i>	PLACARDS AND MARKINGS - MODEL 550 CONVERSION TO MODEL 551 (SUPERSEDED BY 550-11-03 R01)	ICT		OPTIONAL	MTH 29-Jul-1988 HRS 21		-			Complete
	MOC : COMPLIED WITH									
SB 550-11-04 <i>11SB-4</i>	PLACARDS AND MARKINGS - MODEL 551 CONVERSION TO MODEL 550 (SUPERSEDED BY 550-11-04 R01)	SMF		OPTIONAL	MTH 03-Jun-2009 HRS 9234		-			Complete
	MOC : COMPLIED WITH - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME									
SB 550-11-16 <i>11SB-16</i>	PLACARDS AND MARKINGS - FIRE EXTINGUISHER PLACARD INSTALLATION			OPTIONAL	MTH		-			
	MOC : - NOT APPLICABLE BY TYPE MANUFACTURER									
SL 550-11-03 <i>11SL-3</i>	PLACARDS AND MARKING - DATA PLACE RELOCATION	SMF		OPTIONAL	MTH 03-Jun-2009 HRS 9234		-			N/A
	MOC : NOT APPLICABLE - SL/SB NOT COMPLETED AT THIS TIME.									
SL CIL-99-01 R01	USE OF CORROSION INHIBITING COMPOUNDS			INFORMATIONAL			-			
	MOC :									
SL CIL-99-01 R02	USE OF CORROSION INHIBITING COMPOUNDS			INFORMATIONAL			-			
	MOC :									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL CIL-99-01	USE OF CORROSION INHIBITING COMPOUNDS			INFORMATIONAL			-			
	MOC :									
SL CIL-99-02	MISCELLANEOUS - AVOID OPERATIONS ON RUNWAYS TREATED WITH RUNWAY DE-ICE (RDI) FLUIDS. AIRCRAFT WASHING RECOMMENDED AFTER EXPOSURE TO RDI FLUIDS			MTH RECOMMENDED			-			
	MOC :									
SL CIL-20-01 R02	STANDARD PRACTICES - CESSNA CERTIFICATION OF NONDESTRUCTIVE TESTING FACILITIES/PERSONNEL			INFORMATIONAL			-			
	MOC :									
SL CIL-20-01	STANDARD PRACTICES - CESSNA CERTIFICATION OF NONDESTRUCTIVE TESTING FACILITIES/PERSONNEL			INFORMATIONAL			-			
	MOC :									
SL 550-20-05	STANDARD PRACTICES - CESSNA STANDARD PRACTICES MANUAL			INFORMATIONAL			-			
	MOC :									
SB 550-21-04 21SB-4	SUPPLEMENTAL COCKPIT AIR DISTRIBUTION SYSTEM (SUPERSEDED BY 550-21-04 R01)			OPTIONAL	MTH 13-Aug-1987 HRS 7		-			Complete
	MOC : COMPLIED WITH									
SB 550-21-23 R01 21SB-23 : 550R1	AIR CONDITIONING - TAILCONE RAM AIR INLET PRESSURIZATION VALVE INSTALLATION (SUPERSEDED BY 550-21-23 R02)			OPTIONAL	MTH		-			
	MOC :									
SB 550-21-26 R01 21SB-26 : 550R1	AIR CONDITIONING - AIR DUCT RETENTION IMPROVEMENT (SUPERSEDED BY 550-21-26 R02)	SMF		RECOMMENDED	MTH 01-Nov-1991 HRS 1796		-			Complete
	MOC : COMPLIED WITH									
SB 550-21-27 21SB-27	AIR CONDITIONING - BLEED AIR DUCT SUPPORT CLAMP INSTALLATION			OPTIONAL	MTH		-			
	MOC :									
SB 550-21-30 R02 21SB-30 : 550R2	AIR CONDITIONING - ACM INLET DUCT INSTALLATION AND CABIN FRESH AIR DUCT MODIFICATION	SMF		RECOMMENDED	MTH		300			
	NOT APPLICABLE									
	MOC :									
SB 550-21-30 21SB-30	AIR CONDITIONING - ACM INLET DUCT INSTALLATION AND CABIN FRESH AIR DUCT MODIFICATION (SUPERSEDED BY 550-21-30 R01)	SMF		RECOMMENDED	MTH		300			
	NOT APPLICABLE									
	MOC :									
SB 550-21-35 R01 21SB-35 : 550R1	AIR CONDITIONING - TAILCONE PRESSURE VALVE ACTUATOR WIRING MODIFICATION			OPTIONAL	MTH		A/R			
	MOC :									
SB 550-21-39 21SB-39	AIR CONDITIONING - OUTFLOW VALVE REPLACEMENT	*CF		MANDATORY	MTH		2253			
	NOT APPLICABLE BY SERIAL NUMBER EFFECTIVITY									
	MOC :									
SB 550-21-41 21SB-41	AIR CONDITIONING - ADDITIONAL OUTFLOW VALVE REPLACEMENT	SMF		MANDATORY	MTH 15-May-1995 HRS 3452		-			Complete
	MOC : COMPLIED WITH									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-21-47 21SB-47	AIR CONDITIONING - COCKPIT SIDE WINDOW DEFOG SYSTEM MODIFICATION			OPTIONAL	MTH		-			
MOC :										
SB 550-21-48 R01 21SB-48 : 550R1	AIR CONDITIONING - CABIN FAN AND DEFOG BLOWER WIRING IMPROVEMENT			DISCRETIONARY	MTH		A/R			
MOC :										
SB 550-21-52 21SB-52	AIR CONDITIONING - CABIN ALTITUDE BRAMOTERIC SWITCH IMPROVEMENT			OPTIONAL	MTH		A/R			
MOC :										
SB 550-21-59 R01	AIR CONDITIONING - TEMPERATURE CONTROLLER IMPROVEMENT (SUPERSEDED BY 550-21-59 R02)			OPTIONAL			A/R			
MOC :										
SB 550-21-59 R02	AIR CONDITIONING - TEMPERATURE CONTROLLER IMPROVEMENT			OPTIONAL			A/R			
MOC :										
SL CIL-21-01	COMPRESSOR MOTOR BRUSH LIFE LIMIT			INFORMATIONAL			-			
MOC :										
SL CIL-21-02 R01	ENVIRONMENTAL HOUR METER INSTALLATION	SMF		MANDATORY	MTH 11-Feb-2015 HRS 11066 LDG 11947		-			Complete
MOC : COMPLIED WITH - COMPLIED WITH CIL-21-02 R1 BY INSTALLATION OF A HOUR METER PER ACCOMPLISHMENT INSTRUCTIONS. OPERATIONAL CHECK NORMAL. ACH: 2.										
SL CIL-21-02	ENVIRONMENTAL HOUR METER INSTALLATION			OPTIONAL			-			
MOC :										
SL 550-21-12 21SL-12	DEACTIVATION OF COOLING BLOWER THERMAL SWITCHES			OPTIONAL	MTH		-			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME										
SL 550-21-16 21SL-16	TEMPERATURE CONTROL SYSTEM OSCILLATIONS			OPTIONAL	MTH		-			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME										
SL 550-21-26 R01 21SL-26 : 550R1	AIR CONDITIONING - TRANSMITTAL OF FORT WORTH AIRWORKS, INC. SERVICE BULLETIN 99-101, EVAPORATOR MODULE INSTALLATION 1250240 AND 1134240 SERIES	SMF		RECOMMENDED	MTH 30-Jul-2001 HRS 5995		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED										
SL 550-21-26 21SL-26	AIR CONDITIONING - TRANSMITTAL OF FORT WORTH AIRWORKS, INC. SERVICE BULLETIN 99-101, EVAPORATOR MODULE INSTALLATION 1250240 AND 1134240 SERIES	SMF		RECOMMENDED	MTH 19-Oct-2000 HRS 5697		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED										
SL 550-21-27 21SL-27	RAM AIR INLET DRAIN LINE INSPECTION	SMF		RECOMMENDED	MTH 21-Apr-2002 HRS 6303		-			Complete
MOC : COMPLIED WITH										
SB 550-23-02 R03 23SB-2 : 550R3	COMMUNICATIONS - STATIC DISCHARGE IMPROVEMENT (SUPERSEDED BY 550-23-02 R04)			OPTIONAL	MTH		-			
MOC :										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-23-03 23SB-03	COMMUNICATIONS - COCKPIT VOICE RECORDER HOT MICROPHONE ACTIVATION			OPTIONAL	MTH		-			
MOC :										
SB 550-23-07 R01 23SB-07 : 550R1	COMMUNICATIONS - HONEYWELL EFIS SYMBOL GENERATOR INTERPOSER FILTER INSTALLATION (SUPERSEDED BY 550-23-07 R02)			OPTIONAL	MTH		-			
MOC :										
SB 550-23-19 23SB-19	COMMUNICATIONS - STATIC WICK REPLACEMENT	*CF		OPTIONAL	MTH		-			
MOC :										
SB 550-23-21 R01 23SB-21 : 550R1	COLLINS 8.33 COMMUNICATION RADIO INSTALLATION			MANDATORY	MTH		A/R			
MOC :										
SB 550-23-24 23SB-24	COMMUNICATIONS - VLF NOISE FILTER CAPACITOR REMOVAL/REPLACEMENT (SUPERSEDED BY 550-23-24 R01)	SMF		MANDATORY	MTH	21-Jan-2000	-			Complete
MOC : COMPLIED WITH										
SB 550-23-33 R02	COMMUNICATIONS - RADIO MANAGEMENT UNIT (RM855) INSTALLATION			OPTIONAL			-			
MOC :										
SB 550-23-33	COMMUNICATIONS - RADIO MANAGEMENT UNIT (RM855) INSTALLATION (SUPERSEDED BY 550-23-33 R01)			OPTIONAL	MTH		A/R			
MOC :										
SL 550-23-12 23SL-12	MICROPHONE REPLACEMENT PROGRAM	SMF		RECOMMENDED	MTH	15-Mar-1989	-			Complete
MOC : COMPLIED WITH										
SL 550-23-13 23SL-13	COMMUNICATIONS - STATIC DISCHARGE WICK MODIFICATION	004		OPTIONAL	MTH	18-Aug-1989	-			Complete
MOC : COMPLIED WITH										
SL 550-23-21 23SL-21	COMMUNICATIONS - SUNDSTRAND MODEL AV 557C COCKPIT VOICE RECORDER SERVICE BULLETIN #25	SMF		RECOMMENDED	MTH	24-Jan-1995	-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED										
SL 550-23-25 23SL-25	AVTECH SB TRANSMITTAL OF AVTECH AUDIO SELECTOR PANEL SERVICE BULLETINS 5630-23-901 AND 5640-23-905			INFORMATIONAL	MTH		A/R			
MOC :										
SL 550-23-28 23SL-28	COMMUNICATIONS - TRANSMITTAL OF AIRSHOW SERVICE BULLETIN 920720-1 AIRSHOW 400 DIGITAL INTERFACE UNIT	SMF		RECOMMENDED	MTH	21-Jan-2000	A/R			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED										
SL 550-23-31 R01 23SL-31 : 550R1	COMMUNICATIONS - AIRSHOW RELIABILITY IMPROVEMENTS AND SERVICE PACK SOFTWARE UPGRADE			RECOMMENDED			A/R			
MOC :										
SB 550-24-14 24SB-14	ELECTRICAL POWER - CONTROL WHEEL ELECTRICAL CABLE REPLACEMENT (SUPERSEDED BY 550-24-14 R01)			OPTIONAL	MTH		-			
MOC :										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-24-21 <i>24SB-21</i>	ELECTRICAL POWER - WING WIRE BUNDLE ROUTING MODIFICATION	SMF		RECOMMENDED	MTH 22-Feb-1993 HRS 2401		-			Complete
MOC : COMPLIED WITH										
SB 550-24-26 R01 <i>24SB-26 : 550R1</i>	AVIONICS PWR RELAY REPLACE			OPTIONAL	MTH		A/R			
MOC :										
SB 550-24-27 <i>24SB-27</i>	ELECTRICAL POWER - WING TIP WIRE BUNDLE PROTECTIVE COVER INSTALLATION	SMF		RECOMMENDED	MTH 24-Jan-1995 HRS 3297		-			Complete
MOC : COMPLIED WITH										
SB 550-24-28 R01 <i>24SB-28 : 550R1</i>	ELECTRICALPOWER - OVERVOLTAGE MONITOR SYSTEM INSTALLATION			OPTIONAL	MTH		-			
MOC :										
SB 550-24-29 <i>24SB-29</i>	ELECTRICAL POWER - BATTERY DISCONNECT RELAY ACCESS IMPROVEMENT			OPTIONAL	MTH		-			
MOC :										
SB 550-24-30 R01 <i>24SB-30 : 550R1</i>	ELECTRICALPOWER - CIRCUIT BREAKER TERMINAL SCREW LENGTH INSPECTION/REPLACEMENT	CXF		RECOMMENDED	MTH 01-Mar-2002 HRS 6236		-			Complete
MOC : COMPLIED WITH										
SB 550-24-30 <i>24SB-30</i>	ELECTRICALPOWER - CIRCUIT BREAKER TERMINAL SCREW LENGTH INSPECTION/REPLACEMENT (SUPERSEDED BY 550-24-30R01)	SMF		RECOMMENDED	MTH 21-Jan-2000 HRS 5398		-			Complete
MOC : COMPLIED WITH										
SB 550-24-37 R01 <i>24SB-37 : 550R1</i>	ELECTRICAL POWER - MAIN POWER WIRE ANCHOR IMPROVEMENT (SUPERSEDED BY 550-24-37 R02)	SMF		RECOMMENDED	MTH 12-Dec-2002 HRS 6593		-			Complete
MOC : COMPLIED WITH - INTENT ACCOMPLISHED DURING PREVIOUS MAINTENANCE OR THROUGH ALTERNATE METHOD OF COMPLIANCE.										
SB 550-24-38 <i>24SB-38</i>	ELECTRICAL POWER - SEALED LEAD ACID BATTERY INSTALLATION			OPTIONAL	MTH		-			
MOC :										
SB 550-24-42 <i>24SB-42</i>	ELECTRICAL POWER - THREE-PHASE INVERTER GROUND RELOCATION			OPTIONAL	MTH		A/R			
MOC :										
SB 550-24-44	ELECTRICAL POWER - MAGNETIC CIRCUIT BREAKER REPLACEMENT			OPTIONAL			A/R			
MOC :										
ASL 550-24-05 <i>24SLA-5</i>	ELECTRICAL - PILOT ADVISORY, AC POWER INVERTER FAILURES	ICT		MANDATORY	MTH 29-Jul-1988 HRS 21		A/R			Complete
MOC : COMPLIED WITH										
SL 550-24-06 <i>24SL-6</i>	ELECTRICAL POWER - REPLACEMENT OF SPC38B INVERTERS	ICT		RECOMMENDED	MTH 29-Jul-1988 HRS 21		-			Complete
MOC : COMPLIED WITH										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL 550-24-07 24SL-07	ELECTRICAL POWER - KGS SPC38B INVERTER UPDATE	004	MANDATORY	MTH 12-Jan-1989 HRS 271		-			Complete
MOC : COMPLIED WITH									
SL 550-24-08 24SL-08	ELECTRICAL POWER - DC POWER BUS CIRCUIT BREAKER TERMINAL TORQUE INSPECTION	004	RECOMMENDED	MTH 22-Nov-1989 HRS 775		-			Complete
MOC : COMPLIED WITH									
SL 550-24-09 24SL-09	ELECTRICAL POWER - COCKPIT CIRCUIT BREAKER INSPECTION/REPLACEMENT	SMF	RECOMMENDED	MTH 18-Apr-1991 HRS 1535		-			Complete
MOC : COMPLIED WITH									
SL 550-24-12 24SL-12	ELECTRICAL POWER - ANTI-ICE RELAY BASE ORIENTATION MODIFICATION	SMF	RECOMMENDED	MTH 26-Jun-1992 HRS 2109		-			Complete
MOC : COMPLIED WITH									
SL 550-24-14 24SL-14	ELECTRICAL POWER - HARTMAN BATTERY DISCONNECT RELAY PART NUMBER A876K INSPECTION/REPLACEMENT	SMF	RECOMMENDED	MTH 22-Feb-1993 HRS 2401		-			Complete
MOC : COMPLIED WITH									
SB 550-25-02 25SB-2	AFT PORTABLE JUMP SEAT INSTALLATION (SUPERSEDED BY 550-25-02 R01)		OPTIONAL	MTH		-			
MOC :									
SB 550-25-27 25SB-27	EQUIPMENT/FURNISHINGS - PASSENGER SEAT BACK PIVOT ASSEMBLY INSPECTION/REPLACEMENT (SUPERSEDED BY 550-25-27 R01)	SMF	RECOMMENDED	MTH 20-May-1994 HRS 3003		-			Complete
MOC : COMPLIED WITH									
SB 550-25-31 25SB-31	EQUIPMENT/FURNISHINGS - TSO C91A EMERGENCY LOCATOR TRANSMITTER INSTALLATION		OPTIONAL	MTH		-			
MOC :									
SB 550-25-38 R02 25SB-38 : 550R2	EQUIPMENT/FURNISHINGS - ARTEX C406-2 THREE-FREQUENCY EMERGENCY LOCATOR TRANSMITTER (ELT) (SUPERSEDED BY 550-25-38 R03)	SMF	OPTIONAL	MTH 03-Jun-2009 HRS 9234			A/R		Complete
MOC : COMPLIED WITH									
SB 550-25-43 R01 25SB-43 : 550R1	EQUIPMENT/FURNISHINGS - GLARESHIELD LEATHER STRIP INSTALLATION		OPTIONAL	MTH			A/R		
MOC :									
SL 550-25-08 25SL-08	TRANSMITTAL OF EASTERN AERO MARINE SERVICE BULLETIN SBV-25-2, EQUIPMENT/FURNISHINGS - LIFE PRESERVERS AND INDIVIDUAL FLOTATION DEVICES REPLACEMENT OF CO2 INFLATOR - MANDATORY	SMF	MANDATORY	MTH 05-Mar-1997 HRS 4192		-			Complete
MOC : COMPLIED WITH									
SB 550-26-05 26SB-05	FIRE PROTECTION - FIRE BOTTLE WIRE IDENTIFICATION SLEEVE INSTALLATION	SMF	MANDATORY	MTH 25-Jun-2005 HRS 7682			A/R		Complete
MOC : COMPLIED WITH									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
ASL 550-26-02 26ASL02	FIRE PROTECTION - TRANSMITTAL OF MEGGITT SAFETY SYSTEMS SERVICE BULLETIN 26-36 - THERMISTORS DETECTORS	SMF	MANDATORY	MTH 19-Aug-2007 HRS 8608		A/R			N/A
MOC : NOT APPLICABLE									
SL CIL-26-01 R01	FIRE PROTECTION - FIRE EXTINGUISHER BOTTLE CARTRIDGE GROUND STUD TORQUING	KMEV	MANDATORY	MTH 07-Sep-2018 HRS 12441.3 LDG 13379		-			
MOC : DECLINED									
SB 550-27-08 27SB-08	FLIGHT CONTROLS - TRIM TAB ACTUATOR INSPECTION AND LUBRICATION (SUPERSEDED BY 550-27-08 R01)	SMF	RECOMMENDED	MTH 18-Sep-1990 HRS 1233		-			Complete
MOC : COMPLIED WITH									
SB 550-27-09 27SB-09	FLIGHT CONTROLS - RUDDER TRIM WHEEL BEARING INSPECTION/REPLACEMENT (SUPERSEDED BY 550-27-09 R01)	SMF	RECOMMENDED	MTH 14-Jan-1991 HRS 1384		-			Complete
MOC : COMPLIED WITH									
SB 550-27-11 R01 27SB-11 : 550R1	FLIGHT CONTROLS - EXTENDED PEDESTAL AILERON PULLEY BRACKET MODIFICATION (SUPERSEDED BY 550-27-11 R02)	SMF	RECOMMENDED	MTH 07-Oct-1993 HRS 2704		-			Complete
MOC : COMPLIED WITH									
SB 550-27-13 27SB-13	FLIGHT CONTROLS - SPEED BRAKE PUSH ROD REPLACEMENT		OPTIONAL	MTH		-			
MOC :									
SB 550-27-16 R01 LEFT FLAP 27SB-16 : 550R1	FLIGHT CONTROLS - FLAP GEARBOX REPLACEMENT	SMF	RECOMMENDED	MTH 24-Sep-1998 HRS 4874		-			Complete
MOC : COMPLIED WITH									
SB 550-27-16 R01 RIGHT FLAP 27SB-16 : 550R1	GEARBOX REPLACEMENT	SMF	KIT ORDERED	MTH 24-Sep-1998 HRS 4874		-			Complete
MOC : COMPLIED WITH									
SB 550-27-17 27SB-17	FLIGHT CONTROLS - ELEVATOR ELECTRIC TRIM ACTUATOR REPLACEMENT	SMF	RECOMMENDED	MTH 05-Jun-1996 HRS 3886		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE									
SB 550-27-20 27SB-20	FLIGHT CONTROLS - AILERON FASTENERS INSPECTION/INSTALLATION (SUPERSEDED BY 550-27-20 R01)	SMF	MANDATORY	MTH 21-Jan-2000 HRS 5398		-			Complete
MOC : COMPLIED WITH									
SB 550-27-21 27SB-21	FLIGHT CONTROLS - TRIM TAB ACTUATOR GREASE FITTING INSTALLATION		OPTIONAL	MTH		-			
MOC :									
SL 550-27-11 27SL-11	FLIGHT CONTROLS - AILERON CABLE TURNBUCKLE CLEARANCE IMPROVEMENT	SMF	MANDATORY	MTH 19-Aug-2002 HRS 6451		-			Complete
MOC : COMPLIED WITH									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL 550-27-14 27SL-14	FLIGHT CONTROLS - RUDDER PEDAL SUPPORT INSPECTION	SMF	RECOMMENDED	MTH 12-Nov-2007 HRS 8729		A/R			Complete
MOC : COMPLIED WITH									
ASB 550-28-03 28SBA03	FUEL - QUANTITY INDICATOR INSPECTION/REPLACEMENT	004	MANDATORY	MTH 22-Nov-1989 HRS 775		A/R			Complete
MOC : COMPLIED WITH									
SB 550-28-04 LEFT HAND 28SB-04	FUEL - MOTIVE FLOW FUEL LINE INSPECTION AND SUPPORT INSTALLATION	SMF	RECOMMENDED	MTH 20-May-1994 HRS 3003		-			Complete
MOC : COMPLIED WITH									
SB 550-28-04 RIGHT HAND 28SB-04	FUEL - MOTIVE FLOW LINE INSPECTION AND SUPPORT INSTALLATION.	SMF	RECOMMENDED	MTH 20-May-1994 HRS 3003		-			Complete
MOC : COMPLIED WITH									
SB 550-28-05 LEFT HAND 28SB-05	FUEL - FUEL SYSTEM PLUMBING CLAMP ADDITIONS	SMF	RECOMMENDED	MTH 20-Feb-1996 HRS 3752		-			Complete
MOC : COMPLIED WITH									
SB 550-28-05 RIGHT HAND 28SB-05	FUEL - FUEL SYSTEM PLUMBING CLAMP ADDITIONS	SMF	RECOMMENDED	MTH 20-Feb-1996 HRS 3752		-			Complete
MOC : COMPLIED WITH									
SB 550-28-06 28SB-06	FUEL - IMPROVED FUEL CROSSFEED SELECT KNOB AVAILABILITY	SMF	OPTIONAL	MTH 13-Oct-1995 HRS 3605		A/R			Complete
MOC : COMPLIED WITH									
SB 550-28-10 LEFT HAND 28SB-10	FUEL - FUEL LINE SUPPORT INSTALLATION	SMF	RECOMMENDED	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		1800			Complete
MOC : COMPLIED WITH - COMPLIED WITH SB550-28-10 (L/H ONLY), BY SECURING THE FUEL LINE ASSEMBLY TO PREVENT CHAFING PER ACCOMPLISHMENT INSTRUCTIONS.									
SB 550-28-10 RIGHT HAND 28SB-10	FUEL - FUEL LINE SUPPORT INSTALLATION		RECOMMENDED	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		1800			N/A
MOC : NOT APPLICABLE - OWNER WISHES NOT TO COMPLY WITH AT THIS TIME.									
SB 550-28-12 28SB-12	FUEL - TANK BRACKET AND CLAMP INSTALLATION/INSPECTION	SMF	RECOMMENDED	MTH 30-Jul-2001 HRS 5995		-			Complete
MOC : COMPLIED WITH									
SB 550-28-14 28SB-14	FUEL - WING FUEL BOOST WIRE ROUTING IMPROVEMENT	SMF	MANDATORY	MTH 26-Feb-2004 HRS 7109		A/R			Complete
MOC : COMPLIED WITH									
SB 550-28-16 R01 28SB-16	FUEL - FUEL CHECK VALVE MODIFICATION		RECOMMENDED	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		A/R			N/A
MOC : NOT APPLICABLE - OWNER WISHES NOT TO COMPLY WITH AT THIS TIME.									
SB 550-28-16 28SB-16	FUEL - FUEL CHECK VALVE MODIFICATION (SUPERSEDED BY 550-28-16 R01)		RECOMMENDED			A/R			
MOC :									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
ASL 550-28-10 R01 28SLA10 : 550R1	FUEL - TRANSMITTAL OF PARKER HANNIFIN CORPORATION - AIRBORNE AIR & FUEL PRODUCTS SERVICE LETTER NO. 41, RAPCO FLEET SUPPORT INC. OVERHAUL OF AIRBORNE FUEL PUMPS	SMF		MANDATORY	MTH 27-Aug-1996 HRS 3990		-			Complete
MOC : COMPLIED WITH										
SL 550-28-08 R01 28SL-08 : 550R1	FUEL-FUEL QUANTITY COMPENSATOR INSTALLATION ATTACHMENT INSPECTION	SMF		RECOMMENDED	MTH 22-Feb-1993 HRS 2401		-			Complete
MOC : COMPLIED WITH										
SL 550-28-08 R04 28SL-08 : 550R4	FUEL-FUEL QUANTITY COMPENSATOR INSTALLATION ATTACHMENT INSPECTION	SMF		RECOMMENDED	MTH 13-Oct-1995 HRS 3605		-			Complete
MOC : COMPLIED WITH										
SB 550-29-06 29SB-06	HYDRAULIC POWER - ECOLOGY (OVERFLOW) BOTTLE INSTALLATION			OPTIONAL	MTH		-			
MOC :										
SB 550-30-02 30SB-02	ICE AND RAIN PROTECTION - WING HEATED LEADING EDGE PANEL WIRE BUNDLE ROUTING MODIFICATION (SUPERSEDED BY 550-30-02 R01)	SMF		RECOMMENDED	MTH 18-Sep-1990 HRS 1233		-			Complete
MOC : COMPLIED WITH										
SB 550-30-03 R01 30SB-03 : 550R1	ICE AND RAIN PROTECTION - WINDSHIELD BLEED AIR ORIFICE INSPECTION/REMOVAL	SMF		MANDATORY	MTH 31-Jul-1991 HRS 1679		-			Complete
MOC : COMPLIED WITH										
SB 550-30-05 30SB-05	ICE AND RAIN PROTECTION - ANTI-ICE WING LEADING EDGE INSTALLATION, FASTENER CHANGE	SMF		MANDATORY	MTH 30-Jul-2001 HRS 5995		-			Complete
MOC : COMPLIED WITH										
SL CIL-30-01 R01	ICE AND RAIN PROTECTION - APPROVED DEICING PROGRAM UPDATES			INFORMATIONAL			-			
MOC :										
SL 550-30-02 30SL-2	EROSION SHOES FOR THE WING TIP, PYLON LEADING EDGE, HOIZONTAL STABILIZER TIPS AND VERTICAL FIN TIP			OPTIONAL	MTH		-			
MOC :										
SB 550-31-05 31SB-05	INSTRUMENTS - FLIGHT DATA RECORDER COVER INSTALLATION (SUPERSEDED BY 550-31-05 R01)	SMF		RECOMMENDED	MTH HRS		300			
NOT APPLICABLE-EQUIPMENT NOT INSTALLED										
MOC :										
SL CIL-31-01	INDICATING/RECORDING SYSTEMS - CVR, FDR, AND CVDR 90-DAY BATTERY UNDERWATER LOCATOR BEACON (ULB) INSTALLATION			INFORMATIONAL			-			
MOC :										
SB 550-32-06 32SB-6	LANDING GEAR - GRAVEL RUNWAY SYSTEM INSTALLATION (SUPERSEDED BY 550-32-06 R01)			OPTIONAL	MTH		-			
MOC :										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl	Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-32-11 R01 <i>32SB-11 : 550R1</i>	LANDING GEAR - MAIN LANDING GEAR DOORS REPLACEMENT (IMPROVED SLUSH AND SNOW OPERATION) (SUPERSEDED BY 550-32-11 R02)		OPTIONAL	MTH			-			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME										
SB 550-32-12 R07 <i>32SB-12 : 550R7</i>	LANDING GEAR - GOODRICH BRAKES AND WHEELS INSTALLATION (SUPERSEDED BY 550-32-12 R08)	SMF	OPTIONAL	MTH	17-Jul-1999 HRS 5197		A/R			Complete
MOC : COMPLIED WITH										
SB 550-32-15 <i>32SB-15</i>	LANDING GEAR - WARNING HORN AIRSPEED CUTOFF MODIFICATION (SUPERSEDED BY 550-32-15 R01)		OPTIONAL	MTH			-			
MOC :										
SB 550-32-18 LEFT HAND <i>32SB-18</i>	LANDING GEAR - BF GOODRICH BRAKE BLEEDER BLOCK INSTALLATION AND HOSE REPLACEMENT (SUPERSEDED BY 550-32-18 R01)		SUPERSEDED	MTH			-			
MOC :										
SB 550-32-18 RIGHT HAND <i>32SB-18</i>	BF GOODRICH BRAKE BLEEDER BLOCK INSTALLATION AND HOSE REPLACEMENT (SUPERSEDED BY 550-32-18 R01)		OPTIONAL	MTH			-			
MOC :										
SB 550-32-20 LEFT MAIN LANDING GEAR <i>32SB-20</i>	LANDING GEAR - MAIN LANDING GEAR WHEEL WELL AFT SPAR BOX HYDRAULIC/PNEUMATIC LINES GROMMET REPLACEMENT	SMF	RECOMMENDED	MTH	22-Feb-1993 HRS 2401		-			Complete
MOC : COMPLIED WITH										
SB 550-32-20 RIGHT MAIN LANDING GEAR <i>32SB-20</i>	LANDING GEAR - MAIN LANDING GEAR WHEEL WELL AFT SPAR BOX HYDRAULIC/PNEUMATIC LINES GROMMET REPLACEMENT	SMF	RECOMMENDED	MTH	22-Feb-1993 HRS 2401		-			Complete
MOC : COMPLIED WITH										
SB 550-32-21 R01 <i>32SB-21 : 550R1</i>	LANDING GEAR - MAIN LANDING GEAR SIDE BRACE STUD INSPECTION/REPLACEMENT	SMF	RECOMMENDED	MTH	15-May-1995 HRS 3452		-			Complete
MOC : COMPLIED WITH										
SB 550-32-21 <i>32SB-21</i>	LANDING GEAR - MAIN LANDING GEAR SIDE BRACE STUD INSPECTION/REPLACEMENT	SMF	RECOMMENDED	MTH	24-Jan-1995 HRS 3297		-			Complete
MOC : COMPLIED WITH										
SB 550-32-22 <i>32SB-22</i>	LANDING GEAR - UPLOCK SWITCH COVERING MODIFICATION	SMF	RECOMMENDED	MTH	13-Oct-1995 HRS 3605		-			Complete
MOC : COMPLIED WITH										
SB 550-32-24 <i>32SB-24</i>	LANDING GEAR - ANTISKID DRIVE CLIP REPLACEMENT	SMF	RECOMMENDED	MTH	07-Oct-1996 HRS 4040		-			Complete
MOC : COMPLIED WITH										
SB 550-32-26 <i>32SB-26</i>	LANDING GEAR - POWER BRAKE HYDRAULIC PUMP SCREW REPLACEMENT	SMF	RECOMMENDED	MTH	08-Nov-1997 HRS 4499		-			Complete
MOC : COMPLIED WITH - N/A BY DATE OF INSTALLATION										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-32-30 32SB-30	LANDING GEAR - ANTISKID SYSTEM DIODE REMOVAL RECOMMENDED		MTH HRS LDG	19-Oct-2015 11348.9 12252		300			N/A
MOC : NOT APPLICABLE - OWNER WISHES NOT TO COMPLY WITH AT THIS TIME.									
SB 550-32-33 32SB-33	LANDING GEAR - BRAKE MOTOR COUPLING REPLACEMENT SMF		RECOMMENDED MTH HRS	01-Aug-1998 4800		A/R			Complete
MOC : COMPLIED WITH									
SB 550-32-34 32SB-34	LANDING GEAR - REMOVAL OF BRANSON GROSS WEIGHT INCREASE STC SAA954NM OPTIONAL		MTH			A/R			
MOC :									
SB 550-32-38 R02 32SB-38 : 550R2	LANDING GEAR - BRAKE LINE REPLACEMENT SMF		RECOMMENDED MTH HRS	30-Jul-2001 5995		-			Complete
MOC : COMPLIED WITH									
SB 550-32-38 R03 32SB-38 : 550R3	LANDING GEAR - BRAKE LINE REPLACEMENT SMF		RECOMMENDED MTH HRS	12-Nov-2004 7406		A/R			Complete
MOC : COMPLIED WITH									
SB 550-32-40 R03 32SB-40 : 550R3	LANDING GEAR - LANDING GEAR ON GROUND OPERATION AND MODIFICATION RECOMMENDED					-			
MOC :									
SB 550-32-41 R02 32SB-41 : 550R2	LANDING GEAR - TRANSMITTAL OF GOODRICH SERVICE BULLETIN 2-1528-32-2, LANDING GEAR - BRAKE ASSEMBLY POSSIBLE CRACKED STATOR DISKS SMF		MANDATORY MTH HRS LDG	26-Feb-2004 7109 7928		A/R			Complete
MOC : COMPLIED WITH									
SB 550-32-41 32SB-41	LANDING GEAR - TRANSMITTAL OF GOODRICH SERVICE BULLETIN 2-1528-32-2, LANDING GEAR - BRAKE ASSEMBLY POSSIBLE CRACKED STATOR DISKS SMF		MANDATORY MTH HRS LDG	19-Oct-2000 5697 6386		-			Complete
MOC : COMPLIED WITH									
SB 550-32-44 32SB-44	LANDING GEAR - GEAR AND BRAKE EMERGENCY AIR BLOW DOWN STORAGE BOTTLE ACTUATOR ARM IMPROVEMENT SMF		RECOMMENDED MTH HRS	21-Apr-2002 6303		A/R			Complete
MOC : COMPLIED WITH									
SB 550-32-50 R01 32SB-50 : 550R1	LANDING GEAR - PARKING BRAKE CABLE REPLACEMENT OPTIONAL		MTH			A/R			
MOC :									
SB 550-32-55 R01	REPLACEMENT OF BLEEDER SCREWS AND FITTINGS WITH BLEEDER PLUGS RECOMMENDED		MTH HRS LDG	19-Oct-2015 11348.9 12252		-			N/A
MOC : NOT APPLICABLE - OWNER WISHES NOT TO COMPLY WITH AT THIS TIME.									
SB 550-32-55	REPLACEMENT OF BLEEDER SCREWS AND FITTINGS WITH BLEEDER PLUGS RECOMMENDED					-			
MOC :									
ASL 550-32-61 32SLA61	LANDING GEAR - MAIN LANDING GEAR ACTUATOR STUD(S) INSPECTION/REPLACEMENT SMF		MANDATORY MTH HRS	14-Jun-1993 2548		-			Complete
MOC : COMPLIED WITH									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL CIL-32-01	LANDING GEAR - IMPROVED NOSE WHEEL GREASE SEAL									
	INFORMATIONAL									
	MOC :									
SL CIL-32-03	NLG UPLOCK ROLLER BRACKET INSPECTION				MTH 19-Oct-2015					N/A
				RECOMMENDED	HRS 11348.9					
					LDG 12252					
	MOC : NOT APPLICABLE - OWNER WISHES NOT TO COMPLY WITH AT THIS TIME.									
SL CIL-32-04	WIRELESS TIRE PRESSURE MONITORING SYSTEM INSTALLATION									
	INFORMATIONAL									
	MOC :									
SL CIL-32-06	LANDING GEAR - WIRELESS TIRE PRESSURE SENSOR FILL VALVE TORQUE VERIFICATION									
	INFORMATIONAL									
	MOC :									
SL 550-32-28 32SL-28	LANDING GEAR - MODIFICATION OF P/N 1523200-3 (CESSNA P/N 9912120) NOSE GEAR ACTUATOR	ICT		RECOMMENDED	MTH 29-Jul-1988					Complete
					HRS 21					
	MOC : COMPLIED WITH									
SL 550-32-31 32SL-31	LANDING GEAR - UPLOCK ACTUATOR HYDRAULIC LINE INSPECTION	004		RECOMMENDED	MTH 22-Nov-1989					Complete
					HRS 775					
	MOC : COMPLIED WITH									
SL 550-32-33 32SL-33	LANDING GEAR - MAIN LANDING GEAR AXLE INTERNAL CORROSION INSPECTION	004		RECOMMENDED	MTH 22-Nov-1989					Complete
					HRS 775					
	MOC : COMPLIED WITH									
SL 550-32-34 32SL-34	LANDING GEAR - MAIN WHEEL TIRE INSPECTION	004		RECOMMENDED	MTH 22-Nov-1989					Complete
					HRS 775					
	MOC : COMPLIED WITH									
SL 550-32-35 32SL-35	LANDING GEAR - EMERGENCY LANDING GEAR BLOWDOWN BOTTLE LEVER SAFETY WIRE REPLACEMENT	004		RECOMMENDED	MTH 19-Mar-1990					Complete
					HRS 942					
	MOC : COMPLIED WITH									
SL 550-32-40 32SL-40	LANDING GEAR - LANDING GEAR EMERGENCY EXTENSION CONTROL ASSEMBLY PIN INSPECTION	004		RECOMMENDED	MTH 29-May-1990					Complete
					HRS 1076					
	MOC : COMPLIED WITH									
SL 550-32-46 32SL-46	LANDING GEAR - MAIN AND NOSE GEAR UPLOCK SPRING INSPECTION/REPLACEMENT	SMF		RECOMMENDED	MTH 18-Apr-1991					Complete
					HRS 1535					
	MOC : COMPLIED WITH									
SL 550-32-47 32SL-47	LANDING GEAR - ANTI-SKID SYSTEM CONTROL UNIT CALIBRATION VERIFICATION	SMF		RECOMMENDED	MTH 18-Apr-1991					Complete
					HRS 1535					
	MOC : COMPLIED WITH									
SL 550-32-49 32SL-49	LANDING GEAR - NOSE LANDING GEAR UPLOCK LINE INSPECTION	SMF		RECOMMENDED	MTH 31-Jul-1991					Complete
					HRS 1679					
	MOC : COMPLIED WITH									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL 550-32-50 32SL-50	LANDING GEAR - LANDING GEAR HANDLE LOCKING SOLENOID INSPECTION	SMF	RECOMMENDED	MTH 01-Nov-1991 HRS 1796		-			Complete
MOC : COMPLIED WITH									
SL 550-32-54 32SL-54	LANDING GEAR - NOSE GEAR TURNNION FINISH INSPECTION/REFINISH	SMF	RECOMMENDED	MTH 26-Jun-1992 HRS 2109		-			Complete
MOC : COMPLIED WITH									
SL 550-32-59 R01 32SL-59 : 550R1	LANDING GEAR - TEIJIN SEIKI MAIN AND NOSE LANDING GEAR ACTUATOR DOWN AND LOCKED SWITCH INSPECTION/ REPLACEMENT	SMF	RECOMMENDED	MTH 07-Oct-1993 HRS 2704		-			Complete
MOC : COMPLIED WITH									
SL 550-32-59 R03 32SL-59 : 550R3	LANDING GEAR - TEIJIN SEIKI MAIN AND NOSE LANDING GEAR ACTUATOR DOWN AND LOCKED SWITCH INSPECTION/ REPLACEMENT	SMF	RECOMMENDED	MTH 20-Jun-1995 HRS 3498		-			Complete
MOC : COMPLIED WITH									
SL 550-32-65 32SL-65	LANDING GEAR - NOSE LANDING GEAR WHEEL AND TIRE ASSEMBLY, WIDE DOOR AND DRAG CHUTE ATTACH HARDWARE INSPECTION/REPLACEMENT	SMF	RECOMMENDED	MTH 24-Jan-1995 HRS 3297		-			Complete
MOC : COMPLIED WITH									
SL 550-32-66 32SL-66	LANDING GEAR - MAIN LANDING GEAR EXTEND PNEUMATIC LINE CLEARANCE INSPECTION	SMF	RECOMMENDED	MTH 15-May-1995 HRS 3452		-			Complete
MOC : COMPLIED WITH									
SL 550-32-70 32SL-70	LANDING GEAR - TRANSMITTAL OF BFGOODRICH SERVICE LETTER SL1728 LANDING GEAR - NOSE WHEEL BALANCE WEIGHT FASTENER PLACEMENT	SMF	RECOMMENDED	MTH 05-Mar-1997 HRS 4192		-			Complete
MOC : COMPLIED WITH									
SL 550-32-73 32SL-73	LANDING GEAR - NOSE GEAR STEERING BUNGE INSPECTION	SMF	RECOMMENDED	MTH 19-Oct-2000 HRS 5697		-			Complete
MOC : COMPLIED WITH									
SL 550-32-79 R01 32SL-79 : 550R1	LANDING GEAR - NOSE LANDING GEAR ICE PROTECTION BOOT INSTALLATION		OPTIONAL	MTH			A/R		
MOC :									
SL 550-32-87 32SL-87	LANDING GEAR - EMERGENCY GEAR RELEASE INSPECTION	SMF	MANDATORY	MTH 04-Oct-2009 HRS 9374			A/R		Complete
MOC : COMPLIED WITH									
SB 550-33-02 33SB-2	LIGHTS - WING TIP RECOGNITION LIGHT INSTALLATION		OPTIONAL	MTH 13-Aug-1987 HRS 7		-			Complete
MOC : COMPLIED WITH									
SB 550-33-05 33SB-5	LIGHTS - LANDING LIGHT RELOCATION		OPTIONAL	MTH		-			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-33-08 33SB-8	LIGHTS - AFT CABIN PSU LIGHT WIRE INSPECTION/REPLACEMENT	ICT	MANDATORY	MTH 29-Jul-1988 HRS 21		-			Complete
MOC : COMPLIED WITH									
SB 550-33-10 33SB-10	LIGHTS - LANDING LIGHT ELECTRICAL CIRCUIT MODIFICATION		OPTIONAL	MTH		-			
MOC :									
SB 550-33-11 33SB-11	LIGHTS - INDIRECT LIGHTING CONNECTOR CONTACT INSPECTION/REPLACEMENT	SMF	RECOMMENDED	MTH 18-Sep-1990 HRS 1233		-			Complete
MOC : COMPLIED WITH									
SB 550-33-12 LEFT 33SB-12	LIGHTS - LANDING LIGHT BULB PROTECTION		OPTIONAL	MTH		-			
MOC :									
SB 550-33-12 RIGHT 33SB-12	LIGHTS - LANDING LIGHT BULB PROTECTION		OPTIONAL	MTH		-			
MOC :									
SB 550-33-14 33SB-14	LIGHTS - EXIT SIGN REPLACEMENT	*CF	OPTIONAL	MTH		-			
MOC :									
SB 550-33-15 R01 33SB-15 : 550R1	LIGHTS - WING TIP NAV/COLLISION LIGHT MODIFICATION	*CF	OPTIONAL	MTH		-			
MOC :									
SB 550-33-15 33SB-15	LIGHTS - WING TIP NAV/COLLISION LIGHT MODIFICATION		OPTIONAL	MTH		-			
MOC :									
SB 550-33-18 33SB-18	LIGHTS - LANDING LIGHT CIRCUIT SWITCH MODULE INSTALLATION		OPTIONAL	MTH		A/R			
MOC :									
SB 550-33-19 33SB-19	LIGHTS - TAIL NAVIGATION LIGHT SOCKET MODIFICATION	SMF	RECOMMENDED	MTH 13-Oct-1995 HRS 3605		-			Complete
MOC : COMPLIED WITH									
SB 550-33-20 33SB-20	LIGHTING - INDIRECT LIGHTING LAMP AND CONNECTOR UPGRADE		OPTIONAL	MTH		-			
MOC :									
SB 550-33-21 R02 33SB-21 : 550R2	LIGHTS - EMERGENCY LIGHTING BATTERY PACK UPGRADE	SMF	OPTIONAL	MTH 25-Sep-2012 HRS 10437 LDG 11353		A/R			Complete
MOC : COMPLIED WITH - COMPLIED WITH SB550-33-21 R2, BY INSTALLING AN IMPROVED EMERGENCY LIGHTING BATTERY PACK FOR THE EMERGENCY EXIT LIGHTING PER ACCOMPLISHMENT INSTRUCTIONS. AMENDED AIRCRAFT WEIGHT AND BALANCE DATA.									
SB 550-33-29 33SB-29	LIGHTS - LED TAIL POSITION LIGHT INSTALLATION		OPTIONAL	MTH		A/R			
MOC :									
SL CIL-33-01	TRANSMITTAL OF RADIANT POWER CORP. SB-RPC-001, PROCEDURE TO REPLACE OBSOLETE CONNECTOR ASSEMBLY FOR CBS28 EMERGENCY BATTERY		INFORMATIONAL			-			
MOC :									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL 550-33-04 R01 33SL-04 : 550R1	LIGHTS - CABIN INDIRECT LIGHTING SYSTEM INSPECTION	SMF	MTH RECOMMENDED	20-Feb-1996 3752		-			Complete
MOC : COMPLIED WITH									
SL 550-33-04 R02 33SL-04 : 550R2	LIGHTS - CABIN INDIRECT LIGHTING SYSTEM INSPECTION	SMF	MTH RECOMMENDED	05-Mar-1997 4192		-			Complete
MOC : COMPLIED WITH									
SL 550-33-04 33SL-04	LIGHTS - CABIN INDIRECT LIGHTING SYSTEM INSPECTION	SMF	MTH RECOMMENDED	18-Sep-1990 1233		-			Complete
MOC : COMPLIED WITH									
SL 550-33-08 33SL-08	LIGHTS - LANDING LIGHT SWITCH INSPECTION / REPLACEMENT	SMF	MTH MANDATORY	07-Oct-1993 2704		-			Complete
MOC : COMPLIED WITH									
SB 550-34-03 34SB-3	NAVIGATION - SECOND TRANSPONDER INSTALLATION		MTH OPTIONAL	13-Aug-1987 7		-			Complete
MOC : COMPLIED WITH									
SB 550-34-06 34SB-6	POINTER SENTRY ELT INSTALLATION		MTH OPTIONAL			-			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME									
SB 550-34-109 34SB-109	PITOT STATIC HEATER WIRE MOD		MTH OPTIONAL			O/C			
MOC :									
SB 550-34-118	NAVIGATION - HONEYWELL TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM II (TCAS II) VERSION 7.1 SOFTWARE UPDATE					-			
MOC :									
SB 550-34-23 34SB-23	NAVIGATION - STARTER-GENERATOR AND GCU FILTER INSTALLATION	SMF	MTH RECOMMENDED	21-Jan-2000 5398		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED									
SB 550-34-29 R01 34SB-29 : 550R1	NAVIGATION - VN212 SIGNAL GROUND WIRING MODIFICATION		MTH OPTIONAL			-			
MOC :									
SB 550-34-32 34SB-32	NAVIGATION - PRIMUS RADAR WIRING UPDATE		MTH OPTIONAL			-			
MOC :									
SB 550-34-48 34SB-48	NAVIGATION - HONEYWELL PRIMUS RADIO RACK COAX CONNECTOR REPLACEMENT	SMF	MTH RECOMMENDED	12-Sep-1994 3145		A/R			Complete
MOC : COMPLIED WITH - NOT APPLICABLE BY TYPE MANUFACTURER									
SB 550-34-49 34SB-49	NAVIGATION - HONEYWELL PRIMUS RADIO ADF SYSTEM IMPROVEMENTS	SMF	MTH RECOMMENDED	24-Jan-1995 3297		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE BY TYPE MANUFACTURER									
SB 550-34-59 34SB-59	NAVIGATION - AIRSPEED INDICATOR WITH OVERSPEED/LOW SPEED WARNING SWITCHES MODIFICATION		MTH OPTIONAL			-			
MOC :									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-34-61 <i>34SB-61</i>	NAVIGATION - COPILOT ALTIMETER INSTALLATION - KOLLSMAN			OPTIONAL	MTH		-			
MOC :										
SB 550-34-79 R03 <i>34SB-79 : 550R3</i>	NAVIGATION - REDUCED VERTICAL SEPARATION MINIMUM (RVSM) OPERATION MODIFICATION	SMF		OPTIONAL	MTH 12-Nov-2004 HRS 7406		-			Complete
MOC : COMPLIED WITH										
SB 550-34-86 R01 <i>34SB-86 : 550R1</i>	NAVIGATION - STATIC PORT DOUBLER INSPECTION	SMF		MANDATORY	MTH 12-Dec-2002 HRS 6593		-			Complete
MOC : COMPLIED WITH										
SB 550-34-90 <i>34SB-90</i>	NAVIGATION - 5 AMP-HOUR STANDBY GYRO BATTERY INSTALLATION			OPTIONAL	MTH		A/R			
MOC :										
SB 550-34-93 R01 <i>34SB-93 : 550R1</i>	NAVIGATION - TRAFFIC COLLISION AVOIDANCE SYSTEM (TCAS) II AND MST-67A TRANSPONDER UPGRADE FOR ELEMENTARY SURVEILLANCE			OPTIONAL	MTH		A/R			
MOC :										
SB 550-34-96 <i>34SB-96</i>	NAVIGATION - SIGMA-TEK CONTROL PANEL INSTALLATION			OPTIONAL	MTH		A/R			
MOC :										
ASB 550-34-25 R01 <i>34SBA25 : 550R1</i>	VG14A VERTICAL GYRO INSPECTION	SMF		MANDATORY	MTH 18-Sep-1990 HRS 1233		-			Complete
MOC : COMPLIED WITH										
ASB 550-34-25 <i>34SBA25</i>	NAVIGATION - VG14A VERTICAL GYRO INSPECTION	004		MANDATORY	MTH 15-Nov-1989 HRS 765		-			Complete
MOC : COMPLIED WITH										
SL 550-34-04 <i>34SL-4</i>	NAVIGATION - WATER LEAKAGE - NOSE RADOME AND AVIONICS J BOX AREA			INFORMATIONAL	MTH		-			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME										
SL 550-34-26 <i>34SL-26</i>	NAVIGATION - DORNE AND MARGOLIN DMN4-17-4 NAV ANTENNA COUPLER INSPECTION			RECOMMENDED	MTH		-			
MOC :										
SL 550-34-57	NAVIGATION - TRANSMITTAL OF HONEYWELL SWB MST 67A-SW5	MEV		RECOMMENDED	MTH 29-Mar-2017 HRS 11916.7 LDG 12842 ACH 60		-			N/A
MOC : NOT APPLICABLE										
SB 550-35-03 R02 <i>35SB-03 : 550R2</i>	OXYGEN - EROS OXYGEN MASK INSTALLATION	SMF		OPTIONAL	MTH 11-Sep-2005 HRS 7771		A/R			Complete
MOC : COMPLIED WITH										
SB 550-35-05 <i>35SB-05</i>	OXYGEN - CHAFING PROTECTION INSTALLATION OF TAILCONE LINES AND WIRE BUNDLES	SMF		RECOMMENDED	MTH 20-Feb-1996 HRS 3752		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-35-06 R01 35SB-06 : 550R1	OXYGEN - EROS MLD20-506 OXYGEN MASK INSTALLATION			OPTIONAL	MTH		A/R			
MOC :										
SB 550-35-08 35SB-08	OXYGEN - EROS MLD20-510 OXYGEN MASK INSTALLATION			OPTIONAL	MTH		A/R			
MOC :										
SL CIL-35-05	OXYGEN - TRANSMITTAL OF ZODIAC AEROSPACE SB MCF-SBU-35-001	SMF		MANDATORY	MTH 22-Jan-2016 DAYS 11427.7 HRS 12338 LDG		-			N/A
MOC : NOT APPLICABLE - COMPLIED WITH SERVICE LETTER CIL-35-05 IN CONJUNCTION WITH AD2015-23-09 DATED 12/28/15 BY INSPECTION OF BOTH CREW OXYGEN MASKS. FOUND THAT BOTH MASKS ARE NOT AFFECTED BY ZODIAC SB MCF-SBU-35-001R1 DUE TO PART/SERIAL NUMBERS NOT LISTED IN APPENDIX I, NO FURTHER ACTION REQUIRED.										
SL 550-35-08	OXYGEN - OXYGEN BOTTLE INSPECTION			INFORMATIONAL	MTH		A/R			
MOC :										
SL 550-35-09 R01	TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240	SMF		MANDATORY	MTH 25-Sep-2012 HRS 10437 LDG 11353		-			N/A
MOC : NOT APPLICABLE - COMPLIED WITH SL550-35-09 R1, BY INSPECTION OF THE CREW OXYGEN MASK'S FOR POTENTIAL DEFECTIVE COMPONENT PER ACCOMPLISHMENT INSTRUCTIONS. SL550-35-09 R1 DOES NOT APPLY, BOTH CREW MASK'S HAVE AN OVERHAUL DATE OF 04/2011. NOTE: INTERTECHNIQUE SB MXH-35-240 DOES NOT APPLY.										
SL 550-35-09 R02	OXYGEN - TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240			MANDATORY			-			
MOC :										
SL 550-35-09	TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240			MANDATORY			-			
MOC :										
SB 550-36-03 36SB-03	PNEUMATIC - DOOR SEAL PLUMBING INSPECTION AND MODIFICATION	SMF		RECOMMENDED	MTH 31-Jul-1991 HRS 1679		-			Complete
MOC : COMPLIED WITH										
SB 550-36-04 36SB-04	PNEUMATIC - ENGINE BLEED AIR CONNECTOR IMPROVEMENT			OPTIONAL	MTH		A/R			
MOC :										
SB 550-36-05 36SB-05	PNEUMATIC - DOOR SEAL VALVE REPLACEMENT AND WATER TRAP INSTALLATION			OPTIONAL	MTH		A/R			
MOC :										
SB 550-52-17 52SB-17	DOORS - TAILCONE BAGGAGE DOOR RESTRAINT CABLE INSTALLATION	SMF		OPTIONAL	MTH 25-Sep-2012 HRS 10437 LDG 11353		-			Complete
MOC : COMPLIED WITH - COMPLIED WITH SB550-52-17, TAILCONE BAGGAGE DOOR RESTRAINT CABLE INSTALLATION IN ACCORDANCE WITH ACCOMPLISHMENT INSTRUCTIONS DATED 08-88.										
SB 550-52-18 52SB-18	DOORS - BAGGAGE DOOR POSITIVE SAFETY LOCK INSTALLATION	SMF		RECOMMENDED	MTH 18-Sep-1990 HRS 1233		-			Complete
MOC : COMPLIED WITH										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-52-21 <i>52SB-21</i>	DOORS - WIDE DOOR RETRACT CABLE MODIFICATION OPTIONAL			MTH			-			
MOC :										
SB 550-52-23 <i>52SB-23</i>	DOORS - ENTRY DOOR STEP CATCH COVER INSTALLATION (WITH STANDARD DOOR AND STEP) *CF			RECOMMENDED			-			
MOC :										
SB 550-52-25 <i>52SB-25</i>	DOORS - CESSNA - DESIGNED WIDE DOOR MODIFICATION INSTALLATION OPTIONAL			MTH			A/R			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME										
SB 550-52-31 <i>52SB-31</i>	DOORS - WIDE DOOR MODIFICATION OPTIONAL			MTH			-			
MOC :										
SB 550-52-40 <i>52SB-40</i>	NOSE GEAR DOOR DEFLECTORS OPTIONAL			MTH			A/R			
MOC :										
ASL 550-52-05 R01 <i>52SL-01</i>	DOORS - EMERGENCY EXIT INSPECTION SMF			MANDATORY	DAYS 25-Sep-2012 HRS 10437 LDG 11353		A/R			Complete
MOC : COMPLIED WITH - ASL550-52-05 R1 HAS " NO EFFECT" PER REVISION COMPLIANCE. ORIGINAL ISSUE ASL550-52-05 WAS COMPLIED WITH ON 29-APR-2011 @ SMF. NO FURTHER ACTION REQUIRED.										
ASL 550-52-05 <i>52SL-02</i>	DOORS - EMERGENCY EXIT INSPECTION SMF			MANDATORY	DAYS 29-Apr-2011 HRS 9853.8 LDG 10741		-			Complete
MOC : COMPLIED WITH - COMPLIED WITH ASL550-52-05, BY INSPECTING THE EMERGENCY EXIT DOOR SEAL AND APPLYING A THIN COAT OF PETROLEUM JELLY TO THE SEAL PER ACCOMPLISHMENT INSTRUCTIONS.										
SL 550-52-01 <i>52SL-01</i>	DOORS - NOSE AND TAILCONE BAGGAGE DOOR INSPECTION SMF			RECOMMENDED	MTH 31-Jul-1991 HRS 1679		-			Complete
MOC : COMPLIED WITH										
SL 550-52-02 <i>52SL-02</i>	DOORS - EMERGENCY EXIST INNER HANDLE ATTACH SCREW INSPECTION/REPLACEMENT SMF			MANDATORY	MTH 26-Jun-1992 HRS 2109		-			Complete
MOC : COMPLIED WITH										
SB 550-53-05 <i>53SB-5</i>	FUSELAGE - DRAG CHUTE INSTALLATION OPTIONAL			MTH			-			
MOC :										
SB 550-53-14 R01 <i>53SB-14 : 550R1</i>	TAILCONE BAGGAGE COMPARTMENT GUSSET INSPECTION/INSTALLATION SMF			RECOMMENDED	MTH 26-Jun-1992 HRS 2109		-			Complete
MOC : COMPLIED WITH										
SB 550-53-17 <i>53SB-17</i>	FRAME BRACE INSPECTION/INSTALLATION SMF			RECOMMENDED	MTH 22-Feb-1993 HRS 2401		-			Complete
MOC : COMPLIED WITH										
SB 550-53-18 <i>53SB-18</i>	FUSELAGE- WINDSHIELD CANTED FRAME AND UPPER STRINGER INSPECTION/MODIFICATION SMF			MANDATORY	MTH 22-Feb-1993 HRS 2401		-			Complete
MOC : COMPLIED WITH										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB 550-53-20 R03 53SB-20 : 550R3	CABIN INTERIOR ATTACH/CONTACT POINT	SMF	CORROSION PROTECTION RECOMMENDED	MTH 20-Feb-1996 HRS 3752		-			Complete
MOC : COMPLIED WITH									
SB 550-53-21 R01 53SB-21 : 550R1	FLIGHT CREW SEAT RAIL AND BEAM RIVET	SMF	INSPECTION/INSTALLATION RECOMMENDED	MTH 13-Oct-1995 HRS 3605		-			Complete
MOC : COMPLIED WITH									
SB 550-53-22 53SB-22	FUSELAGE- MAP COMPARTMENT ASSEMBLY	SMF	INSPECTION/REPLACEMENT RECOMMENDED	MTH 13-Oct-1995 HRS 3605		A/R			Complete
MOC : COMPLIED WITH									
SB 550-53-24 53SB-24	FUSELAGE-DORSAL FIN INSTALLATION AND	SMF	MATERIAL IMPROVEMENT OPTIONAL	MTH 26-Feb-2004 HRS 7109		-			Complete
MOC : COMPLIED WITH									
SB 550-53-25 53SB-25	FUSELAGE- AN3-5A BOLT INSPECTION/	SMF	REPLACEMENT RECOMMENDED	MTH 05-Jun-1996 HRS 3886		A/R			Complete
MOC : COMPLIED WITH									
SB 550-53-26 R01 53SB-26 : 550R1	COCKPIT LEFT SIDE WINDOW RIVET	SMF	INSPECTION RECOMMENDED	MTH 01-Aug-1998 HRS 4800		-			Complete
MOC : COMPLIED WITH									
SB 550-53-26 53SB-26	COCKPIT SIDE WINDOW DOUBLER	SMF	INSPECTION RECOMMENDED	MTH 08-Nov-1997 HRS 4499		-			Complete
MOC : COMPLIED WITH									
SB 550-53-31 53SB-31	INSTALL FUSELAGE MOISTURE DRAINS		OPTIONAL	MTH		-			
MOC :									
SB 550-53-34 53SB-34	FLOORBOARD IMPROVEMENT	SMF	OPTIONAL	MTH 26-Feb-2004 HRS 7109		-			Complete
MOC : COMPLIED WITH									
SB 550-53-38 53SB-38	WHEEL WELL BOX IMPROVEMENT		OPTIONAL	MTH		A/R			
MOC :									
SL 550-53-06 53SL-06	FUSELAGE - DORSAL FIN VANE	SMF	INSPECTION RECOMMENDED	MTH 09-Mar-2006 HRS 7982		A/R			Complete
MOC : COMPLIED WITH									
SL 550-53-07 53SL-07	FUSELAGE - INTERCOSTAL DRAINAGE	SMF	PATH INSPECTION RECOMMENDED	MTH 09-Mar-2006 HRS 7982		A/R			Complete
MOC : COMPLIED WITH									
SB 550-55-03 55SB-03	HORIZONTAL STABILIZER REAR SPAR	004	STIFFENER INSTALLATION MANDATORY	MTH 18-Aug-1989 HRS 620		-			Complete
MOC : COMPLIED WITH									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL 550-55-01 R01 <i>55SL-01 : 550R1</i>	STABILIZERS - RUDDER TORQUE TUBE INTERNAL CORROSION INSPECTION	SMF	RECOMMENDED	MTH 18-Sep-1990 HRS 1233		-			Complete
MOC : COMPLIED WITH									
SL 550-55-01 <i>55SL-01</i>	STABILIZERS - RUDDER TORQUE TUBE INTERNAL CORROSION INSPECTION	004	RECOMMENDED	MTH 19-Mar-1990 HRS 942		-			Complete
MOC : COMPLIED WITH									
SB 550-56-02 R02 <i>56SB-02 : 550R2</i>	WINDOWS - COPILOT'S SIDE WINDOW INSPECTION AND REPAIR	SMF	MANDATORY	MTH 28-Oct-2001 HRS 6100		A/R			Complete
MOC : COMPLIED WITH									
SB 550-57-05 <i>57SB-05</i>	WINGS - SPAR TRUNNION SUPPORT FASTENER INSPECTION/REPLACEMENT	SMF	MANDATORY	MTH 18-Sep-1990 HRS 1233		-			Complete
MOC : COMPLIED WITH									
SB 550-57-06 <i>57SB-06</i>	WINGS - STUB WING TRAILING EDGE RIVET INSPECTION/INSTALLATION	SMF	RECOMMENDED	MTH 18-Sep-1990 HRS 1233		-			Complete
MOC : COMPLIED WITH									
SL 550-57-03 <i>57SL-03</i>	WINGS - WIRE BUNDLE ROUTING IMPROVEMENT	004	RECOMMENDED	MTH 19-Mar-1990 HRS 942		-			Complete
MOC : COMPLIED WITH									
SB 550-71-01 <i>71SB-1</i>	AFT ENGINE MOUNT ISOLATOR INSPECTION/REPLACEMENT		MANDATORY	MTH		-			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME									
SB 550-71-03 R03 <i>71SB-1</i>	INSTALLATION AND REMOVAL OF JT15D-48 LOANER ENGINE(S)	SMF	OPTIONAL	MTH 17-Jun-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH - COMPLIED WITH SB550-71-3 R3, BY REMOVAL OF A JT15D-4B LOANER ENGINE AND INSTALLING OPERATOR'S JT15D-4 ENGINE PER ACCOMPLISHMENT INSTRUCTIONS. AMENDED AIRCRAFT WEIGHT AND BALANCE DATA.									
SL 550-72-08 R01 <i>72SL-8 : 550R1</i>	POWERPLANT - LOW COMPRESSOR CASE INSPECTION	ICT	RECOMMENDED	MTH 29-Jul-1988 HRS 21		A/R			Complete
MOC : COMPLIED WITH									
SL 550-72-08 R02 <i>72SL-8 : 550R2</i>	POWER PLANT - LOW COMPRESSOR CASE INSPECTION	004	RECOMMENDED	MTH 18-Aug-1989 HRS 620		A/R			Complete
MOC : COMPLIED WITH									
SL 550-72-09 <i>72SL-9</i>	POWER PLANT - LOW COMPRESSOR CASE DAMPENING RING INSTALLATION	ICT	RECOMMENDED	MTH 29-Jul-1988 HRS 21		-			Complete
MOC : COMPLIED WITH									
SL 550-72-10 <i>72SL-10</i>	POWER PLANT - INTRODUCTION OF NEW IMPROVED GAS GENERATOR CASE	SMF	RECOMMENDED	MTH 05-Jun-1996 HRS 3886		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL 550-72-24 LEFT HAND 72SL-24	ENGINE OIL PUMP PLUG TORQUE SMF			RECOMMENDED	MTH 21-Jan-2000 HRS 5398		-			Complete
MOC : COMPLIED WITH										
SL 550-72-24 RIGHT HAND 72SL-24	ENGINE OIL PUMP PLUG TORQUE SMF			RECOMMENDED	MTH 21-Jan-2000 HRS 5398		-			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7001 R25 E1	APPROVED LISTING OF (SYNTHETIC) LUBRICATING OILS (SUPERSEDED BY SB 72-7001 R26)			RECOMMENDED			-			
MOC :										
SB JT15D-72-7001 R25 E2	APPROVED LISTING OF (SYNTHETIC) LUBRICATING OILS (SUPERSEDED BY SB 72-7001 R26)			RECOMMENDED			-			
MOC :										
SB JT15D-72-7001 R26 E1	APPROVED LISTING OF (SYNTHETIC) LUBRICATING OILS (SUPERSEDED BY SB 72-7001 R27)			RECOMMENDED			-			
MOC :										
SB JT15D-72-7001 R26 E2	APPROVED LISTING OF (SYNTHETIC) LUBRICATING OILS (SUPERSEDED BY SB 72-7001 R27)			RECOMMENDED			-			
MOC :										
SB JT15D-72-7001 R27 E1	APPROVED LISTING OF (SYNTHETIC) LUBRICATING OILS			RECOMMENDED			-			
MOC :										
SB JT15D-72-7001 R27 E2	APPROVED LISTING OF (SYNTHETIC) LUBRICATING OILS			RECOMMENDED			-			
MOC :										
SB JT15D-72-7002 R42 E1	SERVICE LIVES - ROTOR COMPONENTS (SUPERSEDED BY SB 72-7002 R43)	UNK		CATEGORY 3	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		A/R			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7002 R42 E2	SERVICE LIVES - ROTOR COMPONENTS (SUPERSEDED BY SB 72-7002 R43)	UNK		CATEGORY 3	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		A/R			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7002 R43 E1	SERVICE LIVES - ROTOR COMPONENTS			CATEGORY 3			-			
MOC :										
SB JT15D-72-7002 R43 E2	SERVICE LIVES - ROTOR COMPONENTS			CATEGORY 3			-			
MOC :										
SB JT15D-72-7003 R35 E1	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY (SUPERSEDED BY SB 72-7003 R36)						-			
MOC :										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB JT15D-72-7003 R35 E2	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R36)						
	MOC :								
SB JT15D-72-7003 R36 E1	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R37)						
	MOC :								
SB JT15D-72-7003 R36 E2	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R37)						
	MOC :								
SB JT15D-72-7003 R37 E1	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R38)						
	MOC :								
SB JT15D-72-7003 R37 E2	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R38)						
	MOC :								
SB JT15D-72-7003 R38 E1	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R39)						
	MOC :								
SB JT15D-72-7003 R38 E2	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R39)						
	MOC :								
SB JT15D-72-7003 R39 E1	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R40) RECOMMENDED						
	MOC :								
SB JT15D-72-7003 R39 E2	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R40) RECOMMENDED						
	MOC :								
SB JT15D-72-7003 R40 E1	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R40) RECOMMENDED			A/R			
	MOC :								
SB JT15D-72-7003 R40 E2	ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY		(SUPERSEDED BY SB 72-7003 R40) RECOMMENDED			A/R			
	MOC :								
SB JT15D-72-7144 R20 E1	ENGINE FUELS AND ADDITIVES - REQUIREMENTS AND APPROVED LISTING								
	MOC :								
SB JT15D-72-7144 R20 E2	ENGINE FUELS AND ADDITIVES - REQUIREMENTS AND APPROVED LISTING								
	MOC :								
SB JT15D-72-7144 R21 E1	ENGINE FUELS AND ADDITIVES - REQUIREMENTS AND APPROVED LISTING		(SUPERSEDED BY SB 72-7003 R40) RECOMMENDED						
	MOC :								



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB JT15D-72-7144 R21 E2	ENGINE FUELS AND ADDITIVES - REQUIREMENTS AND APPROVED LISTING			RECOMMENDED			-			
MOC :										
SB JT15D-72-7244 R05 E1	LOW TURBINE DISK AND TURBINE SHAFT ASSEMBLY - IMPROVED DURABILITY			CATEGORY 5			-			
MOC :										
SB JT15D-72-7244 R05 E2	LOW TURBINE DISK AND TURBINE SHAFT ASSEMBLY - IMPROVED DURABILITY			CATEGORY 5			-			
MOC :										
SB JT15D-72-7288 R04 E1	REPLACEMENT OF OVERSPEED CONTROL WIRE ROPE			CATEGORY 5			-			
MOC :										
SB JT15D-72-7288 R04 E2	REPLACEMENT OF OVERSPEED CONTROL WIRE ROPE			CATEGORY 5			-			
MOC :										
SB JT15D-72-7292 R01 E1	INTRODUCTION OF IMPROVED FUEL MANIFOLD TRANSFER TUBE LOCKING BRACKETS			CATEGORY 4			-			
MOC :										
SB JT15D-72-7292 R01 E2	INTRODUCTION OF IMPROVED FUEL MANIFOLD TRANSFER TUBE LOCKING BRACKETS			CATEGORY 4			-			
MOC :										
SB JT15D-72-7364 R03 E1	CONVERSION OF JT15D-4 ENGINE TO JT15D-4B CONFIGURATION			CATEGORY 8			-			
MOC :										
SB JT15D-72-7364 R03 E2	CONVERSION OF JT15D-4 ENGINE TO JT15D-4B CONFIGURATION			CATEGORY 8			-			
MOC :										
SB JT15D-72-7459 R01 E1	REPLACEMENT OF IGNITER (SUPERSEDED BY SB 72-7459 R02)			CATEGORY 8			A/R			
MOC :										
SB JT15D-72-7459 R01 E2	REPLACEMENT OF IGNITER (SUPERSEDED BY SB 72-7459 R02)			CATEGORY 8			A/R			
MOC :										
SB JT15D-72-7459 R02 E1	REPLACEMENT OF IGNITER			CATEGORY 8			-			
MOC :										
SB JT15D-72-7459 R02 E2	REPLACEMENT OF IGNITER			CATEGORY 8			-			
MOC :										
SB JT15D-72-7513 R04 E1	REPLACEMENT OF HIGH AND LOW PRESSURE TURBINE NUTS	UNK		CATEGORY 5	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB JT15D-72-7513 R04 E2	REPLACEMENT OF HIGH AND LOW PRESSURE TURBINE NUTS	UNK		CATEGORY 5	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7522 R06 E1	MODIFICATION OF GAS GENERATOR CASE (SUPERSEDED BY SB 72-7522 R07)			CATEGORY 5			-			
MOC :										
SB JT15D-72-7522 R06 E2	MODIFICATION OF GAS GENERATOR CASE (SUPERSEDED BY SB 72-7522 R07)			CATEGORY 5			-			
MOC :										
SB JT15D-72-7522 R07 E1	MODIFICATION OF GAS GENERATOR CASE			CATEGORY 5			-			
MOC :										
SB JT15D-72-7522 R07 E2	MODIFICATION OF GAS GENERATOR CASE			CATEGORY 5			-			
MOC :										
SB JT15D-72-7588 R02 E1	REPLACEMENT/MODIFICATION OF ACCESSORY GEARBOX INPUT DRIVE GEAR			CATEGORY 8			-			
MOC :										
SB JT15D-72-7588 R02 E2	REPLACEMENT/MODIFICATION OF ACCESSORY GEARBOX INPUT DRIVE GEAR			CATEGORY 8			-			
MOC :										
SB JT15D-72-7589 R01 E1	HIGH TURBINE DISC BALANCING ASSEMBLY - REPLACEMENT OF	UNK		CATEGORY 8	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7589 R01 E2	HIGH TURBINE DISC BALANCING ASSEMBLY - REPLACEMENT OF			CATEGORY 8			-			
MOC :										
SB JT15D-72-7607 E1	INSPECTION OF FUEL CONTROL RATIO LEVER	UNK		CATEGORY 3	MTH 04-Jun-2013 HRS 10511.8 LDG 11435		-			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7607 E2	INSPECTION OF FUEL CONTROL RATIO LEVER	UNK		CATEGORY 3	MTH 11-Feb-2013 HRS 10512.1 LDG 11436		-			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7618 R01 E1	REPLACEMENT/MODIFICATION OF NO.4 BEARING SLEEVE, HOUSING ASSEMBLY AND ROTOR AIR SEAL (SUPERSEDED BY SB 72-7618 R02)	UNK		CATEGORY 6	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7618 R02 E1	REPLACEMENT / MODIFICATION OF NO. 4 BEARING SLEEVE, HOUSING ASSEMBLY AND ROTOR AIR SEAL			CATEGORY 6			-			
MOC :										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB JT15D-72-7618 R02 E2	REPLACEMENT / MODIFICATION OF NO. 4 BEARING SLEEVE, HOUSING ASSEMBLY AND ROTOR AIR SEAL			CATEGORY 6			-			
MOC :										
SB JT15D-72-7618 R03 E1	REPLACEMENT/MODIFICATION OF NO. 4 BEARING SLEEVE, HOUSING ASSEMBLY AND ROTOR AIR SEAL			CATEGORY 6			-			
MOC :										
SB JT15D-72-7618 R03 E2	REPLACEMENT/MODIFICATION OF NO. 4 BEARING SLEEVE, HOUSING ASSEMBLY AND ROTOR AIR SEAL			CATEGORY 6			-			
MOC :										
SB JT15D-72-7621 R01 E1	REPLACEMENT OF OIL FILTER ELEMENT			CATEGORY 7			-			
MOC :										
SB JT15D-72-7621 R01 E2	REPLACEMENT OF OIL FILTER ELEMENT			CATEGORY 7			-			
MOC :										
SB JT15D-72-7625 R01 E1	REPLACEMENT OF GASKET UNK			CATEGORY 6	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		A/R			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7625 R01 E2	REPLACEMENT OF GASKET UNK			CATEGORY 6	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		A/R			Complete
MOC : COMPLIED WITH										
SB JT15D-72-7627 E1	LOW PRESSURE TURBINE INTERSTAGE ROTOR AIR SEAL AND ROTOR AIR SEAL -REPLACEMENT OF			CATEGORY 6			-			
MOC :										
SB JT15D-72-7627 E2	LOW PRESSURE TURBINE INTERSTAGE ROTOR AIR SEAL AND ROTOR AIR SEAL -REPLACEMENT OF			CATEGORY 6			-			
MOC :										
SB JT15D-72-7633 E1	ALTERNATE SOURCE RETAINING RING			CATEGORY 7			-			
MOC :										
SB JT15D-72-7633 E2	ALTERNATE SOURCE RETAINING RING			CATEGORY 7			-			
MOC :										
SB JT15D-72-7634 E1	REPLACEMENT OF SHIPPING CAPS FOR SHIPPING CONTAINERS			CATEGORY 3			-			
MOC :										
SB JT15D-72-7634 E2	REPLACEMENT OF SHIPPING CAPS FOR SHIPPING CONTAINERS			CATEGORY 3			-			
MOC :										
SB JT15D-72-7636 E1	REPLACEMENT OF CADMIUM PLATED BOLTS			CATEGORY 7			-			
MOC :										
SB JT15D-72-7636 E2	REPLACEMENT OF CADMIUM PLATED BOLTS			CATEGORY 7			-			
MOC :										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SB JT15D-72-7639 R02 E1	REPLACEMENT OF PACKING TRANSFER TUBE / OIL FILLER BALL VALVE ASSEMBLY	KMEV		CATEGORY 3	MTH 07-Sep-2018 HRS 12441.3 LDG 13379		-			
MOC : DECLINED										
SB JT15D-72-7639 R02 E2	REPLACEMENT OF PACKING TRANSFER TUBE / OIL FILLER BALL VALVE ASSEMBLY	KMEV		CATEGORY 3	MTH 07-Sep-2018 HRS 12441.3 LDG 13379		-			
MOC : DECLINED										
SB JT15D-72-7639 R03 E1	REPLACEMENT OF PACKING TRANSFER TUBE / OIL FILLER BALL VALVE ASSEMBLY			CATEGORY 7			-			
MOC :										
SB JT15D-72-7639 R03 E2	REPLACEMENT OF PACKING TRANSFER TUBE / OIL FILLER BALL VALVE ASSEMBLY			CATEGORY 7			-			
MOC :										
SB JT15D-72-7640 E1	REPLACEMENT OF SHIPPING PLUG			CATEGORY 7			-			
MOC :										
SB JT15D-72-7640 E2	REPLACEMENT OF SHIPPING PLUG			CATEGORY 7			-			
MOC :										
SB JT15D-72-7642 R01 E1	TRANSFER OF MANUFACTURING RIGHTS FOR VARIOUS PARTS			CATEGORY 10			-			
MOC :										
SB JT15D-72-7642 R01 E2	TRANSFER OF MANUFACTURING RIGHTS FOR VARIOUS PARTS			CATEGORY 10			-			
MOC :										
SB JT15D-72-7642 E1	TRANSFER OF MANUFACTURING RIGHTS FOR VARIOUS PARTS			CATEGORY 9			-			
MOC :										
SB JT15D-72-7642 E2	TRANSFER OF MANUFACTURING RIGHTS FOR VARIOUS PARTS			CATEGORY 9			-			
MOC :										
SB JT15D-72-7643 E1	REPLACEMENT OF SHIPPING CONTAINER			CATEGORY 7			-			
MOC :										
SB JT15D-72-7643 E2	REPLACEMENT OF SHIPPING CONTAINER			CATEGORY 7			-			
MOC :										
SB JT15D-72-7644 E1	REPLACEMENT OF T1 THERMOCOUPLE HARNESS			CATEGORY 7			-			
MOC :										
SB JT15D-72-7644 E2	REPLACEMENT OF T1 THERMOCOUPLE HARNESS			CATEGORY 7			-			
MOC :										
ASB 550-73-03 R01 73SBA03 : 550R1	ENGINE FUEL AND CONTROL - 9912031-6 FUEL FLOW TRANSMITTER INSPECTION	004		MANDATORY	MTH 29-May-1990 HRS 1076		-			Complete
MOC : COMPLIED WITH										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
ASB 550-73-03 R03 73SBA03 : 550R3	ENGINE FUEL AND CONTROL - 9912031-6 FUEL FLOW TRANSMITTER INSPECTION	SMF	MANDATORY	MTH 14-Jan-1991 HRS 1384		A/R			Complete
MOC : COMPLIED WITH									
ASB 550-73-03 73SBA03	ENGINE FUEL AND CONTROL - 9912031-6 FUEL FLOW TRANSMITTER INSPECTION	004	MANDATORY	MTH 22-Nov-1989 HRS 775		-			Complete
MOC : COMPLIED WITH									
SB 550-73-04 R01 73SB-04 : 550R1	ENGINE FUEL AND CONTROL - 9912031-6 FUEL FLOW TRANSMITTER THREAD INSPECTION	SMF	MANDATORY	MTH 14-Jan-1991 HRS 1384		N/R			Complete
MOC : COMPLIED WITH									
SB 550-73-04 73SB-04	ENGINE FUEL AND CONTROL - 9912031-6 FUEL FLOW TRANSMITTER THREAD INSPECTION	004	MANDATORY	MTH 29-May-1990 HRS 1076		-			Complete
MOC : COMPLIED WITH									
SL CIL-74-01 R01	INSPECTION OF IGNITION CABLE AND THROTTLE LINKAGE	SMF	MANDATORY	DAYS 21-Jun-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH - COMPLIED WITH CIL-74-01 R1, BY INSPECTING THE L/H & R/H ENGINE IGNITION LEAD ELBOW FOR PROPER CLOCKING AND MAKING CORRECTIONS AS NECESSARY PER ACCOMPLISHMENT INSTRUCTIONS.									
SL CIL-74-01	INSPECTION OF IGNITION CABLE AND THROTTLE LINKAGE		MANDATORY	DAYS		-			
MOC :									
SL 550-74-03 74SL-03	IGNITION - TRANSMITTAL OF PRAT & WHITNEY CANADA SERVICE BULLETIN 7567R1 TURBOFAN ENGINE IGNITER BOX GROUNDING STRAP - INTRODUCTION OF	SMF	RECOMMENDED	MTH 11-Mar-2001 HRS 5847		A/R			Complete
MOC : COMPLIED WITH									
ASB JT15D-72- A7614 E2	INSPECTION OF IGNITERS	UNK	CATEGORY 3	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH									
SB 550-77-05 R01 77SB-05 : 550R1	ENGINE INDICATING - INTER TURBINE TEMPERATURE (ITT) INDICATOR REPLACEMENT		RECOMMENDED	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		300			N/A
MOC : NOT APPLICABLE - OWNER WISHES NOT TO COMPLY WITH AT THIS TIME.									
SB 550-78-01 78SB-1	EXHAUST - THRUST REVERSER INSTALLATION		OPTIONAL	MTH 13-Aug-1987 HRS 7		-			Complete
MOC : COMPLIED WITH									
SB 550-78-03 78SB-03	EXHAUST - THRUST REVERSER THROTTLE LOAD LIMITER MODIFICATION	SMF	RECOMMENDED	MTH 01-Nov-1991 HRS 1796		-			Complete
MOC : COMPLIED WITH									
SB 550-78-04 78SB-04	EXHAUST - THRUST REVERSER THROTTLE STOP SOLENOID GROUND IMPROVEMENT		OPTIONAL	MTH		OPEN OPEN			
MOC :									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Service Bulletins

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
SL 550-78-05 78SL-05	EXHAUST - THRUST REVERSER OPERATIONAL TEST	SMF		MTH RECOMMENDED	18-Sep-1990 1233		-			Complete
MOC : COMPLIED WITH										
SL 550-78-08 NO. 1 78SL-08	EXHAUST - THRUST REVERSER STANG FAIRING SUPPORT FORMER REPLACEMENT (ROHR INC. SERVICE BULLETIN NO. CIT II/78-11)	SMF		MTH RECOMMENDED	01-Sep-1995 3565		-			Complete
MOC : COMPLIED WITH										
SL 550-78-08 NO. 2 78SL-08	EXHAUST - THRUST REVERSER STANG FAIRING SUPPORT FORMER REPLACEMENT (ROHR INC. SERVICE BULLETIN NO. CIT II/78-11)	SMF		MTH RECOMMENDED	01-Sep-1995 3565		-			Complete
MOC : COMPLIED WITH										
SB SL550-78-3 R 78SL-3 : 550-R	T/R INBD STANG MOD			MTH			O/C			
MOC : - OPERATOR DOES NOT WISH TO COMPLY AT THIS TIME										
SL 550-79-03 79SL-03	POWER PLANT - NEW OIL FILLER NECK ASSEMBLY	004		MTH RECOMMENDED	19-Mar-1990 942		-			Complete
MOC : COMPLIED WITH										
SB 550-80-04 80SB-04	STARTING - REPLACEMENT OF SUPPRESSION DIODE WITH TRANSZORB	SMF		MTH OPTIONAL	30-Jul-2001 5995		-			Complete
MOC : COMPLIED WITH										
SL CIL-99-01 R03	MISCELLANEOUS - USE OF CORROSION INHIBITING COMPOUNDS			CANCELLED			-			
MOC :										
SL CIL-99-02 R01	MISCELLANEOUS - AVOID OPERATIONS ON RUNWAYS TREATED WITH RUNWAY DE-ICE (RDI) FLUIDS. AIRCRAFT WASHING RECOMMENDED AFTER EXPOSURE TO RDI FLUIDS			CANCELLED			-			
MOC :										
SL CIL-99-03 R02	MISCELLANEOUS - CORROSION PREVENTION AND CONTROL PROGRAM (CPCP)			CANCELLED			-			
MOC :										
SL CIL-99-04 R01	MISCELLANEOUS - INCREMENTAL LIBRARY UPDATES FOR CESVIEW			CANCELLED			-			
MOC :										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 2006-16-18 PARA(F) 34AD-34	INSTALL SANDEL AVIONICS INCORPORATED MODEL ST3400 TERRAIN AWARENESS WARNING SYSTEM/RADIO MAGNETIC INDICATOR(TAWS/RMI) PLACARD	SMF	MANDATORY MTH HRS	20-Dec-2006 8307		A/R			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2006-16-18 PARA(G) 34AD-34	REVISE SANDEL AVIONICS INCORPORATED MODEL ST3400 TERRAIN AWARENESS WARNING SYSTEM/RADIO MAGNETIC INDICATOR(TAWS/RMI) AIRPLANE FLIGHT MANUAL (AFM)	SMF	MANDATORY MTH HRS	20-Dec-2006 8307		A/R			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2006-19-04 PARA(F) 34AD-35	REVISE HONEYWELL RCZ-833J/K, -851J/K AND 854J COMMUNICATION (COM) UNITS, EQUIPPED WITH XS-852E/F MODE S TRANSPONDERS; AND HONEYWELL XS-856A/B AND -857A MODE S TRANSPONDERS AIRPLANE FLIGHT MANUAL (AFM)	SMF	MANDATORY MTH HRS	20-Dec-2006 8307		A/R			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 1990-07-10 21AD-01	KEITH AIR COND INSP		MANDATORY MTH HRS	15-May-1990 1056		A/R			Complete
MOC : COMPLIED WITH									
FAA 1995-25-10 21AD-02	INSPECT OUTFLOW/SAFETY VALVE	SMF	MANDATORY MTH HRS	20-Feb-1996 3752		-			Complete
MOC : COMPLIED WITH									
FAA 2013-09-11 PARA (G)	AIR CONDITIONING - REPLACEMENT OF THE BRUSHES ON A/C COMPRESSOR MOTORS, PART NOS. 1134104-1/1134104-5, OR DEACTIVATION OF THE A/C SYSTEM INSPECTION FOR PART NUMBER (P/N)	SMF	MANDATORY DAYS HRS LDG	21-Jun-2013 10513.5 11434		-			N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2013-09-11 DATED JULY 5, 2013, BY INSPECTION AND FOUND NOT APPLICABLE BY PART NUMBER COMPRESSOR MOTOR INSTALLED PER PARAGRAPH (G) OF THIS AD. NO FURTHER ACTIONREQUIRED.									
FAA 2013-09-11 PARA (H)	AIR CONDITIONING - REPLACEMENT OF THE BRUSHES ON A/C COMPRESSOR MOTORS, PART NOS. 1134104-1/1134104-5, OR DEACTIVATION OF THE A/C SYSTEM INSPECTION A/C COMPRESSOR HOUR METER AND MAINTENANCE RECORDS	SMF	MANDATORY DAYS HRS LDG	21-Jun-2013 10513.5 11434		-			N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2013-09-11 DATED JULY 5, 2013, BY INSPECTION AND FOUND NOT APPLICABLE BY PART NUMBER COMPRESSOR MOTOR INSTALLED PER PARAGRAPH (G) OF THIS AD. NO FURTHER ACTIONREQUIRED.									
FAA 2013-09-11 PARA (I) & (J)	AIR CONDITIONING - REPLACEMENT OF THE BRUSHES ON A/C COMPRESSOR MOTORS, PART NOS. 1134104-1/1134104-5, OR DEACTIVATION OF THE A/C SYSTEM REPLACEMENT OF A/C COMPRESSOR MOTOR BRUSHES AND RELATED MAINTENANCE MANUAL INFORMATION	SMF	MANDATORY MTH HRS LDG	21-Jun-2013 10513.5 11434		-			N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2013-09-11 DATED JULY 5, 2013, BY INSPECTION AND FOUND NOT APPLICABLE BY PART NUMBER COMPRESSOR MOTOR INSTALLED PER PARAGRAPH (G) OF THIS AD. NO FURTHER ACTIONREQUIRED.									
FAA 2013-09-11 PARA (K)	AIR CONDITIONING - REPLACEMENT OF THE BRUSHES ON A/C COMPRESSOR MOTORS, PART NOS. 1134104-1/1134104-5, OR DEACTIVATION OF THE A/C SYSTEM DEACTIVATION OF A/C SYSTEM	SMF	MANDATORY MTH HRS LDG	21-Jun-2013 10513.5 11434		A/R			N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2013-09-11 DATED JULY 5, 2013, BY INSPECTION AND FOUND NOT APPLICABLE BY PART NUMBER COMPRESSOR MOTOR INSTALLED PER PARAGRAPH (G) OF THIS AD. NO FURTHER ACTIONREQUIRED.									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 2013-09-11 PARA (L)	AIR CONDITIONING - REPLACEMENT OF THE BRUSHES ON A/C COMPRESSOR MOTORS, PART NOS. 1134104-1/1134104-5, OR DEACTIVATION OF THE A/C SYSTEM REACTIVATION OF A/C SYSTEM	SMF	MANDATORY	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		A/R			N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2013-09-11 DATED JULY 5, 2013, BY INSPECTION AND FOUND NOT APPLICABLE BY PART NUMBER COMPRESSOR MOTOR INSTALLED PER PARAGRAPH (G) OF THIS AD. NO FURTHER ACTIONREQUIRED.									
FAA 2013-09-11 PARA (M)	AIR CONDITIONING - REPLACEMENT OF THE BRUSHES ON A/C COMPRESSOR MOTORS, PART NOS. 1134104-1/1134104-5, OR DEACTIVATION OF THE A/C SYSTEM PARTS RETURN AND REPORTING REQUIREMENTS	SMF	MANDATORY	DAYS 21-Jun-2013 HRS 10513.5 LDG 11434		-			N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2013-09-11 DATED JULY 5, 2013, BY INSPECTION AND FOUND NOT APPLICABLE BY PART NUMBER COMPRESSOR MOTOR INSTALLED PER PARAGRAPH (G) OF THIS AD. NO FURTHER ACTIONREQUIRED.									
FAA 2013-09-11	AIR CONDITIONING - REPLACEMENT OF THE BRUSHES ON A/C COMPRESSOR MOTORS, PART NOS. 1134104-1/1134104-5, OR DEACTIVATION OF THE A/C SYSTEM	SMF	MANDATORY	MTH 21-Jun-2013 HRS 10513.5 LDG 11434		-			N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2013-09-11 DATED JULY 5, 2013, BY INSPECTION AND FOUND NOT APPLICABLE BY PART NUMBER COMPRESSOR MOTOR INSTALLED PER PARAGRAPH (G) OF THIS AD. NO FURTHER ACTIONREQUIRED.									
FAA 2015-17-12 PARA (G)	INSPECT THE A/C COMPRESSOR MOTOR TO DETERMINE WHETHER P/N FWA1134104-1 OR P/N FWA1134104-5 IS INSTALLED	SMF	MANDATORY	DAYS 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-17-12, DATED SEPTEMBER 29, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-17-12, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTIONREQUIRED AT THIS TIME.									
FAA 2015-17-12 PARA (H)	DETERMINE THE HOUR READING ON THE A/C COMPRESSOR HOUR METER (IF, DURING THE INSPECTION REQUIRED BY PARA (G) OF THIS AD, ANY A/C COMPRESSOR MOTOR HAVING P/N FWA1134104-1 OR P/N FWA1134104-5 IS FOUND)	SMF	MANDATORY	DAYS 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-17-12, DATED SEPTEMBER 29, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-17-12, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTIONREQUIRED AT THIS TIME.									
FAA 2015-17-12 PARA (I)	REPLACE THE A/C COMPRESSOR MOTOR BRUSHES WITH NEW BRUSHES (USING THE HOUR READING ON THE A/C COMPRESSOR HOUR METER DETERMINED IN PARA (H) OF THIS AD)	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-17-12, DATED SEPTEMBER 29, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-17-12, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTIONREQUIRED AT THIS TIME.									
FAA 2015-17-12 PARA (K)	DEACTIVATE THE A/C SYSTEM (IN LIEU OF REPLACING THE A/C COMPRESSOR MOTOR BRUSHES AS REQUIRED BY THIS AD)	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-17-12, DATED SEPTEMBER 29, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-17-12, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTIONREQUIRED AT THIS TIME.									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 2015-17-12 PARA (L)	IF THE A/C SYSTEM IS DEACTIVATED, AS SPECIFIED IN PARA (K), PRIOR TO THE A/C SYSTEM BEING REACTIVATED: PERFORM THE INSPECTION SPECIFIED IN PARA (H), AND DO THE REPLACEMENTS SPECIFIED IN PARA (I), AT THE TIMES SPECIFIED IN PARA (I). RETURN THE A/C SYSTEM TO SERVICE	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-17-12, DATED SEPTEMBER 29, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-17-12, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 2015-17-12 PARA (M)	SEND THE REMOVED BRUSHES TO CESSNA AIRCRAFT COMPANY	SMF	MANDATORY	DAYS 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-17-12, DATED SEPTEMBER 29, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-17-12, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 2015-17-12	AIR CONDITIONING - INSPECTIONS TO DETERMINE IF CERTAIN A/C COMPRESSOR MOTORS ARE INSTALLED AND TO DETERMINE THE ACCUMULATED HOURS ON CERTAIN A/C COMPRESSOR MOTOR ASSEMBLIES; AND REPETITIVE REPLACEMENT OF THE BRUSHES IN THE A/C COMPRESSOR MOTOR ASSEMBLY, OR, AS AN OPTION TO THE BRUSH REPLACEMENT, DEACTIVATION OF THE A/C SYSTEM AND PLACARD INSTALLATION; AND RETURN OF REPLACED BRUSHES TO CESSNA	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-17-12, DATED SEPTEMBER 29, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-17-12, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 1989-06-01 25AD-02	APPLIANCE AD - TO PREVENT THE IMPROPER FUNCTIONING OF THE CO2 INFLATORS ON TSO-C13 LIFE PRESERVERS AND TSO-C72 INDIVIDUAL FLOTATION DEVICES	004	MANDATORY	MTH 13-Sep-1989 HRS 671		-			Complete
MOC : COMPLIED WITH									
FAA 1998-25-10 25AD-11	APPLIANCE AD - AIRCRAFT BELTS, INC.	SMF	SCRAP	MTH 22-Apr-1999 HRS 5103		-			Complete
MOC : COMPLIED WITH									
FAA 2015-10-02 PARA (G)	GENERAL VISUAL INSPECTION FOR CRACKING OF SEAT BACKREST LINKS HAVING PART NUMBER (P/N) 90-000200-104-1, P/N 90-000200-104-2, P/N 90-000202-104-1 AND P/N 90-000202-104-2	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-10-02, DATED JUNE 12, 2015, IS NOT APPLICABLE PER PARAGRAPH (C) OF AD 2015-10-02, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 2015-10-02 PARA (H)	CORRECTIVE ACTIONS - CRACKING IS FOUND ON THE LINK	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-10-02, DATED JUNE 12, 2015, IS NOT APPLICABLE PER PARAGRAPH (C) OF AD 2015-10-02, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 2015-10-02 PARA (I)	REPLACE ALL SEAT BACKREST LINKS, HAVING P/N 90-000200-104-1, P/N 90-000200-104-2, P/N 90-000202-104-1 AND P/N 90-000202-104-2, WITH NEW LINKS	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-10-02, DATED JUNE 12, 2015, IS NOT APPLICABLE PER PARAGRAPH (C) OF AD 2015-10-02, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 2015-10-02	APPLIANCE AD - EQUIPMENT/FURNISHINGS - ZODIAC SEATS FRANCE - INSPECTION/REPLACEMENT	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-10-02, DATED JUNE 12, 2015, IS NOT APPLICABLE PER PARAGRAPH (C) OF AD 2015-10-02, DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 2017-16-01 PARA (G)	PERFORM GENERAL VISUAL INSPECTIONS OF THE ELT FOR DISCREPANCIES; CHECKS, TESTS AND VERIFICATIONS AS APPLICABLE, TO ENSURE THE ELT IS FUNCTIONING, AND ALL APPLICABLE CORRECTIVE ACTIONS	KMEV		MTH 05-Jun-2018 HRS 12397.1 LDG 13330		-			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2017-16-01 PARA (J)	OPTIONAL TERMINATING ACTION: REPLACE ELT WITH A SERVICEABLE FAA-APPROVED ELT	KMEV	MANDATORY	MTH 05-Jun-2018 HRS 12397.1 LDG 13330		-			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2017-16-01	APPLIANCE AD - EQUIPMENT / FURNISHINGS - AMERI-KING CORPORATION MODEL AK-450() AND AK-451() SERIES EMERGENCY LOCATOR TRANSMITTERS - REPETATIVE INSPECTIONS, CHECKS, TESTS AND VERIFICATIONS	KMEV	MANDATORY	MTH 05-Jun-2018 HRS 12397.1 LDG 13330		-			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2001-22-14 26AD-03	APPLIANCE AD - REPLACE OAS FIREX CARTRIDGES	SMF	MANDATORY	MTH 09-Dec-2001 HRS 6150		-			Complete
MOC : COMPLIED WITH									
FAA 2006-04-10 26AD-05	THIS AD REQUIRES INSTALLING IDENTIFICATION SLEEVES ON THE WIRES FOR THE POSITIVE AND NEGATIVE STUDS OF THE ENGINE AND/ OR (APU) FIRE EXTINGUISHING BOTTLES, AS APPLICABLE, AND RECONNECTING THE WIRES TO THE CORRECT TERMINAL STUDS.	SMF	MANDATORY	MTH 19-Aug-2007 HRS 8608		-			Complete
MOC : COMPLIED WITH									
FAA 2007-11-17 26AD-06	IDENTIFY WIRES FOR ENGINE/APU FIRE EXTINGUISHING BOTTLES	SMF	MANDATORY	MTH 19-Aug-2007 HRS 8608			A/R		Complete
MOC : COMPLIED WITH									
FAA 2010-04-16 PARA (G) 26AD-13	REPLACE TYPE H1-10 AIR HALON 1211 (BCF) PORTABLE FIRE EXTINGUISHERS MANUFACTURED BY SICLI WITH SERVICEABLE UNIT	SMF	MANDATORY	DAYS 16-Sep-2010 HRS 9632.5 LDG 10515			A/R		N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2010-04-16 PARAGRAPH (C) DATED MARCH 8, 2010, FOUND THE ABOVE AD DOES NOT APPLY TO THIS AIRCRAFT DUE TO PART NUMBER EXTINGUISHERS INSTALLED. NO FURTHER ACTION REQUIRED.									
FAA 2010-04-16	APPLIANCE AD - TYPE H1-10 AIR HALON 1211 (BCF) PORTABLE FIRE EXTINGUISHERS MANUFACTURED BY SICLI		MANDATORY	DAYS 16-Sep-2010 HRS 9632.5 LDG 10515			A/R		N/A
MOC : NOT APPLICABLE - COMPLIED WITH AD 2010-04-16 PARAGRAPH (C) DATED MARCH 8, 2010, FOUND THE ABOVE AD DOES NOT APPLY TO THIS AIRCRAFT DUE TO PART NUMBER EXTINGUISHERS INSTALLED. NO FURTHER ACTION REQUIRED.									
FAA 2006-06-03 28AD-02	PREVENT FUEL VAPOR IGNITION	SMF	MANDATORY	MTH 26-Jun-2006 HRS 8137			A/R		Complete
MOC : COMPLIED WITH									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 2004-09-05 <i>32AD-01</i>	PREVENT JAMMING OF THE WHEEL/TIRE ASSEMBLY	SMF	MANDATORY	MTH 12-Nov-2004 HRS 7406 LDG 8251		-			Complete
MOC : COMPLIED WITH									
FAA 1990-07-08 <i>33AD-02</i>	APPLIANCE AD - S.E.L.A. LITE CONNECTION	SMF	MANDATORY	MTH 18-Sep-1990 HRS 1233		A/R			Complete
MOC : COMPLIED WITH									
FAA 1990-14-06 <i>33AD-03</i>	APPLIANCE AD - ALC CORP LITE CONNECTION	SMF	MANDATORY	MTH 18-Sep-1990 HRS 1233		A/R			Complete
MOC : COMPLIED WITH									
FAA 1995-22-01 <i>33AD-04</i>	APPLIANCE AD - CHECK FLOURESCENT LIGHT SYSTEM	SMF	MANDATORY	MTH 20-Feb-1996 HRS 3752		-			Complete
MOC : COMPLIED WITH									
FAA 1990-03-02 <i>34AD-08</i>	APPLIANCE AD - VG14A VERTICAL GYRO	004	MANDATORY	MTH 19-Mar-1990 HRS 942		A/R			Complete
MOC : COMPLIED WITH									
FAA 1990-06-13 <i>34AD-09</i>	APPLIANCE AD - SP CK/MOD VERTICAL GYROS	004	MANDATORY	MTH 30-Apr-1990 HRS 1036		-			Complete
MOC : COMPLIED WITH									
FAA 1994-01-04 <i>34AD-17</i>	APPLIANCE AD - MOD HONEYWELL TCAS IISP C	SMF	MANDATORY	MTH 20-May-1994 HRS 3003		-			Complete
MOC : COMPLIED WITH									
FAA 1997-05-03 <i>34AD-21</i>	APPLIANCE AD - TO PREVENT FLIGHT COURSE DEVIATIONS BECAUSE OF ERRONEOUS INFORMATION PROVIDED BY THE GPS	SMF	SCRAP	MTH 29-Jun-1997 HRS 4338		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED									
FAA 1998-25-02 <i>34AD-23</i>	APPLIANCE AD - BFGOODRICH SKYWATCH SKY497	SMF	MANDATORY	MTH 22-Apr-1999 HRS 5103		A/R			Complete
MOC : COMPLIED WITH									
FAA 2001-23-17 <i>34AD-26</i>	APPLIANCE AD - MODIFY GARMIN GNS 430	SMF	MANDATORY	MTH 21-Apr-2002 HRS 6303		-			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED									
FAA 2003-13-08 <i>34AD-28</i>	APPLIANCE AD - TAWS 8000 TERRAIN AWARENESS	SMF	MANDATORY	MTH 11-Aug-2003 HRS 6898		A/R			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED									
FAA 2004-08-15 <i>34AD-29</i>	APPLIANCE AD - TAWS 8000 TERRAIN AWARENESS	SMF	MANDATORY	MTH 12-Nov-2004 HRS 7406		A/R			Complete
MOC : COMPLIED WITH - NOT APPLICABLE-EQUIPMENT NOT INSTALLED									
FAA 2006-16-18 <i>34AD-34</i>	APPLIANCE AD - SANDEL AVIONICS INCORPORATED MODEL ST3400 TERRAIN AWARENESS WARNING SYSTEM/RADIO MAGNETIC INDICATOR (TAWS/RMI)	SMF	MANDATORY	MTH 20-Dec-2006 HRS 8307		A/R			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 2006-19-04 <i>34AD-35</i>	APPLIANCE AD - HONEYWELL RCZ-833J/K, -851J/K AND 854J COMMUNICATION (COM) UNITS, EQUIPPED WITH XS-852E/F MODE S TRANSPONDERS; AND HONEYWELL XS-856A/B AND -857A MODE S TRANSPONDERS	SMF	MANDATORY	MTH 20-Dec-2006 HRS 8307		A/R			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2014-18-01	APPLIANCE AD - NAVIGATION - ROCKWELL COLLINS, INC. MODE S TRANSPONDERS - INSPECTION / MODIFICATION		MANDATORY	MTH		-			
MOC :									
FAA 2015-10-51-E	APPLIANCE/EMERGENCY AD - AVIDYNE INTEGRATED FLIGHT DISPLAY (IFD)- INCORPORATE OPERATIONAL LIMITATIONS INTO LIMITATIONS SECTION OF THE AFM OR AFMS.	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-10-51, DATED JULY 1, 2015, IS NOT APPLICABLE PER PARAGRAPH (C) OF AD 2015-10-51 DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 2015-10-51	AVIDYNE INTEGRATED FLIGHT DISPLAY (IFD)- INCORPORATE OPERATIONAL LIMITATIONS INTO LIMITATIONS SECTION OF THE AFM OR AFMS	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-10-51, DATED JULY 1, 2015, IS NOT APPLICABLE PER PARAGRAPH (C) OF AD 2015-10-51 DUE TO AFFECTED EQUIPMENT NOT INSTALLED. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 1994-19-06 <i>35AD-04</i>	APPLIANCE AD - MOD P/BENNETT O2 MASKS	SMF	MANDATORY	MTH 24-Jan-1995 HRS 3297		-			Complete
MOC : COMPLIED WITH									
FAA 1998-04-38 <i>30AD-01</i>	SEVERE ICING WARNING	SMF	MANDATORY	MTH 22-Mar-1998 HRS 4648		-			Complete
MOC : COMPLIED WITH									
FAA 1999-08-21 <i>35AD-07</i>	APPLIANCE AD - INSPECT THE PASSENGER AND PORTABLE OXYGEN MASKS FOR TEARS	SMF	MANDATORY	MTH 21-Aug-1999 HRS 5247		-			Complete
MOC : COMPLIED WITH									
FAA 2015-08-07 PARA (G)	INSPECT THE INFLATABLE HARNESS FITTED TO EACH FLIGHTCREW OXYGEN MASK REGULATOR TO DETERMINE IF THE INFLATABLE HARNESS IS INSTALLED WITH A PART NUMBER AND A BATCH NUMBER IDENTIFIED IN APPENDIX I OF ZODIAC AEROSPACE SERVICE BULLETIN MXH-35-240, REVISION 7, DATED SEPTEMBER 1, 2011	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-08-07, DATED JUNE 16, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-08-07 AND ZODIAC AEROSPACE SERVICE BULLETIN MXH-35-240 REVISION 07, DATED 20110901, DUE TO DATES OF OVERHAUL OF PILOT AND COPILOT OXYGEN MASKS. NO FURTHER ACTION REQUIRED AT THIS TIME.									
FAA 2015-08-07 PARA (H)	REPLACE THE INFLATABLE HARNESS IDENTIFIED IN PAPERGRAPH G WITH A NEW OR RE-IDENTIFIED HARNESSES	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-08-07, DATED JUNE 16, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-08-07 AND ZODIAC AEROSPACE SERVICE BULLETIN MXH-35-240 REVISION 07, DATED 20110901, DUE TO DATES OF OVERHAUL OF PILOT AND COPILOT OXYGEN MASKS. NO FURTHER ACTION REQUIRED AT THIS TIME.									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 2015-08-07	APPLIANCE AD - OXYGEN - ZODIAC AEROTECHNICS (FORMERLY INTERTECHNIQUE AIRCRAFT SYSTEMS) FLIGHTCREW OXYGEN MASK REGULATORS - INSPECTION / REPLACEMENT OF INFLATABLE HARNESSSES	SMF	MANDATORY	MTH 19-Oct-2015 HRS 11348.9 LDG 12252		-			N/A
<p>MOC : NOT APPLICABLE - AIRWORTHINESS DIRECTIVE FAA 2015-08-07, DATED JUNE 16, 2015, IS NOT APPLICABLE PER PARAGRAPH (G) OF AD 2015-08-07 AND ZODIAC AEROSPACE SERVICE BULLETIN MXH-35-240 REVISION 07, DATED 20110901, DUE TO DATES OF OVERHAUL OF PILOT AND COPILOT OXYGEN MASKS. NO FURTHER ACTION REQUIRED AT THIS TIME.</p>									
FAA 2015-23-09 PARA (G)	INSPECT EACH FLIGHTCREW OXYGEN MASK REGULATOR TO IDENTIFY THE PART NUMBER AND SERIAL NUMBER	SMF	MANDATORY	MTH 22-Jan-2016 DAYS 11427.7 HRS 12338 LDG		-			N/A
<p>MOC : NOT APPLICABLE - COMPLIED WITH SERVICE LETTER CIL-35-05 IN CONJUNCTION WITH AD2015-23-09 DATED 12/28/15 BY INSPECTION OF BOTH CREW OXYGEN MASKS. FOUND THAT BOTH MASKS ARE NOT AFFECTED BY ZODIAC SB MCF-SBU-35-001R1 DUE TO PART/SERIAL NUMBERS NOT LISTED IN APPENDIX I, NO FURTHER ACTION REQUIRED.</p>									
FAA 2015-23-09 PARA (H.1)	REPLACE EACH AFFECTED FLIGHTCREW OXYGEN MASK WITH A PART IDENTIFIED IN PARAGRAPH (H)(1)(I) OR (H)(1)(II).	SMF	MANDATORY	MTH 22-Jan-2016 DAYS 11427.7 HRS 12338 LDG		-			N/A
<p>MOC : NOT APPLICABLE - COMPLIED WITH SERVICE LETTER CIL-35-05 IN CONJUNCTION WITH AD2015-23-09 DATED 12/28/15 BY INSPECTION OF BOTH CREW OXYGEN MASKS. FOUND THAT BOTH MASKS ARE NOT AFFECTED BY ZODIAC SB MCF-SBU-35-001R1 DUE TO PART/SERIAL NUMBERS NOT LISTED IN APPENDIX I, NO FURTHER ACTION REQUIRED.</p>									
FAA 2015-23-09 PARA (H.2.I)	REVISE THE EMERGENCY PROCEDURES SECTION OF THE AIRPLANE FLIGHT MANUAL (AFM) BY INSERTING THE STATEMENT PROVIDED IN FIGURE 1	SMF	MANDATORY	MTH 22-Jan-2016 DAYS 11427.7 HRS 12338 LDG		-			N/A
<p>MOC : NOT APPLICABLE - COMPLIED WITH SERVICE LETTER CIL-35-05 IN CONJUNCTION WITH AD2015-23-09 DATED 12/28/15 BY INSPECTION OF BOTH CREW OXYGEN MASKS. FOUND THAT BOTH MASKS ARE NOT AFFECTED BY ZODIAC SB MCF-SBU-35-001R1 DUE TO PART/SERIAL NUMBERS NOT LISTED IN APPENDIX I, NO FURTHER ACTION REQUIRED.</p>									
FAA 2015-23-09 PARA (H.2.II)	FABRICATE AND INSTALL A PLACARD ON THE FLIGHTCREW OXYGEN MASK CONTAINER THAT STATES: "USE SELECTOR ON 100% OR EMERGENCY ONLY."	SMF	MANDATORY	MTH 22-Jan-2016 DAYS 11427.7 HRS 12338 LDG		-			N/A
<p>MOC : NOT APPLICABLE - FAA2015-23-09 PARA (H)(2) (II) IS N/A. COMPLIED WITH AD2015-23-09 DATED 12/28/15 BY INSPECTION OF BOTH CREW OXYGEN MASKS. FOUND THAT BOTH MASKS ARE NOT AFFECTED BY ZODIAC SB MCF-SBU-35-001R1 DUE TO PART/SERIAL NUMBERS NOT LISTED IN APPENDIX I, NO FURTHER ACTION REQUIRED PER PARAGRAPH (C) OF AD.</p>									
FAA 2015-23-09 PARA (I)	REGULATOR REPLACEMENT	SMF	MANDATORY	MTH 22-Jan-2016 HRS 11427.7 LDG 12338		-			N/A
<p>MOC : NOT APPLICABLE - FAA2015-23-09 PARA (H)(2) (II) IS N/A. COMPLIED WITH AD2015-23-09 DATED 12/28/15 BY INSPECTION OF BOTH CREW OXYGEN MASKS. FOUND THAT BOTH MASKS ARE NOT AFFECTED BY ZODIAC SB MCF-SBU-35-001R1 DUE TO PART/SERIAL NUMBERS NOT LISTED IN APPENDIX I, NO FURTHER ACTION REQUIRED PER PARAGRAPH (C) OF AD.</p>									
FAA 2015-23-09	OXYGEN - ZODIAC AEROTECHNICS (FORMERLY INTERTECHNIQUE AIRCRAFT SYSTEMS) FLIGHT CREW OXYGEN MASK REGULATORS - INSPECTION / REPLACEMENT OF OXYGEN MASK REGULATORS	SMF	MANDATORY	MTH 22-Jan-2016 HRS 11427.7 LDG 12338		-			N/A
<p>MOC : NOT APPLICABLE - COMPLIED WITH SERVICE LETTER CIL-35-05 IN CONJUNCTION WITH AD2015-23-09 DATED 12/28/15 BY INSPECTION OF BOTH CREW OXYGEN MASKS. FOUND THAT BOTH MASKS ARE NOT AFFECTED BY ZODIAC SB MCF-SBU-35-001R1 DUE TO PART/SERIAL NUMBERS NOT LISTED IN APPENDIX I, NO FURTHER ACTION REQUIRED.</p>									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Part Number Mod Lvl Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 2016-11-20 PARA (G)	PHYSICALLY INSPECT THE PBE POUCH TO DETERMINE IF IT HAS AN INTACT VACUUM SEAL IN ACCORDANCE WITH B/E AEROSPACE SERVICE BULLETIN NO. 119003-35-011, REV .000, DATED FEBRUARY 4, 2015, PARA III.A.1 SUPERSEDED BY FAA AD 2017-18-12	MEV	MANDATORY	MTH 28-Feb-2017 HRS 11839 LDG 12763 ACH 60		-			N/A
MOC : NOT APPLICABLE									
FAA 2016-11-20 PARA (H.1)	REPLACEMENT OF A PBE POUCH, FOUND DURING THE INSPECTION IN PARAGRAPH (G) OF THIS AD, THAT DOES NOT HAVE AN INTACT VACUUM SEAL. SUPERSEDED BY FAA AD 2017-18-12		MANDATORY			-			
MOC :									
FAA 2016-11-20 PARA (H.2)	REPLACEMENT OF A PBE POUCH, FOUND DURING THE INSPECTION IN PARAGRAPH (G) OF THIS AD, WHERE THE VACUUM SEAL IS INTACT. SUPERSEDED BY FAA AD 2017-18-12		MANDATORY	MTH		-			
MOC :									
FAA 2016-11-20	APPLIANCE AD - OXYGEN - INSPECTION AND REPLACEMENT OF B/E AEROSPACE PROTECTIVE BREATHING EQUIPMENT (PBE), PART NUMBER 119003-11 THAT ARE INSTALLED ON AIRPLANES. SUPERSEDED BY FAA AD 2017-18-12		MANDATORY			-			
MOC :									
FAA 2017-18-12 PARA (G)	INSPECTION RETAINED FROM AD 2016-11-20 FOR AIRPLANES WITH PBE, P/N 119003-11, INSTALLED	KMEV	MANDATORY	MTH 05-Jun-2018 HRS 12397.1 LDG 13330		-			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2017-18-12 PARA (H)	REPLACEMENT RETAINED FROM AD 2016-11-20 FOR AIRPLANES WITH PBE, P/N 119003-11, INSTALLED	KMEV	MANDATORY	MTH 05-Jun-2018 HRS 12397.1 LDG 13330		-			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2017-18-12 PARA (I) & (J)	INSPECT TO DETERMINE IF THE S/N OF THE INSTALLED PBE, P/N 119003-21, IS WITHIN THE RANGE OF 004-14768M THROUGH 004-21093M OR 004-02393M THROUGH 004-03033M AND IF FOUND WITHIN THE S/N RANGE REPLACE IT.	KMEV	MANDATORY	MTH 05-Jun-2018 HRS 12397.1 LDG 13330		-			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 2017-18-12 PARA (G)	APPLIANCE AD - OXYGEN - INSPECTION AND REPLACEMENT OF B/E AEROSPACE PROTECTIVE BREATHING EQUIPMENT (PBE), PART NUMBER 119003-11 AND 119003-21 THAT ARE INSTALLED ON AIRPLANES	KMEV	MANDATORY	MTH 05-Jun-2018 HRS 12397.1 LDG 13330		-			N/A
MOC : NOT APPLICABLE - NOT APPLICABLE									
FAA 1987-10-01 E1	PREVENT FAILURE OF CERTAIN FAN BLADES	UNK	MANDATORY	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH - AD 87-10-01 AMENDMENT 39-5959 DATED JULY 15, 1988.									
FAA 1987-10-01 E2	PREVENT FAILURE OF CERTAIN FAN BLADES	UNK	MANDATORY	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH									



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Airworthiness Directives

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
FAA 1993-18-08 E1	PREVENT A HIGH PRESSURE TURBINE (HPT) ASSEMBLY FAILURE. AMENDMENT 39-8693	UNK		MANDATORY	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH - AD 93-18-08 AMENDMENT 39-8693 DATED NOVEMBER 24, 1993.										
FAA 1993-18-08 E2	PREVENT A HIGH PRESSURE TURBINE (HPT) ASSEMBLY FAILURE. AMENDMENT 39-8693	UNK		MANDATORY	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		-			Complete
MOC : COMPLIED WITH										
FAA 1974-26-05 E1	TO PREVENT FUEL LEAKS, INSPECT FUEL CONTROL UNITS FOR POSSIBLE INTERFERENCE BETWEEN THE FUEL OUTLET HOUSING AND THE FUEL CONTROL MAIN BODY	UNK		MANDATORY	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		25			Complete
MOC : COMPLIED WITH - PCW										
FAA 1974-26-05 E2	TO PREVENT FUEL LEAKS, INSPECT FUEL CONTROL UNITS FOR POSSIBLE INTERFERENCE BETWEEN THE FUEL OUTLET HOUSING AND THE FUEL CONTROL MAIN BODY	UNK		MANDATORY	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		25			Complete
MOC : COMPLIED WITH - PREVIOUSLY										
FAA 1978-17-06 E1	TO PRECLUDE FUEL LEAKAGE FROM THE FUEL ADAPTER ASSEMBLIES	UNK		MANDATORY	MTH 04-Jun-2013 HRS 10513.5 LDG 11434		50			Complete
MOC : COMPLIED WITH - PCW										
FAA 1978-17-06 E2	TO PRECLUDE FUEL LEAKAGE FROM THE FUEL ADAPTER ASSEMBLIES	UNK		MANDATORY	MTH 11-Feb-2013 HRS 10513.5 LDG 11434		50			Complete
MOC : COMPLIED WITH - PREVIOUSLY										
FAA 1993-05-15 78AD-01	MODIFY THE THRUST REVERSER THROTTLE LOAD LIMITER	SMF		MANDATORY	MTH 14-Jun-1993 HRS 2548		A/R			Complete
MOC : COMPLIED WITH										



CESCOM 10 - Aircraft Status Report

Owner: **STATE OF NEVADA**
 Aircraft Model: **550 - CITATION II**
 Aircraft Serial: **550-0557**
 Unit: **0557** Reg No: **N711NV**
 Airworthiness: **13-Aug-1987**
 Print Date: **10-Nov-2020 10:46PM**

Tracking Rate	Hours	Events/ Landings	Last Actual Date	Average Daily Utilization
AIRCRAFT	12679.2	13643	19-Oct-2020	.22
ENG 1	12564.9	13561	19-Oct-2020	.22
ENG 2	12512.5	13506	19-Oct-2020	.22
AIR COND	176.8		19-Oct-2020	.9

Factory Installed

Item Code Position	Description Drawing # / Task #	City	Mod Lvl	Part Number Part Serial No	C/W Time 1 C/W Time 2	Adj. + or -	TBO 1 TBO 2	TSO 1 TSO 2	(ENG) DUE 1 (ENG) DUE 2	Remains Remains
21FO-03D <i>21FO-03 : 550/D</i>	FLOOD COOLING FACTORY OPTION	*CF		21D FO	MTH 13-Aug-1987		-			
21FO-04A <i>21FO-04 : 550/A</i>	COCKPIT AIR SUPPLEMENTAL FACTORY OPTION	*CF		179A FO	MTH 13-Aug-1987		-			
25FO-10B <i>25FO-10 : 550/B</i>	CENTER CLUB SEATING FACTORY OPTION	*CF		112B FO	MTH 13-Aug-1987		-			
33FO-02B <i>33FO-02 : 550/B</i>	LIGHT-RECOGNITION WING-TIP MOUNTED FACTORY OPTION	*CF		49B FO	MTH 13-Aug-1987		-			
34FO-02	INDICATOR ANGLE OF ATTACK FACTORY OPTION	*CF		11 FO	MTH 13-Aug-1987		-			
34FO-04	LOCATOR BEACON-EMERGENCY FACTORY OPTION	*CF		175 FO	MTH 13-Aug-1987		-			
34FO-07D <i>34FO-07 : 550/D</i>	2ND TRANSPONDER-COLLINS TDR-90 FACTORY OPTION	*CF		623D FO	MTH 13-Aug-1987		-			
34FO-12S <i>34FO-12 : 550/S</i>	2ND ADF COLLINS ADF60 WO/HF COMM AFT FACTORY OPTION	*CF		658S FO	MTH 13-Aug-1987		-			
34FO-14Y <i>34FO-14 : 550/Y</i>	RADIO ALTIMETER-ALT 55B W/SEP PILOT IND FACTORY OPTION	*CF		672Y FO	MTH 13-Aug-1987		-			
34FO-15B <i>34FO-15 : 550/B</i>	FLIGHT DIRECTOR LH-5" SINGLE CUE SPERRY FACTORY OPTION	*CF		679B FO	MTH 13-Aug-1987		-			
34FO-15J <i>34FO-15 : 550/J</i>	FLIGHT DIRECTOR REM CRS & HDG SGL SPERRY FACTORY OPTION	*CF		679J FO	MTH 13-Aug-1987		-			
34FO-16J <i>34FO-16 : 550/J</i>	2ND DME COLLIN DME40 FACTORY OPTION	*CF		681J FO	MTH 13-Aug-1987		-			
73FO-01C <i>73FO-01 : 550/C</i>	ENGINE SYNCHRONIZING INSTRUMENT W/TH REV FACTORY OPTION	*CF		76C FO	MTH 13-Aug-1987		-			
78FO-01	THRUST REVERSERS FACTORY OPTION	*CF		193 FO	MTH 13-Aug-1987		-			